

quiz.vu.edu.pk/QuizQuestion.aspx?ver=bd450ffe

Apps Gmail Maps YouTube Home ~ Raise For S...

MC200200011: USMAN KHAN

CS101:Quiz#1

Question # 2 of 10 (Start time: 02:06:24 PM, 12 August 2020)

The sign of modulus is

Select the correct option

- |
- |
- %
- |

Type here to search



MC200200011: USMAN KHAN

CS101:Quiz#1

Question # 5 of 10 (**Start time: 02:08:07 PM, 12 August 2020**)

This _____ view of the database is called a database model.

Select the correct option

<input type="radio"/>	theoretical
<input type="radio"/>	conceptual
<input type="radio"/>	empirical
<input type="radio"/>	logical

MC200200011: USMAN KHAN

CS101:Quiz#1

Question # 4 of 10 (Start time: 02:07:28 PM, 12 August 2021)

Which of the following is not a phase of SDLC.

Select the correct option

- | | |
|-----------------------|------------------------|
| <input type="radio"/> | Testing |
| <input type="radio"/> | Requirements analysis |
| <input type="radio"/> | Problem identification |
| <input type="radio"/> | Implementation |



Type here to search

MC200200011: USMAN KHAN


CS101: Quiz#1 Quiz

Question # 7 of 10 (Start time: 02:09:44 PM, 12 August 2020)

The problem known as the _____ can arise if one transaction is in the middle of transferring funds from one account to another when another transaction tries to compute the total depo

Select the correct option

- lost update problem
- incorrect summary problem
- potential problem



MC200200011: USMAN KHAN

CS101:Quiz#1

Question # 6 of 10 (Start time: 02:08:48 PM, 12 August 2020)

In modern computer applications, problems are more easily solved in the context of:

Select the correct option

- | | |
|-----------------------|------------------------|
| <input type="radio"/> | Parallel processing |
| <input type="radio"/> | Traditional context |
| <input type="radio"/> | Traditional processing |
| <input type="radio"/> | Technology |

MC200200011: USMAN KHAN

CS101:Quiz#1

Question # 3 of 10 (Start time: 02:06:54 PM, 12 Au

$5\%2$ would give

Select the correct option

- | | |
|-----------------------|---|
| <input type="radio"/> | 0 |
| <input type="radio"/> | 1 |
| <input type="radio"/> | 2 |
| <input type="radio"/> | 5 |

MC200200011: USMAN KHAN

CS101:Quiz#1

Question # 1 of 10 (Start time: 02:05:33 PM, 12 August 2020)

Which of the following symbol is used at the end of the line to separate statements in many imperative languages.

Select the correct option

-
-
-
-



← → ↻ quiz.vu.edu.pk/QuizQuestion.aspx?ver=8b65372d

Apps Gmail Maps YouTube Home ~ Raise For S...

MC200200011: USMAN KHAN

CS101:Quiz#1

Question # 9 of 10 (Start time: 02:12:11 PM, 12 August 2020)

Which of the following symbol is used as assignment operator in Ada.

Select the correct option

<input type="radio"/>	.
<input type="radio"/>	.
<input type="radio"/>	=
<input type="radio"/>	=

CS101:Quiz#1

Question # 8 of 10 (Start time: 02:11:12 PM, 12 August 202

Design phase is followed by.....

Select the correct option

- | | |
|-----------------------|----------------------|
| <input type="radio"/> | Requirement analysis |
| <input type="radio"/> | Implementation |
| <input type="radio"/> | Testing |
| <input type="radio"/> | Maintenance |



Type here to search



MC200200011: USMAN KHAN

CS101:Quiz#1

Question # 10 of 10 (Start time: 02:12:56 PM, 12 August 2020)

In particular, the chart that indicates the entire game is overseen by a function named _____

Select the correct option

- objects
- controlgame
- function
- forms



Type here to search



The syntax for using

MWK

Also include in quiz ... no screen shot



Click to Save Answer & Move to Next Question

The sign of modulus is

MWK

Also include in quiz ... no screen shot



Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 03:11:32 PM, 12 August 2020)

Total Marks: 1

Profitability of any individual animal or of a herd or flock of animals is determined by efficiency of

Select the correct option

<input checked="" type="radio"/>	production	//
<input type="radio"/>	egg	//
<input type="radio"/>	meat	//
<input type="radio"/>	milk	//

Question # 9 of 10 (Start time: 03:10:17 PM, 12 August 2020)

Total Marks: 1

Lactation yields also increases due to better selection of.....

Select the correct option

<input type="radio"/>	animals	//
<input type="radio"/>	male	//
<input type="radio"/>	female	//
<input checked="" type="radio"/>	breeds	//

Question # 8 of 10 (Start time: 03:08:50 PM, 12 August 2020)

Total Marks: 1

-----is a good source of protein.

Select the correct option

- | | | |
|----------------------------------|-----------|----|
| <input type="radio"/> | Oats | // |
| <input type="radio"/> | Hay | // |
| <input type="radio"/> | Wheat | // |
| <input checked="" type="radio"/> | Fish Meal | // |

Question # 7 of 10 (Start time: 03:08:21 PM, 12 August 2020)

Total Marks: 1

When is found not up to standard, it may be rejected by the creamery

Select the correct option

- yogurt
- cheese
- milk
- butter milk

Question # 6 of 10 (Start time: 03:07:03 PM, 12 August 2020)

Total Marks: 1

Daily milk yield of the cow depends on the type ofraised.

Select the correct option

- | | | |
|----------------------------------|---------|----|
| <input checked="" type="radio"/> | breed | // |
| <input type="radio"/> | animals | // |
| <input type="radio"/> | male | // |
| <input type="radio"/> | female | // |

Question # 4 of 10 (Start time: 03:05:01 PM, 12 August 2020)

Total Marks: 1

For digestion, gizzard is present in

Select the correct option

- | | | |
|----------------------------------|--------|---|
| <input checked="" type="radio"/> | Turkey | / |
| <input type="radio"/> | cow | / |
| <input type="radio"/> | sheep | / |
| <input type="radio"/> | horse | / |

Question # 3 of 10 (Start time: 03:04:41 PM, 12 August 2020)

Total Marks: 1

Macro minerals include

Select the correct option

- | | | |
|----------------------------------|----------|----|
| <input type="radio"/> | Fluorine | // |
| <input type="radio"/> | Iodine | // |
| <input checked="" type="radio"/> | Sulfur | // |
| <input type="radio"/> | Iron | // |

Question # 2 of 10 (Start time: 03:04:14 PM, 12 August 2020)

Total Marks: 1

Characteristically roughage feedstuffs contain highercontent

Select the correct option

<input checked="" type="radio"/>	Mineral	//
<input type="radio"/>	vitamins	//
<input type="radio"/>	carbohydrates	//
<input type="radio"/>	protein	//

Question # 1 of 10 (Start time: 03:02:49 PM, 12 August 2020)

Total Marks: 1

In feedstuff of livestock preservatives can be used to promote proper fermentation.

Select the correct option

- | | | |
|----------------------------------|--------------|----|
| <input checked="" type="radio"/> | Acids | // |
| <input type="radio"/> | Bacteria | // |
| <input type="radio"/> | Enzymes | // |
| <input type="radio"/> | all of these | // |

Question # 4 of 10 (Start time: 01:17:36 AM, 12 August 2020)

Total Marks: 1

How do you initialize an array in C

Please make sure

Select the correct option

- | | | | |
|----------------------------------|-----------------------------------|--|--|
| <input checked="" type="radio"/> | <code>int arr[3] = {1,2,3}</code> | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: manlamaan2@gmail.com | |
| <input type="radio"/> | <code>int arr[3] = [1,2,3]</code> | | |
| <input type="radio"/> | <code>int arr[3] = (1,2,3)</code> | | |
| <input type="radio"/> | <code>int arr[3] = [1,2,3]</code> | | |

[Click to Save Answer & Move to Next Question](#)

Question # 10 of 10 (Start time: 01:24:35 AM, 12 August 2020)

Total Marks: 1

Which software testing refers to tests that do not rely on knowledge of the software's interior composition?

Select the correct option

- basis path testing
- glass box testing
- black-box testing
- white-box testing

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 12:45:32 AM, 12 August 2020)

Total Marks: 1

The purpose of system _____ is to describe the software's internal composition so that the software can be maintained later in its life cycle.

Select the correct option

- quality assurance documentation
- user documentation
- system documentation
- technical documentation

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 12:49:07 AM, 12 August 2020)

Total Marks: 1

Design phase is followed by.....

Select the correct option

- | | | | |
|----------------------------------|----------------------|--|--|
| <input checked="" type="radio"/> | Requirement analysis | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com | |
| <input type="radio"/> | Implementation | | |
| <input type="radio"/> | Testing | | |
| <input type="radio"/> | Maintenance | | |

Click to Save Answer & Move to Next Question

Question # 9 of 10 (Start time: 12:47:29 AM, 12 August 2020)

Total Marks: 1

If the result after comparison of two variables in relational operators is False, then if statement returns value

Select the correct option

- | | | |
|----------------------------------|----|---|
| <input type="radio"/> | 1 | |
| <input type="radio"/> | No | |
| <input type="radio"/> | 1 | |
| <input checked="" type="radio"/> | 0 | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 10 (Start time: 12:46:26 AM, 12 August 2020)

Total Marks: 1

_____ refers to functional paradigm

Select the correct option

- Doctors
- Mathematicians
- Teachers
- Lawyers

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 12:45:32 AM, 12 August 2020)

Total Marks: 1

The purpose of system _____ is to describe the software's internal composition so that the software can be maintained later in its life cycle.

Select the correct option

- quality assurance documentation
- user documentation
- system documentation
- technical documentation

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 12:44:52 AM, 12 August 2020)

Total Marks: 1

An alternative to translators

Select the correct option

- Assembler
- Compiler
- Interpreter
- Mnemonics

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 12:44:06 AM, 12 August 2020)

Total Marks: 1

```
Float CGPA=2.5;
If (CGPA>=3.0)
  Cout<<"Give Scholarship";
Else
  Cout<<"Sorry you do not qualify for the scholarship";
It will show output
```

Select the correct option

- | | | |
|----------------------------------|--|--|
| <input type="radio"/> | Give Scholarship | |
| <input checked="" type="radio"/> | Sorry you do not qualify for the scholarship | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| <input type="radio"/> | Good | |
| <input type="radio"/> | Display none | |

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 10 (Start time: 12:43:13 AM, 12 August 2020)

Total Marks: 1

In particular, the chart that indicates the entire game is overseen by a function named _____

Select the correct option

- objects
- controlgame
- function
- forms

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 12:42:27 AM, 12 August 2020)

Total Marks: 1

An object is actually a special case of the more general concept of a _____

Select the correct option:

- coupling
- binding
- cohesion
- component

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 12:41:21 AM, 12 August 2020)

Total Marks: 1

A specific example is the _____ series of standards, which address numerous industrial activities such as design, production, installation and servicing.

Select the correct option

- ISO 9000
- IEEE
- ISO/IEC 15504
- SQA

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

 [Click to Save Answer & Move to Next Question](#)

Question # 1 of 10 (Start time: 12:40:36 AM, 12 August 2020)

Total Marks: 1

The description of the object's properties is called

Select the correct option

<input type="radio"/>	Object	
<input checked="" type="radio"/>	Class	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
<input type="radio"/>	Function	
<input type="radio"/>	Instance	

[Click to Save Answer & Move to Next Question](#)

Question # 10 of 10 (Start time: 01:24:35 AM, 12 August 2020)

Total Marks: 1

Which software testing refers to tests that do not rely on knowledge of the software's interior composition?

Select the correct option

- | | | |
|----------------------------------|--------------------|--|
| <input type="radio"/> | basis path testing | |
| <input type="radio"/> | glass-box testing | |
| <input checked="" type="radio"/> | black-box testing | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| <input type="radio"/> | white-box testing | |

[Click to Save Answer & Move to Next Question](#)

Question # 9 of 10 (Start time: 01:23:51 AM, 12 August 2020)

Total Marks: 1

A significant example of iterative techniques is:

Select the correct option

- Relational process
- Conventional process
- Rational unified process
- Unified process

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 10 (Start time: 01:23:10 AM, 12 August 2020)

Total Marks: 1

A model which represents the shift away from strict adherence to the waterfall model is:

Select the correct option

- Incremental model
- Waterfall model
- Spiral model
- Iterative model

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 01:21:51 AM, 12 August 2020)

Total Marks: 1

Control structure iterates a set of instructions based on the provided condition called

Select the correct option.

- | | | |
|----------------------------------|-------------|--|
| <input type="radio"/> | if-else | |
| <input type="radio"/> | Conditional | |
| <input checked="" type="radio"/> | Loop | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| <input type="radio"/> | Selection | |

[Click to Save Answer & Move to Next Question](#)

Question # 6 of 10 (Start time: 01:20:05 AM, 12 August 2020)

Total Marks: 1

Third generation language attributes refer to

Select the correct option

- Particular machine
- For all machine
- For only required machine
- None of these

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

 [Click to Save Answer & Move to Next Question](#)

Question # 5 of 10 (Start time: 01:19:25 AM, 12 August 2020)

Total Marks: 1

The simplest form of array is the _____array.

Select the correct option

- multi-dimensional
- two-dimensional.
- one-dimensional
- all of above

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 10 (Start time: 01:17:36 AM, 12 August 2020)

Total Marks: 1

How do you initialize an array in C

Please make sure

Select the correct option.

- | | | | |
|----------------------------------|------------------------------------|--|--|
| <input checked="" type="radio"/> | <code>int arr[3] = {1,2,3}</code> | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com | |
| <input type="radio"/> | <code>int arr[3] = (1,2,3)</code> | | |
| <input type="radio"/> | <code>int arr(3) = (1,2,3);</code> | | |
| <input type="radio"/> | <code>int arr(3) = {1,2,3}</code> | | |

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 10 (Start time: 01:15:44 AM, 12 August 2020)

Total Marks: 1

Correct syntax is

Select the correct option

- If (condition) Statement A Else Statement B
- if (condition) Statement A Else Statement B
- If (condition) Statement A Else Statement B
- if (condition)

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

▶ Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 01:14:54 AM, 12 August 2020)

Total Marks: 1

What is the output of the following code?

```
int sum = 14;  
if ( sum < 20 )  
cout<<"Under ";  
if ( sum > 20 )  
cout<<"Over ";
```

Select the correct option

- Under **Answer solved by Amaan Khan**
Contact: 0305-4716616
Email: maniamaan2@gmail.com
- Over
- Under the limit
- Over the limit

Click to Save Answer & Move to Next Question

Question # 1 of 10 (Start time: 01:13:05 AM, 12 August 2020)

Total Marks: 1

A paradigm works on object called

Select the correct option

- Imperative paradigm
- Declarative paradigm
- Functional paradigm
- Object oriented paradigm

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

[Click to Save Answer & Move to Next Question](#)



Time Left: 89 min(s)

Aa

This _____ view of the database is called a database model.



Select the correct option

- theoretical
- conceptual
- empirical
- logical



b

Click to Save Answer & Move to Next Question

Send to
Msc Zoology 1st and 2nd Sem...





MC200201893: MUHAMMAD SHAHBAZ FAREED

Time Left 67 sec(s)

CS101:Quiz#1

Quiz Start Time: 12:07 PM, 12 August 2020

Question # 3 of 10 (Start time: 12:10:17 PM, 12 August 2020)

Total Marks: 1

A process which is used by the software industry to design, develop and test high quality software is known as:

Select the correct option

- | | |
|-----------------------|---------------------|
| <input type="radio"/> | Software |
| <input type="radio"/> | Development manual |
| <input type="radio"/> | Testing process |
| <input type="radio"/> | Software life cycle |

Copyright © All Rights Reserved



MC200201899: MUHAMMAD SHAHBAZ FAREED

Time Left 65 sec(s)

CS101-Quiz#1

Quiz Start Time: 12:07 PM, 12 August 2020

Question # 2 of 10 (Start time: 12:08:45 PM, 12 August 2020)

Total Marks: 1

-----stages about developing a solution to the problem

Select the correct option

- | | |
|-----------------------|----------------|
| <input type="radio"/> | Analysis |
| <input type="radio"/> | Design |
| <input type="radio"/> | Testing |
| <input type="radio"/> | Implementation |

Copyright © All Rights Reserved



Time Left: 89 min(s)

Aa

Writing programs in a machine language is a tedious task that often leads to errors that must be located and corrected



Select the correct option

- Debugging
- Compiling
- Accuracy
- Executing

A



Click to Save Answer & Move to Next Question

Send to
Msc Zoology 1st and 2nd Sem...





Time Left: 89 min(s)

Aa

Total Marks: 1

Question # 10 of 10 (Start time: 12:17:54 PM, 12 August 2020)

Third generation language attributes refer to



Select the correct option

- Particular machine
- For all machine **b**
- For only required machine
- None of these



Click to Save Answer & Move to Next Question

Send to
Msc Zoology 1st and 2nd Sem...





Time Left: 89 sec(s)

Aa

Total Marks: 1

Question # 7 of 10 (Start time: 12:14:39 PM, 12 August 2020)

What will be the output of the following code?

```
int main()
{
int x = 9;
while (x>0)
{
```



Select the correct option

- 9
- 8
- 123456789
- 987654321

C



Click to Save Answer & Move to Next Question

Send to
Msc Zoology 1st and 2nd Sem...





Time Left: 87 min(s)

Aa

Total Marks: 1

Question # 8 of 10 (Start time: 12:13:38 PM, 12 August 2020)

Declarative paradigms system is design for



Select the correct option

- Specific purpose
- General purpose
- For all purpose
- All of these

b



Can't find answer? Move to Next Question

Send to
Msc Zoology 1st and 2nd Sem...





Quiz
quiz.vu.edu.pk



MC200201895: MUHAMMAD SHAHBAZ FAREED

CS101:Quiz#1

Quiz Start Time: 12:07 PM, 12 August 2020

Time Left: 89 min(s)

Aa

Total Marks: 1

Question # 6 of 10 (Start time: 12:13:34 PM, 12 August 2020)

Stakeholders can be a



Select the correct option

- Schools
- Government policies **d**
- Lawyers
- Government agencies



Can't find an answer? Move to the next question

Send to
Msc Zoology 1st and 2nd Sem...





Time Left: 89 min(s)

Aa

Total Marks: 1

Question # 1 of 10 (Start time: 12:07:43 PM, 12 August 2020)

----- refers to functional paradigm



Select the correct option

- Doctors
- b** Mathematicians
- Teachers
- Lawyers



Click to Save Answer & Move to Next Question

Send to
Msc Zoology 1st and 2nd Sem...



Question # 2 of 10 (Start time: 01:14:54 AM, 12 August 2020)

Total Marks: 1

What is the output of the following code?

```
int sum = 14;  
if ( sum < 20 )  
cout<<"Under ";  
if ( sum > 20 )  
cout<<"Over ";
```

Select the correct option

- | | | | |
|----------------------------------|-----------------|--|---|
| <input checked="" type="radio"/> | Under | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com | ⚡ |
| <input type="radio"/> | Over | | ⚡ |
| <input type="radio"/> | Under the limit | | ⚡ |
| <input type="radio"/> | Over the limit | | ⚡ |

Click to Save Answer & Move to Next Question

Question # 8 of 10 (Start time: 12:46:28 AM, 12 August 2020)

Total Marks: 1

----- refers to functional paradigm

Select the correct option

- | | | | |
|----------------------------------|----------------|--|--|
| <input type="radio"/> | Doctors | | |
| <input checked="" type="radio"/> | Mathematicians | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com | |
| <input type="radio"/> | Teachers | | |
| <input type="radio"/> | Lawyers | | |

Click to Save Answer & Move to Next Question

sec(s)

CS101:Quiz#1

Quiz Start Time: 12:40 AM, 12 August 2020

Question # 10 of 10 (Start time: 12:49:07 AM, 12 August 2020)

Total Marks: 1

Design phase is followed by.....

Select the correct option

<input checked="" type="radio"/>	Requirement analysis	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	/
<input type="radio"/>	Implementation		/
<input type="radio"/>	Testing		/
<input type="radio"/>	Maintenance		/

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 01:14:54 AM, 12 August 2020)

Total Marks: 1

What is the output of the following code?

```
int sum = 14;  
if ( sum < 20 )  
cout<<"Under ";  
if ( sum > 20 )  
cout<<"Over ";
```

Select the correct option

<input checked="" type="radio"/>	Under	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	/
<input type="radio"/>	Over		/
<input type="radio"/>	Under the limit		/
<input type="radio"/>	Over the limit		/

[Click to Save Answer & Move to Next Question](#)

sec(s)

CS101:Quiz#1

Quiz Start Time: 01:13 AM, 12 August 2020

Question # 1 of 10 (Start time: 01:13:05 AM, 12 August 2020)

Total Marks: 1

A paradigm works on object called

Select the correct option

<input type="radio"/>	Imperative paradigm	
<input type="radio"/>	Declarative paradigm	
<input type="radio"/>	Functional paradigm	
<input checked="" type="radio"/>	Object oriented paradigm	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com



Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 12:45:32 AM, 12 August 2020)

Total Marks: 1

The purpose of system _____ is to describe the software's internal composition so that the software can be maintained later in its life cycle.

Select the correct option

- | | | |
|----------------------------------|---------------------------------|--|
| <input type="radio"/> | quality assurance documentation | |
| <input type="radio"/> | user documentation | |
| <input checked="" type="radio"/> | system documentation | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| <input type="radio"/> | technical documentation | |

[Click to Save Answer & Move to Next Question](#)

Question # 6 of 10 (Start time: 12:44:52 AM, 12 August 2020)

Total Marks: 1

An alternative to translators

Select the correct option

- | | | |
|----------------------------------|-------------|--|
| <input type="radio"/> | Assembler | |
| <input type="radio"/> | Compiler | |
| <input checked="" type="radio"/> | Interpreter | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| <input type="radio"/> | Mnemonics | |

Click to Save Answer & Move to Next Question

sec(s)

CS101:Quiz#1

Quiz Start Time: 12:40 AM, 12 August 2020

Question # 9 of 10 (Start time: 12:47:29 AM, 12 August 2020)

Total Marks: 1

If the result after comparison of two variables in relational operators is False, then if statement returns value

Select the correct option

- | | | |
|----------------------------------|----|--|
| <input type="radio"/> | 1 | |
| <input type="radio"/> | No | |
| <input type="radio"/> | ! | |
| <input checked="" type="radio"/> | 0 | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |

[Click to Save Answer & Move to Next Question](#)

sec(s)

CS101:Quiz#1

Quiz Start Time: 12:40 AM, 12 August 2020

Question # 5 of 10 (Start time: 12:44:06 AM, 12 August 2020)

Total Marks: 1

```
Float CGPA=2.5;
If (CGPA>=3.0)
Cout<<"Give Scholarship";
Else
Cout<<"Sorry you do not qualify for the scholarship";
It will show output
```

Select the correct option

- | | | |
|----------------------------------|--|--|
| <input type="radio"/> | Give Scholarship | |
| <input checked="" type="radio"/> | Sorry you do not qualify for the scholarship | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| <input type="radio"/> | Good | |
| <input type="radio"/> | Display none | |

Click to Save Answer & Move to Next Question



Question # 1 of 10 (Start time: 11:25:47 AM, 12 August 2020)

A _____ is a pre-developed model for solving a recurring problem in design.

Select the correct option

- design documents
- design pattern
- design principle
- design process

Click to Save Answer & Move to Next

sec(s)

CS101:Quiz#1

Quiz Start Time: 12:40 AM, 12 August 2020

Question # 1 of 10 (Start time: 12:40:36 AM, 12 August 2020)

Total Marks: 1

The description of the object's properties is called

Select the correct option

<input type="radio"/>	Object		
<input checked="" type="radio"/>	Class	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	
<input type="radio"/>	Function		
<input type="radio"/>	Instance		

Click to Save Answer & Move to Next Question

Question # 4 of 10 (Start time: 12:43:13 AM, 12 August 2020)

Total Marks: 1

In particular, the chart that indicates the entire game is overseen by a function named _____

Select the correct option

- objects
- controlgame **Answer solved by Amaan Khan**
Contact: 0305-4716616
Email: maniamaan2@gmail.com
- function
- forms

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 12:41:21 AM, 12 August 2020)

Total Marks: 1

A specific example is the _____ series of standards, which address numerous industrial activities such as design, production, installation and servicing.

Select the correct option

<input checked="" type="radio"/>	ISO 9000	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	/
<input type="radio"/>	IEEE		/
<input type="radio"/>	ISO/IEC 15504		/
<input type="radio"/>	SQA		/



Click to Save Answer & Move to Next Question



Question # 2 of 10 (Start time: 01:14:54 AM, 12 August 2020)

Total Marks: 1

What is the output of the following code?

```
int sum = 14;  
if ( sum < 20 )  
cout<<"Under ";  
if ( sum > 20 )  
cout<<"Over ";
```

Select the correct option

- | | | | |
|----------------------------------|-----------------|--|---|
| <input checked="" type="radio"/> | Under | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com | / |
| <input type="radio"/> | Over | | / |
| <input type="radio"/> | Under the limit | | / |
| <input type="radio"/> | Over the limit | | / |

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 12:44:52 AM, 12 August 2020)

Total Marks: 1

An alternative to translators

Select the correct option

- | | | |
|----------------------------------|-------------|--|
| <input type="radio"/> | Assembler | |
| <input type="radio"/> | Compiler | |
| <input checked="" type="radio"/> | Interpreter | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| <input type="radio"/> | Mnemonics | |

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 01:19:25 AM, 12 August 2020)

Total Marks: 1

The simplest form of array is the _____array.

Select the correct option

- multi-dimensional
- two-dimensional
- one-dimensional
- all of above

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 12:45:32 AM, 12 August 2020)

Total Marks: 1

The purpose of system _____ is to describe the software's internal composition so that the software can be maintained later in its life cycle.

Select the correct option

- quality assurance documentation
- user documentation
- system documentation
- technical documentation

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 01:15:44 AM, 12 August 2020)

Total Marks: 1

Correct syntax is

Select the correct option

- | | | | |
|----------------------------------|--|--|---|
| <input checked="" type="radio"/> | If (condition) Statement A Else Statement B. | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com | ⌘ |
| <input type="radio"/> | If (condition) Statement A Else Statement B. | | ⌘ |
| <input type="radio"/> | If (condition) Statement A Else Statement B. | | ⌘ |
| <input type="radio"/> | If (condition) | | ⌘ |

 [Click to Save Answer & Move to Next Question](#)

Question # 4 of 10 (Start time: 01:17:36 AM, 12 August 2020)

Total Marks: 1

How do you initialize an array in C

Please make sure

Select the correct option

<input checked="" type="radio"/>	<code>int arr[3] = {1,2,3}</code>	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	⌘
<input type="radio"/>	<code>int arr[3] = [1,2,3]</code>		⌘
<input type="radio"/>	<code>int arr(3) = {1,2,3}</code>		⌘
<input type="radio"/>	<code>int arr(3) = [1,2,3]</code>		⌘



Click to Save Answer & Move to Next Question



Question # 1 of 10 (Start time: 01:13:05 AM, 12 August 2020)

Total Marks: 1

A paradigm works on object called

Select the correct option

<input type="radio"/>	Imperative paradigm	
<input type="radio"/>	Declarative paradigm	
<input type="radio"/>	Functional paradigm	
<input checked="" type="radio"/>	Object oriented paradigm	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com

 [Click to Save Answer & Move to Next Question](#)

Question # 3 of 10 (Start time: 12:42:27 AM, 12 August 2020)

Total Marks: 1

An object is actually a special case of the more general concept of a _____.

Select the correct option

<input type="radio"/>	coupling	
<input type="radio"/>	binding	
<input type="radio"/>	cohesion	
<input checked="" type="radio"/>	component	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com

[Click to Save Answer & Move to Next Question](#)

Question # 10 of 10 (Start time: 01:24:35 AM, 12 August 2020)

Total Marks: 1

Which software testing refers to tests that do not rely on knowledge of the software's interior composition?

Select the correct option

- | | | |
|----------------------------------|--------------------|--|
| <input type="radio"/> | basis path testing | |
| <input type="radio"/> | glass-box testing | |
| <input checked="" type="radio"/> | black-box testing | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| <input type="radio"/> | white-box testing | |

[Click to Save Answer & Move to Next Question](#)

Question # 9 of 10 (Start time: 01:23:51 AM, 12 August 2020)

Total Marks: 1

A significant example of iterative techniques is:

Select the correct option

- Relational process
- Conventional process
- Rational unified process
- Unified process

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 12:49:07 AM, 12 August 2020)

Total Marks: 1

Design phase is followed by.....

Select the correct option

<input checked="" type="radio"/>	Requirement analysis	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	✘
<input type="radio"/>	Implementation		✘
<input type="radio"/>	Testing		✘
<input type="radio"/>	Maintenance		✘

Click to Save Answer & Move to Next Question

Question # 9 of 10 (Start time: 12:47:29 AM, 12 August 2020)

Total Marks: 1

If the result after comparison of two variables in relational operators is False, then if statement returns value

Select the correct option

- 1
- No
- 1
- 0

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 10 (Start time: 12:40:35 AM, 12 August 2020)

Total Marks: 1

The description of the object's properties is called

Select the correct option

<input type="radio"/>	Object		
<input checked="" type="radio"/>	Class	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	
<input type="radio"/>	Function		
<input type="radio"/>	Instance		

Click to Save Answer & Move to Next Question

Question # 8 of 10 (Start time: 01:23:10 AM, 12 August 2020)

Total Marks: 1

A model which represents the shift away from strict adherence to the waterfall model is:

Select the correct option

- Incremental model
- Waterfall model
- Spiral model
- Iterative model

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 12:44:06 AM, 12 August 2020)

Total Marks: 1

```
Float CGPA=2.5;
If (CGPA>=3.0)
  Cout<<"Give Scholarship";
Else
  Cout<<"Sorry you do not qualify for the scholarship";
It will show output
```

Select the correct option

- | | | |
|----------------------------------|--|--|
| <input type="radio"/> | Give Scholarship | |
| <input checked="" type="radio"/> | Sorry you do not qualify for the scholarship | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| <input type="radio"/> | Good | |
| <input type="radio"/> | Display none | |

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 10 (Start time: 12:41:21 AM, 12 August 2020)

Total Marks: 1

A specific example is the _____ series of standards, which address numerous industrial activities such as design, production, installation and servicing.

Select the correct option

<input checked="" type="radio"/>	ISO 9000	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	✘
<input type="radio"/>	IEEE		✘
<input type="radio"/>	ISO/IEC 15504		✘
<input type="radio"/>	SQA		✘

 [Click to Save Answer & Move to Next Question](#)

Question # 7 of 10 (Start time: 01:21:51 AM, 12 August 2020)

Total Marks: 1

Control structure iterates a set of instructions based on the provided condition called

Select the correct option

- If-else
- Conditional
- Loop
Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com
- Selection

 [Click to Save Answer & Move to Next Question](#)

Question # 4 of 10 (Start time: 12:43:13 AM, 12 August 2020)

Total Marks: 1

In particular, the chart that indicates the entire game is overseen by a function named _____

Select the correct option

<input type="radio"/>	objects		
<input checked="" type="radio"/>	controlgame	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	
<input type="radio"/>	function		
<input type="radio"/>	forms		

[Click to Save Answer & Move to Next Question](#)

Question # 6 of 10 (Start time: 01:20:05 AM, 12 August 2020)

Total Marks: 1

Third generation language attributes refer to

Select the correct option

- Particular machine
- For all machine
- For only required machine
- None of these

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 10 (Start time: 02:44:15 AM, 12 August 2020)

Total Marks: 1

_____stage that distinct between the tasks of a software analyst and a programmer

MWK

Select the correct option

- Implementation
- Design
- Testing
- Analysis

 [Click to Save Answer & Move to Next Question](#)

Question # 2 of 10 (Start time: 02:46:02 AM, 12 August 2020)

Total Marks: 1

Assignment statement is

MWK

Select the correct option

-
-
-
-

 Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 02:47:41 AM, 12 August 2020)

Total Marks: 1

What is the output of the following code?

```
int sum = 14;  
if ( sum < 20 )  
cout<<"Under ";  
if ( sum > 20 )  
cout<<"Over ";
```

MWK

Select the correct option

- Under
- Over
- Under the limit
- Over the limit

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 10 (Start time: 02:49:30 AM, 12 August 2020)

Total Marks: 1

A _____ is a storage area that contains such an encoded address.

Select the correct option:

- pointer
- array
- tree
- graph

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 10 (Start time: 02:51:09 AM, 12 August 2020)

Total Marks: 1

A mnemonic system for representing programs is collectively called an numbers.

MWK

Select the correct option

- Machine language
- Assembly language
- Low level language
- High level language

[Click to Save Answer & Move to Next Question](#)

Question # 6 of 10 (Start time: 02:52:45 AM, 12 August 2020)

Total Marks: 1

_____ is used to combine different relations into one relation.

MWK

Select the correct option

- PROJECT
- SELECT
- JOIN
- COMBINE

 [Click to Save Answer & Move to Next Question](#)

Question # 9 of 10 (Start time: 02:58:03 AM, 12 August 2020)

Total Marks: 1

_____ is based on real time factory concept.

MWK

Select the correct option

- Adapter pattern
- Decorator pattern
- Factory pattern
- Class pattern

 [Click to Save Answer & Move to Next Question](#)

Question # 10 of 10 (Start time: 02:59:35 AM, 12 August 2020)

Total Marks: 1

In which of the following paradigms, a program is constructed by connecting smaller predefined program units.

MWK

Select the correct option

- Functional paradigm
- Object oriented paradigm
- Declarative paradigm
- Imperative Paradigm

[Click to view Answer & View all MCQ Questions](#)

The sign of modulus is

MWK

Also include in quiz ... no screen shot



Click to Save Answer & Move to Next Question

The syntax for using

MWK

Also include in quiz ... no screen shot



Click to Save Answer & Move to Next Question

Question # 4 of 10 (Start time: 01:17:36 AM, 12 August 2020)

Total Marks: 1

How do you initialize an array in C

Please make sure

Select the correct option

<input checked="" type="radio"/>	<code>int arr[3] = {1,2,3}</code>	<p>Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com</p> <p>B is correct</p>
<input type="radio"/>	<code>int arr[3] = [1,2,3]</code>	
<input type="radio"/>	<code>int arr(3) = {1,2,3}</code>	
<input type="radio"/>	<code>int arr(3) = [1,2,3]</code>	

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 10 (Start time: 01:15:44 AM, 12 August 2020)

Total Marks: 1

Correct syntax is

Select the correct option

<input checked="" type="radio"/>	If (condition) Statement A Else Statement B.	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	0/1
<input type="radio"/>	If (condition) Statement A Else Statement B.		0/1
<input type="radio"/>	If (condition) Statement A Else Statement B.	option c is correct	0/1
<input type="radio"/>	If (condition)		0/1

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 10 (Start time: 12:42:27 AM, 12 August 2020)

Total Marks: 1

An object is actually a special case of the more general concept of a _____.

Select the correct option

<input type="radio"/>	coupling	
<input type="radio"/>	binding	
<input type="radio"/>	cohesion	
<input checked="" type="radio"/>	component	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com

[Click to Save Answer & Move to Next Question](#)

sec(5)

CS101:Quiz#1

Quiz Start Time: 12:40 AM, 12 August 2020

Question # 5 of 10 (Start time: 12:44:06 AM, 12 August 2020)

Total Marks: 1

```
Float CGPA=2.5;
If (CGPA>=3.0)
Cout<<"Give Scholarship";
Else
Cout<<"Sorry you do not qualify for the scholarship";
It will show output
```

Select the correct option

- | | | |
|----------------------------------|--|--|
| <input type="radio"/> | Give Scholarship | |
| <input checked="" type="radio"/> | Sorry you do not qualify for the scholarship | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| <input type="radio"/> | Good | |
| <input type="radio"/> | Display none | |

Click to Save Answer & Move to Next Question



Question # 5 of 10 (Start time: 01:19:25 AM, 12 August 2020)

Total Marks: 1

The simplest form of array is the _____array.

Select the correct option

- | | | |
|----------------------------------|-------------------|--|
| <input type="radio"/> | multi-dimensional | |
| <input type="radio"/> | two-dimensional | |
| <input checked="" type="radio"/> | one-dimensional | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| <input type="radio"/> | all of above | |

Click to Save Answer & Move to Next Question