

# VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI  
EMAIL: hadirajputofficial@gmail.com  
WHATSAPP & CALL: 03087122922

## (Final Term Past Paper)

(Made by Waqar & Solved By Hadi)

**WARNING:** Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.



**WhatsApp: 03087122922**



**FACEBOOK ID: <https://www.facebook.com/hadipastpapers/>**

Best of luck!



Question # 1 of 10 ( Start time: 12:49:32 PM, 21 January 2021 )

Total Marks: 1

public or private keywords can be \_\_\_\_\_

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922**TEAM HADI(VU LAHORE)**

Select the correct option

<input checked="" type="radio"/>	written only for once in the class or structure declaration	//
<input type="radio"/>	written multiple times in the class or structure declaration	//
<input type="radio"/>	written only twice in the class declaration	//
<input type="radio"/>	written outside the class	//

**MADE BY HADI**

Email:hadirajputofficial@gmail.com Whatsapp:03087122922(Team Hadi Lahore)

**BITOUT  
SOFTWARE  
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question # 4 of 10 ( Start time: 12:44:40 PM, 16 July 2021 )

Total Marks: 1

The compiler generates \_\_\_\_\_ automatically

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922**TEAM HADI(VU LAHORE)**

Select the correct option

- |                                  |                    |
|----------------------------------|--------------------|
| <input type="radio"/>            | member functions   |
| <input type="radio"/>            | objects of a class |
| <input checked="" type="radio"/> | constructors       |
| <input type="radio"/>            | classes            |

## Question # 3 of 10 ( Start time: 12:51:35 PM, 21 January 2021 )

Total Marks: 1

The new operator automatically determines the size of memory required to store that object , so it does not need \_\_\_\_\_.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL-03087122922

**TEAM HADI(VU LAHORE)**

## Select the correct option

<input type="radio"/>	free operator	//
<input type="radio"/>	dot operator	//
<input checked="" type="radio"/>	sizeof operator	//
<input type="radio"/>	size off operator	//

**MADE BY HADI**

**BITOUT  
SOFTWARE  
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question # 1 of 10 ( Start time: 12:41:40 PM, 16 July 2021 )

Total Marks:

Header files provide \_\_\_\_\_ so the program running on one operating system can run without an error on the other system.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com)  
WHATSAPP & CALL: 03087122922

**TEAM HADI(VU LAHORE)**

Select the correct option

<input type="radio"/>	portability
<input type="radio"/>	reliability
<input type="radio"/>	accuracy
<input checked="" type="radio"/>	accessibility

Question # 6 of 10 ( Start time: 12:54:22 PM, 21 January 2021 )

Total Marks: 1

If the memory in the free store is not sufficient \_\_\_\_\_.

A Good Education is a Foundation For a Better Future  
**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922  
**TEAM HADI(VU LAHORE)**

Select the correct option

- malloc function returns 1
- malloc function returns 0
- malloc functions returns NULL pointer
- malloc function returns free space

**MADE BY HADI** **BITOUT SOFTWARE HOUSE LAHORE**  
(WE DEAL ALL KIND OF VU PROJECT)

## Question # 10 of 10 ( Start time: 12:58:26 PM, 21 January 2021 )

Total Marks: 1

The difference between pointers and references is that \_\_\_\_\_.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: hadirajputofficial@gmail.com  
WHATSAPP& CALL: 03087122922**TEAM HADI(VU LAHORE)**

## Select the correct option

<input type="radio"/>	we cannot do arithmetic with pointers	//
<input checked="" type="radio"/>	we can do arithmetic with pointers	//
<input type="radio"/>	we cannot reassign pointers	//
<input type="radio"/>	we can assign references	//

Question # 9 of 10 ( Start time: 12:57:45 PM, 21 January 2021 )

Total Marks: 1

The conditional compilation directives help in \_\_\_\_\_ the program

Select the correct option

<input type="radio"/>	executing	
<input type="radio"/>	compiling	
<input checked="" type="radio"/>	debugging	
<input type="radio"/>	running	

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI  
EMAIL: hadirajputofficial@gmail.com  
WHATSAPP& CALL: 03087122922**TEAM HADI(VU LAHORE)****MADE BY HADI****BITOUT  
SOFTWARE  
HOUSE LAHORE**

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

(WE DEAL ALL KIND OF VU PROJECT)

## Question # 7 of 10 ( Start time: 12:55:40 PM, 21 January 2021 )

Total Marks: 1

We should not use such variable names that are starting with \_\_\_\_\_ because in C++, there are lots of internal constants and symbolic names that start with it.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL-03087122922

**TEAM HADI(VU LAHORE)**

## Select the correct option

<input type="radio"/>	upper case alphabets	/
<input type="radio"/>	lower case alphabets	/
<input checked="" type="radio"/>	double underscore	/
<input type="radio"/>	none of the given options	/

Question # 2 of 10 ( Start time: 12:42:30 PM, 16 July 2021 )

Total Marks: 1

Programmer should be very careful about the memory management because it can \_\_\_\_\_.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com)  
WHATSAPP& CALL:03087122922

**TEAM HADI(VU LAHORE)**

Math Equations

Select the correct option

<input type="radio"/>	affect the logic of the program
<input type="radio"/>	create problems of NULL pointers
<input type="radio"/>	return void pointers
<input checked="" type="radio"/>	cause problems of memory leakage and dangling pointers

**MADE BY HADI**

Email: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com) Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT  
SOFTWARE  
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question # 9 of 10 ( Start time: 12:49:07 PM, 16 July 2021 )

Total Marks: 1

\_\_\_\_\_ for parameters is also done for inline functions.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

**TEAM HADI(VU LAHORE)**

ad Math Equations

Select the correct option

<input checked="" type="radio"/>	Automatic type checking
<input type="radio"/>	Testing
<input type="radio"/>	Syntax checking
<input type="radio"/>	Value checking

Question # 4 of 10 ( Start time: 12:52:19 PM, 21 January 2021 )

Total Marks: 1

All the preprocessors directives starts with \_\_\_\_\_.

A Good Education is a Foundation For a Better Future  
CORRECT ANSWER SOLVED BY HADI  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922  
**TEAM HADI(VU LAHORE)**

Select the correct option

<input type="radio"/>	\$	//
<input type="radio"/>	&	//
<input checked="" type="radio"/>	#	//
<input type="radio"/>	-	//

Question # 8 of 10 ( Start time: 12:56:56 PM, 21 January 2021 )

Total Marks: 1

When a problem is broken into small pieces or modules and each small piece corresponds to a function this technique is called \_\_\_\_\_ approach

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com)  
WHATSAPP& CALL-03087122922

**TEAM HADI(VU LAHORE)**

Select the correct option

<input checked="" type="radio"/>	top-down structured programming	//
<input type="radio"/>	down-top structured programming	//
<input type="radio"/>	object oriented programming	//
<input type="radio"/>	middle level structured programming	//

**MADE BY HADI**

Email: [hadirajputofficial@gmail.com](mailto:hadirajputofficial@gmail.com) Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT  
SOFTWARE  
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question # 6 of 10 ( Start time: 12:45:36 PM, 16 July 2021 )

Total Marks: 1

In C++, a variable can be declared anywhere in the program, this will increase \_\_\_\_\_.

A Good Education is a Foundation For a Better Future

**CORRECT ANSWER SOLVED BY HADI**  
EMAIL:hadirajputofficial@gmail.com  
WHATSAPP& CALL:03087122922

oad Math Equations

**TEAM HADI(VU LAHORE)**

Select the correct option

<input type="radio"/>	portability
<input type="radio"/>	efficiency
<input type="radio"/>	writability
<input checked="" type="radio"/>	readability

---

# HADI VU PAST PAPER

---

WE DEAL ALL KIND OF VU PROJECT  
(PHP, ANDROID, PYTHON)

# DEAR STUDENTS

ARE YOU LOOKING  
FOR ASSISTANCE

- 1) ASSIGNMENTS
- 2) QUIZZES
- 3) GDB
- 4) GRAND QUIZZES

We Provide, You Solution  
of VU Academic Activities  
include Assignments,  
Quizzes, GDBs, Grand Quizzes  
If You Need Help in Services  
Kindly inform us.

**TEAM HADI  
(VU LAHORE)**



**TEAM HADI**  
(VU LAHORE)



**#PAID\_TASK**

**CONTACT US**

CALL & WHATSAPP

**0308-7122922**