

Learning with Mickey Ch

CS-201 Final Term

Important Mcq's 100% correct

Solved By Mickey Ch!

Youtube link:

<https://www.youtube.com/channel/UC-qLPIxziTNpoF8A7fKLMqw>

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 8 of 10 (Start time: 12:50:16 PM, 20 July 2023)

The syntax of declaration of a function that returns the reference to an in

Select the correct option

<input checked="" type="radio"/>	<code>int & myfunc() ;</code>	solve by Mickey ch
<input type="radio"/>	<code>int myfunc() &;</code>	
<input type="radio"/>	<code>int myfunc();</code>	
<input type="radio"/>	<code>integer & myfunc();</code>	

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Quiz Start Time: 12:44 PM, :

Question # 9 of 10 (start time: 12:50:44 PM, 20 July 2023)

1

Care must be taken about the correct _____ of operator while overloading. (Choose the most appropriate).

Select the correct option

<input type="radio"/>	Semantic
<input type="radio"/>	Complexity
<input checked="" type="radio"/>	Both Semantic and Complexity
<input type="radio"/>	None of the given options

solve by Mickey ch



Click to Save Answer & Move to Next

Mic

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 10 of 10 (Start time: 12:51:39 PM, 20 July 2023)

Which of the following syntax is best used to delete an array of 5 objects named 'string' alloc

Select the correct option

<input checked="" type="radio"/>	<code>delete string[5];</code>	solve by Mickey ch
<input type="radio"/>	<code>delete string[];</code>	
<input type="radio"/>	<code>delete string;</code>	
<input type="radio"/>	<code>delete []string;</code>	

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 7 of 10 (**Start time: 12:49:35 PM, 20 July 2023**)

Ternary operator is shown as _____.

Select the correct option

<input type="radio"/>	
<input checked="" type="radio"/>	?:
<input type="radio"/>	===
<input type="radio"/>	&&

solve by Mickey ch

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Question # 10 of 10 (Start time: 08:51:08 AM, 07 July 2023)

These functions seekg() and seekp() requires an argument of type _____ to determine the direction to move the file pointer backward.

Select the correct option

<input type="radio"/>	long
<input type="radio"/>	double
<input type="radio"/>	short
<input checked="" type="radio"/>	int

solve by Mickey ch

Click

[Whatsapp#0333-6166150](https://www.whatsapp.com/channel/0029va3336166150)

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 6 of 10 (Start time: 12:48:51 PM, 20 July 2023)

Reference variables must _____.

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | not be initialized after they are declared |
| <input checked="" type="radio"/> | be initialized after they are declared |
| <input type="radio"/> | contain zero value |
| <input type="radio"/> | contain integer value |

Click



Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 5 of 10 (Start time: 12:47:32 PM, 20 July 2023)

The stream-insertion operator is >> and the stream-extraction operator is <<.

Select the correct option

<input checked="" type="radio"/>	False
<input type="radio"/>	True

solve by Mickey ch

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 2 of 10 (Start time: 12:44:49 PM, 20 July 2023)

The return type of the overloaded new operator must be?

Select the correct option

<input checked="" type="radio"/>	void (nothing)	solve by Mickey ch
<input type="radio"/>	int pointer	
<input type="radio"/>	void pointer	
<input type="radio"/>	object pointer	



cl



Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 3 of 10 (Start time: 12:46:01 PM, 20 July 2023)

Reference is not really an address it is _____.

Select the correct option

<input checked="" type="radio"/>	a synonym	solve by Mickey ch
<input type="radio"/>	a value	
<input type="radio"/>	an antonym	
<input type="radio"/>	a number	



Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 4 of 10 (Start time: 12:47:12 PM, 20 July 2023)

The reference data types are used as _____ variables without any _____

Select the correct option

- | | |
|----------------------------------|----------------------|
| <input type="radio"/> | global , dot |
| <input checked="" type="radio"/> | ordinary , deference |
| <input type="radio"/> | local , & |
| <input type="radio"/> | static , deference |

solve by Mickey ch

Click



Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 1 of 10 (Start time: 12:44:15 PM, 20 July 2023)

Overloaded member operator function is always called by -----

Select the correct option

<input type="radio"/>	Class
<input checked="" type="radio"/>	Compiler
<input type="radio"/>	Object
<input type="radio"/>	Primitive data type

solve by Mickey ch



Whatsapp#0333-6166150

Learning with Mickey Ch

Question # 9 of 10 (Start time: 12:59:41 PM, 20 July 2023)

Encapsulation means _____.

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | that the data of a class cannot be accessed from outside |
| <input type="radio"/> | that data becomes public |
| <input type="radio"/> | that the data can be accessible anywhere within a main program |
| <input checked="" type="radio"/> | that the data of a class can be accessed from outside
solve by Mickey ch |



Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 8 of 10 (Start time: 12:59:04 PM, 20 July 2023)

Memory allocated from heap or free store _____.

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | cannot be returned back unless freed explicitly using malloc and realloc |
| <input type="radio"/> | can be allocated to classes only |
| <input type="radio"/> | can be returned back to the system automatically |
| <input checked="" type="radio"/> | cannot be returned back unless freed explicitly using free and delete operators |

solve by Mickey ch

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 4 of 10 (Start time: 12:55:40 PM, 20 July 2023)

----- operators are the ones that require two operands on both sides of the operator.

Select the correct option

<input type="radio"/>	Double
<input type="radio"/>	Unary
<input type="radio"/>	Tow sided
<input checked="" type="radio"/>	Binary

solve by Mickey ch

M

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 5 of 10 (Start time: 12:56:05 PM, 20 July 2023)

If we do not write our own assignment operator then which of the following problem may occur?

Select the correct option

<input type="radio"/>	NULL pointer
<input type="radio"/>	Unreferenced memory
<input type="radio"/>	Memory leak
<input checked="" type="radio"/>	Dangling pointer

solve by Mickey ch



Click t



Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 7 of 10 (Start time: 12:57:32 PM, 20 July 2023)

When the compiler overloads the assignment (=) operator by default then

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | Compiler does not allow default assignment operator |
| <input type="radio"/> | Compiler does not do member wise assignment. |
| <input type="radio"/> | Class members are not assigned properly |
| <input checked="" type="radio"/> | Compiler does member wise assignment. |

solve by Mickey ch



Click

M

[Whatsapp#0333-6166150](https://www.whatsapp.com/chat?phone=0333-6166150)

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Question # 3 of 10 (Start time: 12:54:43 PM, 20 July 2023)

Reference is not really an address it is _____.

Select the correct option

<input checked="" type="radio"/>	a synonym
<input type="radio"/>	an antonym
<input type="radio"/>	a number
<input type="radio"/>	a value



Click to



Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Qu

Question # 2 of 10 (Start time: 12:54:16 PM, 20 July 2023)

The stream-insertion operator is >> and the stream-extraction operator is <<.

Select the correct option

<input checked="" type="radio"/>	False
<input type="radio"/>	True

solve by Mickey ch

Click to Save

M

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 4)

Quiz

Question # 1 of 10 (Start time: 12:53:35 PM, 20 July 2023)


In C language, the region of memory allocated at runtime is called _____.

Select the correct option

<input checked="" type="radio"/>	heap
<input type="radio"/>	free store
<input type="radio"/>	available memory
<input type="radio"/>	stack

solve by Mickey ch

Click to Save A



Whatsapp#0333-6166150

Learning with Mickey Ch

BC210206720: RAHEEL ABBAS

CS201 - Introduction to Programming (Quiz No 3)

Quiz Start Tir

Question # 3 of 10 (Start time: 08:20:46 AM, 07 July 2023)

Macros are categorized into _____ type(s).

Select the correct option

- one
- two
- three
- four

solve by Mickey ch



Click to Save Answer &

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Qu

Question # 4 of 10 (Start time: 08:21:49 AM, 07 July 2023)

----- is the pointer which determines the position in a file from where the next read operation occurs.

Select the correct option

<input type="radio"/>	Get
<input checked="" type="radio"/>	Put
<input type="radio"/>	Set
<input type="radio"/>	Tell

Click to Save

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Quiz Start Time: 08:26:00 AM, 07 July 2023

Question # 8 of 10 (Start time: 08:26:00 AM, 07 July 2023)

Once we have defined a symbolic constant value using #define, that value _____ during program execution.


Select the correct option

Relo

- | | |
|----------------------------------|-------------------|
| <input checked="" type="radio"/> | cannot be changed |
| <input type="radio"/> | varies |
| <input type="radio"/> | can be changed |
| <input type="radio"/> | becomes zero |

solve by Mickey ch

Click to Save Answer & Move



Whatsapp#0333-6166150

Learning with Mickey Ch

The function calloc takes two arguments, first argument is the _____ and the second argument is the _____

Select the correct option

- space in terms of string character, size of list
- required space in terms of numbers , size of space
- size of space, number of bytes
- size of array , number of bytes



Click to Save Answer & Move to Next

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Quiz Sta

Question # 5 of 10 (Start time: 08:22:27 AM, 07 July 2023)

The default visibility for the data members of the class is

Select the correct option

- | | |
|----------------------------------|------------------------------|
| <input type="radio"/> | protected |
| <input type="radio"/> | public |
| <input checked="" type="radio"/> | private |
| <input type="radio"/> | accessible outside the class |

solve by Mickey ch

Click to Save Answ

M

[Whatsapp#0333-6166150](https://www.whatsapp.com/channel/0029va3336166150)

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Quiz Start Time: 08:18 AM, 07 July 2023

Question # 9 of 10 (Start time: 08:27:10 AM, 07 July 2023)

Total Marks: 1

symbolic constant Pi can be defined as:

Select the correct option

#define Pi 3.14

solve by Mickey ch

#define Pi 3.14 ;

include pi= 3.14

#define Pi=3.14

 Saving...

M

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Quiz Start Time: 08:18 /

Question # 10 of 10 (Start time: 08:28:29 AM, 07 July 2023)

Which header file is required to use file I/O operations?

Select the correct option

- <ostream>
- <iostream>
- <ifstream>
- <fstream>

solve by Mickey ch

Click to Save Answer & Move to N

M

Whatsapp#0333-6166150

Learning with Mickey Ch

Question # 10110 (Start time: 00:42:29 AM, 07 July 2020)

When accessing a structure member, the identifier to the left of the dot operator is the name of _____

Select the correct option

- | | |
|----------------------------------|--------------------|
| <input type="radio"/> | Structure member |
| <input type="radio"/> | Structure tag |
| <input checked="" type="radio"/> | Structure variable |
| <input type="radio"/> | Structure data |

solve by Mickey ch

Click to

[Whatsapp#0333-6166150](https://www.whatsapp.com/channel/002916166150)

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Question # 6 of 10 (Start time: 08:47:25 AM, 07 July 2023)

Structures use _____ for memory allocation.

Select the correct option

<input checked="" type="radio"/>	Heap
<input type="radio"/>	Stack
<input type="radio"/>	Cache
<input type="radio"/>	Queue

Click to

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Quiz Start Ti

Question # 5 of 10 (Start time: 08:46:43 AM, 07 July 2023)

_____operator uses the sign ^.

Select the correct option

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | Bit-wise OR |
| <input type="radio"/> | NOT operator |
| <input checked="" type="radio"/> | Exclusive OR |
| <input type="radio"/> | AND Operator |

solve by Mickey ch

Click to Save Answer

[Whatsapp#0333-6166150](https://www.whatsapp.com/channel/00299a03336166150)

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Question # 3 of 10 (Start time: 08:44:33 AM, 07 July 2023)

The memory allocation functions return a chunk of memory with a pointer of type_...

Select the correct option

- | | |
|----------------------------------|---------|
| <input type="radio"/> | void |
| <input type="radio"/> | float |
| <input type="radio"/> | integer |
| <input checked="" type="radio"/> | ptr |
- solve by Mickey ch**

Whatsapp#0333-6166150

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Question # 8 of 10 (Start time: 08:48:35 AM, 07 July 2023)

A file opened with the help of _____ can be used for both input and output.

Select the correct option

- | | |
|----------------------------------|----------|
| <input type="radio"/> | ofstream |
| <input checked="" type="radio"/> | fstream |
| <input type="radio"/> | ifstream |
| <input type="radio"/> | iostream |

solve by Mickey ch

Click to

[Whatsapp#0333-6166150](https://www.whatsapp.com/chat?phone=03336166150)

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Question # 10 of 10 (Start time: 08:51:08 AM, 07 July 2023)

These functions seekg() and seekp() requires an argument of type _____ to determine the direction to seek backward.

Select the correct option

<input type="radio"/>	long
<input type="radio"/>	double
<input type="radio"/>	short
<input checked="" type="radio"/>	int

solve by Mickey ch

Click

[Whatsapp#0333-6166150](https://www.whatsapp.com/chat?phone=03336166150)

Learning with Mickey Ch

CS201 - Introduction to Programming (Quiz No 3)

Question # 1 of 10 (Start time: 08:18:22 AM, 07 July 2023)

We should not use such variable names that are starting with _____ because in C++, there are names that start with it.

Select the correct option

- | | | |
|----------------------------------|---------------------------|---------------------------|
| <input checked="" type="radio"/> | double underscore | solve by Mickey ch |
| <input type="radio"/> | upper case alphabets | |
| <input type="radio"/> | none of the given options | |
| <input type="radio"/> | lower case alphabets | |

Whatsapp#0333-6166150