



# CS206

## FINAL TERM

### VU SPARKY



Version (1.1)

**VU LMS HANDLING**

**LMS SERVICES**

**ONLINE ASSIGNMENTS**

**ONLINE QUIZ'S**

**PROJECTS HANDLING**

**LECTURES ATTENDANCE**

**INTERNSHIP REPORTS**

**VU SPARKY**

**CONTACT US: +923147094561**



FOR PAID SOLUTIONS CONTACT 03147094561



Click Join Now & Subscribe Button



**SUBSCRIBE**

WHATSAPP GROUP 1

**Join NOW**

WHATSAPP GROUP 2

**Join NOW**

WHATSAPP GROUP 3

**Join NOW**

Join WHATSAPP CHANNEL

**JOIN NOW**

@studywithhamza25

UPDATE

PAID SOLUTIONS CONTACT 03147094561

فائل کو پڑھنے سے پہلے اپڈیٹ والے  
لفظ پر کلک کر کے اپڈیٹ کر لے کچھ نئے  
سوالات اپڈیٹ کیے جاتے ہیں۔

**JOIN GROUP**

<https://chat.whatsapp.com/lpD5cfNalJXluIMF5mHQC6>

**FOR PAID SOLUTIONS CONTACT 03147094561**

- In ICMP packet of Type 5, code \_\_\_\_\_ refers to Redirect for host.
  - 0
  - 2
  - 1** ✓ *SPARKY*
  - None of the given
- In the context of computer networks, MSS stands for \_\_\_\_\_.
  - Minimum Session Service
  - Minimum Segment Size
  - Maximum Segment Size** ✓ *SPARKY*
  - Maximum Session Service
- If IPv4 \_\_\_\_\_ validation is disabled, there are no Expert Infos Errors in this trace file.
  - CRC
  - Parity bit
  - Checksum** ✓ *SPARKY*
  - None of given
- In ICMP packet of Type 5, code \_\_\_\_\_ refers to Redirect for Network.
  - None of the given
  - 2
  - 1
  - 0** ✓ *SPARKY*
- To apply a MAC address filter in Wire shark we will enter \_\_\_\_\_.
  - ether host xx:xx:xx:xx:xx:xx** ✓ *SPARKY*
  - xx:xx:xx:xx:xx:xx ether host
  - Host ether xx:xx:xx:xx:xx:xx
  - xx:xx:xx:xx:xx:xx Host ether
- Which one is first step to change the Dissector Behavior in Wire shark?

**FOR PAID SOLUTIONS CONTACT 03147094561**

- a. **Open tr-smbjoindomain.pcapng** ✓ SPARKY
  - b. Open tr-youtubebad.pcapng
  - c. Open tr-general.pcapng
  - d. Open tr-winsize.pcapng
7. Which file will be opened to add coloring rule in Wire shark?
- a. tr-smbjoindomain.pcapng
  - b. tr-winsize.pcapng
  - c. **tr-general.pcapng** ✓ SPARKY
  - d. tr-chappellu.pcapng
8. Which one is first step to Create Filter Expression Buttons in Wire shark?
- a. Open tr-twohosts.pcapng
  - b. **Open tr-general.pcapng** ✓ SPARKY
  - c. Open tr-winsize.pcapng
  - d. Open tr-smbjoindomain.pcapng
9. \_\_\_\_\_ is used to increase the advertised TCP receive buffer size, past the predefined upper limit.
- a. Window Crashing
  - b. **Window Scaling** ✓ SPARKY
  - c. Window Buffering dywithhamza25
  - d. Window Broadcasting
10. Which file will be opened to build a basic IO graph in Wire shark?
- a. tr-winsize.pcapng
  - b. tr-youtubebad.pcapng
  - c. tr-smbjoindomain.pcapng
  - d. **tr-general.pcapng** ✓ SPARKY
11. Port numbers can be reused without any problem if previous TCP connection is \_\_\_\_\_.
- a. Open

**FOR PAID SOLUTIONS CONTACT 03147094561**

- b. Initiated
- c. **Terminated** ✓ *SPARKY*
- d. Active

12. Amount of data that can be carried in a frame is limited by

\_\_\_\_\_.

- a. FCS
- b. **MTU** ✓ *SPARKY*
- c. TTL
- d. CRC

13. ICMP packet type \_\_\_\_\_ refers to route redirection.

- a. 4
- b. **5** ✓ *SPARKY*
- c. 3
- d. 9

14. Which file will be opened to identify name Resolution Problems in Wire shark?

- a. **tr-nameresolution.pcapng** ✓ *SPARKY*
- b. tr-youtubebad.pcapng
- c. tr-general.pcapng
- d. tr-winsize.pcapng *dywithhamza25*

**PAID SOLUTIONS CONTACT 03147094561**

**FOR PAID SOLUTIONS CONTACT 03147094561**