

CS301 Final Term Papers By Waqar (File 1)

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

Data allocated in an array should be ,

Answer (Please select your correct option) **VuAnswers.com**

- Contiguous **correct**
 - Discontinuous
 - Apart
 - Scattered
- Made by: Waqar Siddhu**

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

The easiest case of deleting a node from BST is the case in which the node to be deleted _____.

Answer (Please select your correct option) **VuAnswers.com**

- Is a leaf node **correct**
 - Has left subtree only
 - Has right subtree only
 - Has both left and right subtree
- Made by: Waqar Siddhu**

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

Consider a min heap, represented by the following array:
3,4,6,7,5
After calling the function deleteMin(). Which of the following is the updated min heap?

Answer (Please select your correct option) **VuAnswers.com**

- 4,6,7,5
 - 6,7,5,4
 - 4,5,6,7 **correct**
 - 4,6,5,7
- Made by: Waqar Siddhu**

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

Consider the following postfix expression S and the initial values of the variables.

$$S = A B - C + D E F - + ^$$

Assume that A=3, B=2, C=1, D=1, E=2, F=3

What would be the final output of the stack?

VuAnswers.com

Answer (Please select your correct option)

- 1 correct

- 2

- 0

- 1

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

Consider the following infix expression.

$$5 + 6 / 2$$

If one converts the above expression into postfix, what would be the resultant expression?

VuAnswers.com

Answer (Please select your correct option)

- 56 / + 2

- 5 6 2 / + correct

- 5 6 / 2 +

- / 6 2 + 5

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is a data structure that can grow easily dynamically at run time without having to copy existing elements.

VuAnswers.com

Answer (Please select your correct option)

- Array correct

- List

- Two dimensional array

- Linked list

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

In _____ the 'next' returns false when it reaches to the last node due to the fact that the 'next' field of the last node is set to NULL.

Answer (Please select your correct option)

VuAnswers.com

- Circular linked list **correct**
- Triple linked list
- Singly linked list
- Triple linked list and Circular linked list

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

In Threaded Binary Tree, every node that does not have a right-child has a thread to its

Answer (Please select your correct option)

VuAnswers.com

- in-order predecessor
- pre-order successor
- in-order successor **correct**
- pre-order predecessor

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

In Threaded Binary Tree, every node that does not have a left-child has a thread to its

Answer (Please select your correct option)

VuAnswers.com

- in-order successor
- pre-order successor **CORRECT**
- in-order predecessor
- pre-order predecessor

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

Suppose currentNode refers to a node in a linked list (using the Node class with member variables called *data* and *nextNode*). Which statement changes currentNode so that it refers to the next node?

Answer (Please select your correct option) **VuAnswers.com**

- currentNode ++;
 - currentNode = nextNode;
 - currentNode += nextNode;
 - currentNode = currentNode->nextNode; correct
- Made by: Waqar Siddhu**

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

Queue follows

Answer (Please select your correct option) **VuAnswers.com**

- Last in First out
 - First in Last out
 - First in First out correct
 - Random order
- Made by: Waqar Siddhu**

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

We access elements in AVL Tree through

Answer (Please select your correct option) **VuAnswers.com**

- Both linear and non linear ways
 - Random order
 - Linear way only
 - Non Linear way only correct
- Made by: Waqar Siddhu**

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

In complete Binary tree, the bottom level is filled from _____.

Left to right **correct**

Right to left

Not filled at all

Up to down

VuAnswers.com

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following statement is NOT true for Huffman code?

It is a method for the compression of standard text documents.

It uses Binary tree to develop codes of varying lengths for the letters used in the original message.

It is no more used in any compressed file format. **correct**

It is also part of the JPEG image compression scheme.

VuAnswers.com

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

Which one of the following is NOT the property of equivalence relation:

Reflexive

Symmetric

Transitive

Associative **correct**

VuAnswers.com

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

Here is an array of ten integers:
5 3 8 9 1 7 0 2 6 4
Array after the FIRST iteration of the main loop in **selection sort** algorithm will be (sorting from smallest to largest) :

Answer (Please select your correct option)

VuAnswers.com

0 3 8 9 1 7 5 2 6 4 **correct**

2 6 4 0 3 8 9 1 7 5

2 6 4 9 1 7 0 3 8 5

0 3 8 2 6 4 9 1 7 5

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

When unions are done by weight (size), the depth of any element is never greater than

Answer (Please select your correct option)

VuAnswers.com

$\log_2 n$ **correct**

$n \log_2 n$

$n \log_2 n + 1$

$\log_2 n - 1$

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

What is the best definition of *collision* in a hash table?

Answer (Please select your correct option)

VuAnswers.com

Two entries are identical except for their keys.

Two entries with different data have different keys.

Two entries with different keys have the same hash value.

Two entries with the same key have different hash values.

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following can be the inclusion criteria for pixels in image segmentation ?

Answer (Please select your correct option)

VuAnswers.com

Threshold of intensity

Pixel intensity, Texture and Threshold of intensity

correct

Pixel intensity

Texture

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following statement is NOT true for reference variable ?

Answer (Please select your correct option)

VuAnswers.com

Once a reference is created, it cannot be later made to reference another object.

References cannot be NULL

References can be uninitialized.

It is not possible to refer directly to a reference object after it is defined.

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

Running time of $find(i)$ is proportional to the _____ of the tree containing node i .

Answer (Please select your correct option)

VuAnswers.com

Weight

Height

correct

Root

Number of links

Made by: Waqar Siddhu

Question No : 22 of 52

Marks: 1 (Budgeted Time 1 Min)

A random maze can use which of the following algorithms to generate a new maze every time?

- Union
- Find
- Search-sort
- Union-find **correct**

VuAnswers.com

Made by: Waqar Siddhu

Question No : 23 of 52

Marks: 1 (Budgeted Time 1 Min)

A Row in a table is known as:

- Record **correct**
- Dictionary
- Field
- Cell

VuAnswers.com

Made by: Waqar Siddhu

Question No : 24 of 52

Marks: 1 (Budgeted Time 1 Min)

In a skip list _____ limit of the array has no condition.

- Lower
- Middle
- Upper
- Bottom

VuAnswers.com

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

When two or more than two keys produce a same index in hashing function, this situation is know as:

Same key and same value

Collision **correct**

Same key generation

Same value generation

VuAnswers.com

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

When does the best case of an insertion sort algorithm occur?

When data is already sorted

correct

When more than 50% data already sorted

When no element is on its proper position

When about 90% of data is already sorted

VuAnswers.com

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

Best case running time of insertion sort algorithm is:

(n)

(n^2) **correct**

$(\log n)$

$(n \log n)$

VuAnswers.com

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

If a list contains 32 elements, how many times the list must split during merge sort?

Answer (Please select your correct option)

VuAnswers.com

Log (32) times

32 times

16 times

Log (32/2) times **correct** **not confirm**

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

If an AVL tree becomes unbalance due to inserting/deleting a node then we use _____ to rebalance it.

Answer (Please select your correct option)

VuAnswers.com

Notation

Rotation **correct**

Recursion

extrachion

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

Return value of getMin() method is always of MinHeap.

Answer (Please select your correct option)

VuAnswers.com

Root **correct**

Right

Left

Leaf

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

The worst case of building a heap of N keys is

N^2

N^2

$N \log N$ correct

2^N

VuAnswers.com

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

Which statement is about heap area when an executable is run?

The operating system makes a process inside memory

Contains the binary version of the actual code

A section for static data including global variables

Utilized at the time of memory allocation in dynamic manner correct

VuAnswers.com

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

Using Huffman Encoding for data to be sent on network enables us to send it with.....

Large data size and More transmission time

Small data size and More transmission time

Small data size and Less transmission time correct

Large data size and Less transmission time

VuAnswers.com

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

Compiler is a _____.

Answer (Please select your correct option)

VuAnswers.com

Network

Data Structure

Language Translator

correct

Database

Made by: Waqar Siddhu

Question No : 35 of 52

Marks: 1 (Budgeted Time 1 Min)

Which of the following is NOT a factor in *Union by Size*?

Answer (Please select your correct option)

VuAnswers.com

Maintains sizes (number of nodes) of all trees

Makes smaller tree, the subtree of the larger one

Makes the larger tree, the subtree of the smaller one

correct

Maintains sizes (number of nodes) while performing union operation

Made by: Waqar Siddhu

Question No : 36 of 52

Marks: 1 (Budgeted Time 1 Min)

Which of the following sorting algorithms is of divide- and-conquer type?

Answer (Please select your correct option)

VuAnswers.com

Insertion sort

Bubble sort

Selection sort

Quick Sort

correct

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

A binary tree with 45 internal nodes has _____ links to external nodes.

Answer (Please select your correct option)

VuAnswers.com

44

45

46

90

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

If there are 23 external nodes in a Binary tree, then number of internal nodes will be:

Answer (Please select your correct option)

VuAnswers.com

23

24

21

22

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following statements is NOT true about threaded binary tree?

Answer (Please select your correct option)

VuAnswers.com

Right thread of the right-most node points to the *dummy* node.

Left thread of the left-most node points to the *dummy* node.

The left pointer of the *dummy* node points to the root node of the tree.

Left thread of the right-most node points to the *dummy* node. **correct**

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following is NOT an example of equivalence relation?

Electrical connectivity

Set of people

\leq relation **correct**

Set of pixels

VuAnswers.com


Made by: Waqar Siddhu

Question No : 41 of 52 Marks: 2 (Budgeted Time 4 Min)

If we allow assignment to constants what will happen?

Answer (Please [click here](#) to Add Answer)

VuAnswers.com




Made by: Waqar Siddhu

Question No : 42 of 52 Marks: 2 (Budgeted Time 4 Min)

How Table ADT can be implemented using Linked List ?

Answer (Please [click here](#) to Add Answer)

VuAnswers.com



Made by: Waqar Siddhu

Question No : 43 of 52 Marks: 2 (Budgeted Time 4 Min)

How we can search an element in Skip List?


Answer ([Please click here to Add Answer](#))

VuAnswers.com

Made by: Waqar Siddhu

Question No : 44 of 52 Marks: 2 (Budgeted Time 4 Min)

Convert this tree representation of a heap into the corresponding array representation



Answer ([Please click here to Add Answer](#))

VuAnswers.com

Made by: Waqar Siddhu

Question No : 45 of 52 Marks: 3 (Budgeted Time 6 Min)

When Hashing is NOT suitable?


Answer ([Please click here to Add Answer](#))

VuAnswers.com

Made by: Waqar Siddhu

Question No : 46 of 52 Marks: 3 (Budgeted Time 6 Min)

Consider the following singly Linked List.



Answer (Please [click here](#) to Add Answer)

VuAnswers.com

Rich text editor toolbar with icons for Bold, Italic, Underline, Text Color, Background Color, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The editor area is currently empty.

Made by: Waqar Siddhu

Question No : 47 of 52 Marks: 3 (Budgeted Time 6 Min)

The following array represents a heap structure:

1	2	3	4	5	6	7	8	9	10	11	12
97	76	61	42	54	59	31	23	17	44	49	

Insert a new value 86 into the heap. Show the resultant heap, after insertion, in the form of array

Answer (Please [click here](#) to Add Answer)

VuAnswers.com

Rich text editor toolbar with icons for Bold, Italic, Underline, Text Color, Background Color, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The editor area is currently empty.

Made by: Waqar Siddhu

Question No : 48 of 52 Marks: 3 (Budgeted Time 6 Min)

How many parameters are required for performing the following operations on Table? Also tell names of those parameters.

- 0. insert
- 1. find
- 3. remove

Answer (Please [click here](#) to Add Answer)

VuAnswers.com

Rich text editor toolbar with icons for Bold, Italic, Underline, Text Color, Background Color, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The editor area is currently empty.

Made by: Waqar Siddhu

Question No : 49 of 52 Marks: 5 (Budgeted Time 10 Min)

Here is a small binary tree:



Answer ([Please click here to Add Answer](#))

VuAnswers.com

Made by: Waqar Siddhu

Question No : 50 of 52 Marks: 5 (Budgeted Time 10 Min)

Here is an array with exactly 15 elements:

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15.

Suppose that we are doing a binary search for an element. Indicate any elements that will be found by examining two or fewer numbers from the array.

Answer ([Please click here to Add Answer](#))

VuAnswers.com

Made by: Waqar Siddhu

VUStudents

Question No : 51 of 52 Marks: 5 (Budgeted Time 10 Min)

Consider the min-heap represented in the following array.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
10	20	30	50	40	70	60	80	90	110	100	130	120	140	150

Show the updated min-heap in the array after deleting 10.

Answer ([Please click here to Add Answer](#))

VuAnswers.com

Made by: Waqar Siddhu

Question No : 52 of 52 Marks: 5 (Budgeted Time 10 Min)

Given input (23, 46, 12, 59, 78, 87, 2, 3) and a hash function $h(x) = x \bmod 11$, show the resulting "Chaining hash table".

Answer ([Please click here to Add Answer](#))

VuAnswers.com

Made by: Waqar Siddhu

VUStudents