

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

(Final Term Past Paper)

(Made by Waqar & Solved By Hadi)

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.



WhatsApp:03087122922



FACEBOOK ID: <https://www.facebook.com/hadipastpapers/>

Best of luck!



Question No : 1 of 52

Marks: 1 (Budgeted Time 1 Min)

Target function for a call is selected at compile time in case of

Answer (Please select your correct option)

Static binding

Polymorphism

Encapsulation

Dynamic binding



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 2 of 52

Marks: 1 (Budgeted Time 1 Min)

Which of the following is the best approach if it is required to have more than one functions having exactly same functionality and implemented on different data types?

Answer (Please select your correct option)

- Templates
- Overloading
- Data hiding
- Encapsulation



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 3 of 52

Marks: 1 (Budgeted Time 1 Min)

Which of the following is the best approach to implement generic algorithms with minimum number of coding lines?

Answer (Please select your correct option)

- Templates
- Overloading
- Overriding
- Friend function/class



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 4 of 52

Marks: 1 (Budgeted Time 1 Min)

Identify the correct way of declaring an object of user defined template class **A** for char type members?

Answer (Please select your correct option)

A< char > obj;

<char>A obj;

A obj<char>;

Obj <char> A;



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 5 of 52

Marks: 1 (Budgeted Time 1 Min)

A class template _____

Answer (Please select your correct option)

- Facilitates reuse of class
- Does not facilitate reuse of class
- Does not support generic methods
- Does not support static members



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 6 of 52

Marks: 1 (Budgeted Time 1 Min)

Virtual functions allow you to

Answer (Please select your correct option)

- create an array of type pointer-to-base class that can hold pointers to derived classes.
- create functions that can never be accessed.
- group objects of different classes so they can all be accessed by the same function code.
- use the same function call to execute member functions of objects from different classes



HADI
3
0
8
VU
7
1
2
2
PAST
9
2
2
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 7 of 52

Marks: 1 (Budgeted Time 1 Min)

A pure virtual function is a virtual function that

Answer (Please select your correct option)

causes its class to be abstract.

returns nothing.

is used in a derived class.

takes no arguments



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirainutofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 8 of 52

Marks: 1 (Budgeted Time 1 Min)

Suppose we have two derived classes from a single class, can we write a method with same name in both these derived classes ? Choose the best option.

Answer (Please select your correct option)

- No
- Only if the two classes have the same name
- Only if the main program does not declare both kinds
- Yes



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 9 of 52

Marks: 1 (Budgeted Time 1 Min)

An abstract class is useful when,

Answer (Please select your correct option)

- We do not derive any class from it.
- There are multiple paths from one derived class to another.
- We do not want to instantiate its object.
- You want to defer the declaration of the class.



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2

MADE BY HADI

Question No : 10 of 52

Marks: 1 (Budgeted Time 1 Min)

Considering the resolution order in which compiler search for functions in a program, the first priority is given to,

Answer (Please select your correct option)

- general template
- partial specialization
- complete specialization
- ordinary function



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadi.vainutofficial@gmail.com Whatsapp: 93087122922 (Team Hadi Lahore)

Question No : 11 of 52

Marks: 1 (Budgeted Time 1 Min)

The main function of scope resolution operator (::) is,

Answer (Please select your correct option)

- To define an object
- To define a data member
- To link the definition of an identifier to its declaration
- To make a class private



HADI
VU
PAST
PAPER

MADE BY HADI


Question No : 12 of 52

Marks: 1 (Budgeted Time 1 Min)

A virtual member function `ding()` in base and derived class, and pointer `p` to base class object contains the address of derived class object, then the statement `p->ding()` will execute `ding()` member function in _____ class.

Answer (Please select your correct option)

- Base
- Derived
- Virtual
- Implemented



HADI
VU
PAST
PAPER

MADE BY HADI

hadi.official@gmail.com | <https://www.instagram.com/hadi.official> | <https://www.facebook.com/hadi.official> | <https://www.youtube.com/channel/UC87492922670000000000> | Team: Hadi | Lovers

Question No : 13 of 52

Marks: 1 (Budgeted Time 1 Min)

Which of the following ensures that data and behaviour are tightly coupled within an object?

Answer (Please select your correct option)

- Inheritance
- Abstraction
- Polymorphism
- Encapsulation



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 14 of 52

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is not an object association?

Answer (Please select your correct option)

Simple Association

Inheritance

Aggregation

Composition



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 15 of 52

Marks: 1 (Budgeted Time 1 Min)

In _____, a pointer or reference to an object is created inside a class.

Answer (Please select your correct option)

Aggregation



Composition

Separation

Association



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 16 of 52

Marks: 1 (Budgeted Time 1 Min)

Friends are used in exactly the same way for _____.

Answer (Please select your correct option)

- Template and non template classes
- Template classes
- Ordinary classes
- None template classes



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 17 of 52

Marks: 1 (Budgeted Time 1 Min)

By default all members of a class are,

Answer (Please select your correct option)

- Public
- Protected
- Private
- Public & protected



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2

MADE BY HADI

Question No : 18 of 52

Marks: 1 (Budgeted Time 1 Min)

A base class member or method that is alternatively defined in derived class is known as _____.

Answer (Please select your correct option)

- Overloaded
- Copy riding
- Overwriting
- Overriding



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 20 of 52

Marks: 1 (Budgeted Time 1 Min)

In Private _____ only member functions and friend classes or functions of a derived class can convert pointer or reference of derived object to that of parent object.

Answer (Please select your correct option)

specialization

inheritance

abstraction

composition



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 21 of 52

Marks: 1 (Budgeted Time 1 Min)

Consider the following statements:

- 1) `int iArray[5];`
- 2) `int *pArr = iArray;`

Answer (Please select your correct option)

- Error in first statement
- Error in second statement
- Error in both statements
- No error in both statements



HADI
VU
PAST
PAPER

MADE BY HADI

Question No : 22 of 52

Marks: 1 (Budgeted Time 1 Min)

Consider the following definition

```
template < class T > class Xyz { ... };
```

Answer (Please select your correct option)

- it defines a class template for integers only
- it defines a class template for any data type
- class templates are not defined in this way
- it defines template functions



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 23 of 52

Marks: 1 (Budgeted Time 1 Min)

```
template<> class Vector<void*>{  
    void** p;  
    //....  
    void*& operator[] ((int i);  
};
```

Answer (Please select your correct option)

- This specialization can be used as the common implementation for all Vectors of pointers.
- This specialization can then be used as the implimentation for all types of classes.
- This specialization can then be used for double type pointers.
- This specialization should be used for Vectors of int types.



HADI
VU
PAST
PAPER

MADE BY HADI

Question No : 24 of 52

Marks: 1 (Budgeted Time 1 Min)

Template functions use _____ than ordinary functions.

Answer (Please select your correct option)

More Memory

Less Memory

Same Memory

Different Memory



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 25 of 52

Marks: 1 (Budgeted Time 1 Min)

Vectors contain contiguous elements stored as a[an] _____.

Answer (Please select your correct option)

variable

array

function

datatype



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 26 of 52

Marks: 1 (Budgeted Time 1 Min)

An STL algorithm is

Answer (Please select your correct option)

- A standalone function that operates on containers. ✓
- A link between member functions and containers.
- A friend function of appropriate container classes.
- A member function of appropriate container classes.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 27 of 52

Marks: 1 (Budgeted Time 1 Min)

Vector V with default constructor is defined, and another vector W is defined with one argument constructor with size 11, and insert 3 elements into each of these vectors with push_back(), then the size() member function will return ___ for V and ___ for W.

Answer (Please select your correct option)

- 11 for v and 3 for w.
- 0 for v and 0 for w.
- 0 for v and 3 for w.
- 3 for v and 11 for w.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 28 of 52

Marks: 1 (Budgeted Time 1 Min)

The copy() algorithm returns an iterator to

Answer (Please select your correct option)

- the last element copied from.
- the last element copied to.
- the element one past the last element copied from.
- the element one past the last element copied to.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 29 of 52

Marks: 1 (Budgeted Time 1 Min)

Using catch blocks in **incorrect order** is _____ error.

Answer (Please select your correct option)

- Syntax
- Logical
- Grammatical
- Runtime



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirainputofficial@gmail.com Whatsapp: 93087122922 (Team Hadi Lahore)

Question No : 30 of 52

Marks: 1 (Budgeted Time 1 Min)

The property in which existing class is modified to form a new class is called.....

Answer (Please select your correct option)

Polymorphism

i think :P

Inheritance

Encapsulation

Information hiding



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 31 of 52

Marks: 1 (Budgeted Time 1 Min)

"This" pointer returns:

Answer (Please select your correct option)

Reference of previous object

Reference of preceded object

Reference of current object

Reference of next object



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 32 of 52

Marks: 1 (Budgeted Time 1 Min)

A real world object can be transformed into programming entity by defining its respective



HADI
VU
PAST
PAPER

Answer (Please select your correct option)

Class

Function

Only states

Only behaviour

i think...
page 10

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 33 of 52

Marks: 1 (Budgeted Time 1 Min)

C2+C1 is equivalent to _____, when plus operator is overloaded, and C2, C1 are objects.

Answer (Please select your correct option)

C1.operator + (C2)

C1.operator + (C1)

C2.operator + (C1)

C2.operator + (C2)



HADI
VU
PAST
PAPER

MADE BY HADI

Question No : 34 of 52

Marks: 1 (Budgeted Time 1 Min)

_____ ensure that the correct function is called for an object, regardless of the expression used to make the function call.

Answer (Please select your correct option)

Static functions

Virtual functions

Friend functions

Inline functions



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 35 of 52

Marks: 1 (Budgeted Time 1 Min)

In abnormal termination our program is terminated _____.

Answer (Please select your correct option)

Manually

Normally

Abnormally

Routinely



HADI
VU
PAST
PAPER

MADE BY HADI

Question No : 36 of 52

Marks: 1 (Budgeted Time 1 Min)

Suppose you create an uninitialized vector as follows:

```
vector<int> evec;  
After adding the statment,  
evec.push_back(21);  
what will happen?
```

Answer (Please select your correct option)

- It will add an element to the start of evec and will initialize it with 21.
- It will add an element to the center of evec and will reinitialize it with 21.
- It will delete an element to the end (the back) of evec and will reinitialize it with 21.
- It will add an element to the end (the back) of evec and initialize it with 21.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 37 of 52

Marks: 1 (Budgeted Time 1 Min)

A static function

Answer (Please select your correct option)

- should be called when an object is destroyed.
- is closely connected to an individual object of a class.
- can be called using the class name followed by function name.
- is used when a dummy object must be created.



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2

MADE BY HADI

Question No : 38 of 52

Marks: 1 (Budgeted Time 1 Min)

Default constructor either has no _____ or parameters with _____ values.

Answer (Please select your correct option)

Parameters, temporary

Parameters, null

Parameters, default

Parameters, zero



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraibutofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 39 of 52

Marks: 1 (Budgeted Time 1 Min)

Which is not the Advantage of inheritance?

Answer (Please select your correct option)

- providing class growth through natural selection.
- facilitating class libraries.
- avoiding the rewriting of code.
- providing a useful conceptual framework.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 40 of 52

Marks: 1 (Budgeted Time 1 Min)

Each try block can have _____ no. of catch blocks.

Answer (Please select your correct option)

1

2

3

As many as necessary.



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 41 of 52

Marks: 2 (Budgeted Time 4 Min)

What will be output when this code will be executed?

1. `#include <iostream.h>`
2. `#include <stdlib.h>`
3. `using namespace std;`
4. `template< typename T >`

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 42 of 52

Marks: 2 (Budgeted Time 4 Min)

Why we need to use friend functions when overloading insertion and extraction operators?

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 43 of 52

Marks: 2 (Budgeted Time 4 Min)

Update following code to make it capable of terminating gracefully in case of variable value2 is zero:

```
int Quotients (int value1, int value2 ) {  
    if(value2 == 0){  
        cout << "cannot be zero" << endl;  
    }  
    return value1 / value2;  
}
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 44 of 52

Marks: 2 (Budgeted Time 4 Min)

State any conflict that may arise due to multiple inheritance.

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2

TEAM HADI VU

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 45 of 52

Marks: 3 (Budgeted Time 6 Min)

If we declare a function as friend of a template class will it be a friend for a particular data type or for all data types of that class.

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 46 of 52

Marks: 3 (Budgeted Time 6 Min)

In both virtual inheritance and multiple inheritance, copy/copies of base class are created. Please list down; how many copy/copies of base class are created for:

- Virtual Inheritance
- Multiple inheritance

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 47 of 52

Marks: 3 (Budgeted Time 6 Min)

Mobile is a good entity for being an object. List down any two characteristics, behavior and one unique ID in this context

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

What is Graceful Termination method of Error Handling, give its example using C++ code.

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 49 of 52

Marks: 5 (Budgeted Time 10 Min)

Write a function template named maximum. The function takes two values of the same type as its arguments and returns the larger of the two arguments (or either value if they are equal). Give the function prototype and definition for the template.

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirainputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)

The code given below has one template function as a friend of a template class,

1. You have to identify any error/s in this code and describe the reason for error/s.
2. Give the correct code after removing the error/s.

```
template<typename U>  
void Test(U);
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2

MADE BY HADI

Email: hadiroiputofficial@gmail.com Whatsapp: 93087122922 (Team Hadi Lahore)

Question No : 51 of 52

Marks: 5 (Budgeted Time 10 Min)

Write C++ code for declaring the following

Class:

Course

Attributes:

Name of type String

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 51 of 52

Marks: 5 (Budgeted Time 10 Min)

Name of type String
Code of type String
Method:
getCode()

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

TEAM HADI

MADE BY HADI
Email: hadirainputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 52 of 52

Marks: 5 (Budgeted Time 10 Min)

Write C++ code for the **constructor** of following template Vector class.

```
template< class T >
class Vector {
private:
    T* ptr;
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 52 of 52

Marks: 5 (Budgeted Time 10 Min)

```
T* ptr;  
int size;  
int index;  
public:  
    Vector(int = 10 ); // constructor  
};
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)