

EASY TO LEARN



WITH M.ZEESHAN



SUBSCRIBE TODAY



Easy to learn with M. Zeeshan 🍁

@easytolearnwithm.zeeshan · 10.8K subscribers · 494 videos

Assalam o alaikum 🍀 ...more

[whatsapp.com/channel/0029VakCijnBqbr6wqv0Bg3U](https://whatsapp.com/channel/0029VakCijnBqbr6wqv0Bg3U) and 2 more links

🔔 Subscribed ▾

## LMS HANDLING SERVICE AVAILABLE SPECIAL DISCOUNT FOR NEW STUDENTS

our services

Assignment

quiz

gdb

lecture watching

complete or half lms handling

projects


plagiarism checker

internship reports

past papers

Handouts

thesis etc



open 24 hours

ORDER NOW

MORE INFORMATION

03135610637

@easytolearnwithm.zeeshan

# CS311 FINAL TERM QUIZ 3 2025

JOIN OUR WHASTAPP CHANNEL FOR CURRENT PAPERS AND MORE UPDATES

CS311 - Introduction to Web Services Development (Quiz No. 3) sec(s)  
Quiz Start Time: 09:27 AM, 26 December 2024

Question # 1 of 10 ( Start time: 09:27:25 AM, 26 December 2024 ) Total Marks: 1

Which of the following methods can be used to create a new comment node?

Select the correct option

Reload Math Equations

- newcreateComment()
- createnewComment()
- none of the given options
- createComment()

Question # 2 of 10 ( Start time: 09:27:47 AM, 26 December 2024 ) Total Marks: 1

The \_\_\_\_\_ method creates a new element node.

Select the correct option

- createElement()
- makeElement()
- newElement()
- getElement()

Click to Save Answer & Move to Next Question

Question # 3 of 10 ( Start time: 09:28:13 AM, 26 December 2024 )

Total Marks: 1

insertBefore() method will insert a node before a specified \_\_\_\_\_ node.

Select the correct option

Reload Math Equations

- none of the given options
- text
- parent
- child

Click to Save Answer & Move to Next Question

Question # 4 of 10 ( Start time: 09:28:34 AM, 26 December 2024 )

Total Marks: 1

Which method does SAX use for processing XML documents?

Select the correct option

- Tree Based
- Document
- Event Based
- DocumentHandler

Click to Save Answer & Move to Next Question

Question # 5 of 10 ( Start time: 09:29:21 AM, 26 December 2024 )

Total Marks: 1

Which of the following nodes can be created by using createCDATASection() method?

Select the correct option

Reload Math Equations

- None of the given options
- Parent node
- CDATA section node
- Child node

Question # 6 of 10 (Start time: 09:29:49 AM, 26 December 2024)

Total Marks: 1

Whenever we want to add a child node to an existing node which method will be used?

Select the correct option

Reload Math Equations

- createChild()
- appendChild()
- None of the given options
- createElement()

Windows taskbar with search bar, icons for File Explorer, Microsoft Store, Edge, Word, PowerPoint, Outlook, and Chrome. System tray shows network, volume, and time: 9:30 AM, 26/12/2024.

Question # 7 of 10 (Start time: 09:30:11 AM, 26 December 2024)

Total Marks: 1


The cloneNode() method has a parameter :

Select the correct option

- None of the given
- Yes or No
- True or False
- 0 or 1

Click to Save Answer & Move to Next Question

Windows taskbar with search bar, icons for File Explorer, Microsoft Store, Edge, Word, PowerPoint, Outlook, and Chrome. System tray shows network, volume, and time: 9:30 AM, 26/12/2024.



Which of the following method is used to create copy of a specified node?

Select the correct option

- copyNode()
- duplicateNode()
- cloneNode()
- None of the given

Click to Save Answer & Move to Next Question



Question # 9 of 10 ( Start time: 09:30:56 AM, 26 December 2024 )

Total Marks: 1

If the attribute already exists, the setAttribute() method will \_\_\_\_\_ the existing value.

Select the correct option

- Overwrite
- None of the given
- Not overwrite
- Duplicate

Click to Save Answer & Move to Next Question



JOIN OUR WHASTAPP CHANNEL FOR MORE UPDATES

[CLICK HERE TO JOIN](#)