



# CS-401 Assembly Language Update MCQS For Quiz-4 File Solve By Vu Topper RM



**85 To 100% Marks**



وَتَعَزُّ مِنْ تَشَاءٍ وَتَذَلُّ مِنْ تَشَاءٍ



## PROFESSIONAL ONLINE ACADEMY

### WE Offers

LMS Handling

Important Notes

Online Classes

Assignments

Quiz & GDB's

Projects


**NOTHING  
IS  
IMPOSSIBLE**

**Join Us  
Now**

For More Info  
Contact us at:

**Rizwan Manzoor**

**0322-4021365**



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

The thread registration code initializes the Process Control Block (PCB) and adds it to the linked list. The \_\_\_\_\_, then gives it a turn.

- A. Linker
- B. Scheduler**
- C. Assembler
- D. Interpreter

**Page 133**

Which of the following instructions, selects the peripheral address space?

- A. In**
- B. Mov
- C. Add
- D. Dec

**Page 107**

According to the IBM standard, port number(s) for the parallel port is/are \_\_\_\_\_

- A. 378**
- B. 380
- C. 20 and 21
- D. 60 and 64

**Page 107**

Which of the following Interrupt Requests (IRQ) is used for a floppy disk drive?

- A. IRQ 6**
- B. IRQ 7
- C. IRQ 8
- D. IRQ 9

**Page 106**

Which of the following interrupt requests (IRQ) is connected to serial port COM 1?

- A. IRQ 3
- B. IRQ 4**
- C. IRQ 5
- D. IRQ 6

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

Which of the following IRQs is used by the parallel port?

- A. IRQ 5
- B. IRQ 4
- C. IRQ 6
- D. IRQ 7**

**Page 106**

When two devices in a system want to use the same Interrupt Request (IRQ) line, is referred as IRQ \_\_\_\_\_.

- A. Crash
- B. Conflict**
- C. Collision
- D. Blockage

**Page 106**

Which of the following is the priority of interrupt request (IRQ) 0?

- A. High
- B. Low
- C. Highest**
- D. Medium

Which of the following is the number of pin(s) outside the processor for generating interrupts by the external hardware?

- A. 4
- B. 3
- C. 1**
- D. 2

Programmable Interrupt Controller (PIC) has \_\_\_\_\_ input signal(s) and \_\_\_\_\_ output signal(s).

- A. one, one
- B. eight, one**
- C. one, eight
- D. eight, eight

**Page 104**

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

The Programmable Interval Timer (PIT) has an input frequency of

**A. 1.193MHz** Page 122

B. 2.192MHz

C. 3.196MHz

D. 4.198MHz

Which of the following instruction is used to return from an interrupt service routine?

A. Ret

B. Iret

**C. Reti** Google

D. Intr

Which of the following interrupts is used for exporting parallel port services?

A. INT 08

B. INT 15

C. INT 16

**D. INT 17**

Which of the following flags can be used in mathematical operations?

A. Trap flag

**B. Carry flag** Page 125

C. Direction flag

D. Interrupt flag

Which of the following Interrupt Requests (IRQ) is derived by the timer device?

**A. IRQ 0** Page 105

B. IRQ 1

C. IRQ 2

D. IRQ 3

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Which of the following is BIOS interrupt providing keyboard services?

**A. INT 0x16**

B. INT 0x15

C. INT 0x13

D. INT 0x14

Which of the following instructions is used to read a character from the keyboard port?

A. in al, dx

B. in al, 0x21

**C. In al, 0x60**

D. out al, 0x60

The offset address of an interrupt service routine "n" is at

\_\_\_\_\_.

A. n

B. nx2

**C. nx4**

D. nx3

Which of the following is the time interval between two timer ticks?

**A. 55ms**

**Page 114**

B. 45ms

C. 40ms

D. 50ms

Which of the following Interrupt Requests (IRQ) is connected to serial port COM 2?

**A. IRQ 3**

B. IRQ 4

C. IRQ 5

D. IRQ 6

بري صحبت سے تتهائي بهتر ہے اور تتهائي سے نيك صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

Which of the following is the order of pushing the contents on stack during the execution of INT instruction?

- A. FLAGS, IP, and then CS
- B. FLAGS, CS, and then IP
- C. CS, IP, and then FLAGS**
- D. IP, CS, and then FLAGS

Which of the following instructions, selects the memory address space?

- A. In
- B. Add
- C. Mov**
- D. DEC

**Page 107**

DOS has a single entry point to access all of its services through

- A. INT 21**
- B. INT 16
- C. INT 10
- D. INT 2

**Page 100**

The space where all registers of a task are stored is called

- A. Heap
- B. Local variable
- C. Cache memory

**D. Process control block (PCB)**

**Page 132**

The output of Programmable Interval Timer (PIT) is connected to the \_\_\_\_\_ line of Programmable Interrupt Controller (PIC).

- A. IRQ 0**
- B. IRQ 1
- C. IRQ 2
- D. IRQ 3

**Page 106**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

Which of the following is the ACK pin in DB-25 connector?

**A. 10** Page 117

B. 11

C. 12

D. 13

Which of the following interrupts is of highest priority?

A. INT 2

B. INT 3

**C. Timer interrupt** Page 122

D. Key board interrupt

Which of the following is the source register in OUT instruction?

**A. AL or AX** Page 107

B. BL or BX

C. CL or CX

D. DL or DX

IBM AT has \_\_\_\_\_ Programmable Interrupt Controllers (PIC).

**A. 2** Page 104

B. 4

C. 6

D. 8

An End of Interrupt (EOI) signal is sent by the \_\_\_\_\_.

A. Processor

B. Interrupt request

C. Interrupt handler

**D. Programmable interrupt controller**

Programmable interrupt controller has \_\_\_\_\_ ports.

**A. 2** Page 107

B. 1

C. 3

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

D.4

Which of the following statements is correct regarding the input frequency of Programmable Interval Timer (PIT)?

- A. It is fixed
- B. It is variable
- C. It depends on processor clock**
- D. It depends on hardware attached

Page 114

\_\_\_\_\_ is used for exporting keyboard services.

- A. INT 8
- B. INT 11**
- C. INT 12
- D. INT 16

Which of the following interrupts is used for saving and restoring the registers?

- A. INT 08**
- B. INT 10
- C. INT 09
- D. INT 16

Which of the following IRQs is used for sound card or network card?

- A. IRQ 6
- B. IRQ 5**
- C. IRQ 7
- D. IRQ 4

In Intel 8088, the Interrupt Vector Table occupies \_\_\_\_\_ of memory.

- A. 1 KB
- B. 1 MB
- C. 64KB
- D. 4 bytes**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

At the end of servicing an interrupt, \_\_\_\_\_ signal is used to inform the Programmable Interrupt Controller (PIC) about it.

**A. EOL** Page 106

- B. IOE
- C. IRET
- D. RET n

A parallel port has \_\_\_\_\_ views.

**A. 2** Page 116

- B. 4
- C. 8
- D. 1

WHICH OF the following interrupts is used to maintain the system time?

- A. INT 9
- B. INT 8**
- C. INT 10
- D. INT 11

\_\_\_\_\_ is a special type of interrupt that returns to the same instruction instead of the next instruction.

- A. Debug interrupt
- B. Change of sign interrupt
- C. Divide overflow interrupt** Page 99
- D. Arithmetic overflow interrupt

\_\_\_\_\_ is used in debugging along with the trap flag.

**A. INT 1** Page 97

- B. INT 0
- C. INT 3
- D. INT 4

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

If the \_\_\_\_\_ flag is set, then after every instruction, a type 1 interrupt will be generated automatically.

**A. Trap** **Page 97**

- B. Carry
- C. Parity
- D. Overflow

Which of the following is the highest priority interrupt

- A. INT 03
- B. INT 02
- C. INT 01

**D. INT 08** **Page 106**

In programmable interrupt controller, which of the following ports is the control port?

- A. Port 19
- B. Port 20**
- C. Port 21
- D. Port 22

The parallel port connector is called \_\_\_\_\_.

**A. DB-25** **Page 117**

- B. BD-25
- C. DB-24
- D. BD-24

Which of the following is the destination register in IN instruction?

- A. AL or AX**
- B. BL or BX
- C. CL or CX
- D. DL or DX

Port \_\_\_\_\_ is used to send an End Of Interrupt (EOI) signal to the Programmable Interrupt Controller (PIC) after an interrupt has ended?

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

- A. 0x20
- B. 0x10
- C. 0x30
- D. 0x40

In Programmable Interrupt Controller (PIC), which of the following ports is used to selectively enable or disable interrupts?

- A. 19
- B. 20
- C. 21
- D. 22

Page 107

Which of the following Interrupt Requests (IRQ) is derived by the keyboard?

- A. IRQ 1
- B. IRQ 2
- C. IRQ 3
- D. IRQ 4

Page 106

Which of the following interrupts plays the most significant part during single step debugging of a program?

- A. INT 1
- B. INT 3
- C. INT 2
- D. INT 0

Which of the following are the data pins used to take data from the processor to the device connected through parallel port?

- A. 2 to 9
- B. 18 to 25
- C. 10 to 17
- D. 20 to 27

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

The first parallel port LPT1 has ports designated from \_\_\_\_\_ to \_\_\_\_\_.

**A. 378,37A**

**Page 117**

B. 178, 17A

C. 278, 27A

D. 478, 47A

**Question No:1**

**(Marks:1)**

**Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to CD (Carrier Detect)?

**A. Page 163**

B. 2

C. 3

D. 4

**Question No:2**

**(Marks:1)**

**Vu-Topper RM**

REPE repeats a string instruction while the \_\_\_\_\_ flag is set.

**A. Zero**

**Page 85**

B. Carry

C. Parity

D. Direction

**Question No:3**

**(Marks:1)**

**Vu-Topper RM**

BIOS video services are exported via interrupt

**A. INT10**

**Page 141**

B. INT9

C. INT8

D. INT7

**Question No:4**

**(Marks:1)**

**Vu-Topper RM**

In interrupt masking, We use \_\_\_\_\_ to get control from the program without letting the program know about it.

**A. IRQ 0**

**Page 131**

B. IRQ 1

C. IRQ 2

D. IRQ 3

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:5**

**(Marks:1)**

**Vu-Topper RM**

**Question No:6**

**(Marks:1)**

**Vu-Topper RM**

Push and pop operations always operate on \_\_\_\_\_.

**A. Words**

**Page 80**

B. Byte

C. Float

D. Integer

**Question No:7**

**(Marks:1)**

**Vu-Topper RM**

In multitasking, which of the following interrupts is used as scheduler during context switching?

**A. INT 8**

**Page 133**

B. INT 21

C. INT 16

D. INT 13

**Question No:8**

**(Marks:1)**

**Vu-Topper RM**

\_\_\_\_\_ is the highest priority interrupt in interrupt controller.

**A. IRQ 0**

**Page 106**

B. IRQ 1

C. IRQ 2

D. IRQ 3

**Question No:9**

**(Marks:1)**

**Vu-Topper RM**

Which of the following INT 21 service is used to read character from standard input?

A. 00

**B. 01**

**Page 144**

C. 02

D. 03

**Question No:10**

**(Marks:1)**

**Vu-Topper RM**

As compared to \_\_\_\_\_ , \_\_\_\_\_ provides more cooked services.

**A. BIOS, DOS**

**Page 153**

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

- B. DOS, OS
- C. DOS, BIOS
- D. OS, DOS

**Question No:11**

**(Marks:1)**

**Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to TD (Transmitted Data)?

- A. 1
- B. 2
- C. 3**
- D. 4

**Page 163**

**Question No:12**

**(Marks:1)**

**Vu-Topper RM**

Hard disk MBR( Master Boot Record ) is of size

- A. 446 bytes**
- B. 350 bytes
- C. 512 bytes
- D. 256 bytes

**Page 150**

**Question No:13**

**(Marks:1)**

**Vu-Topper RM**

Which of the following service of INT 21 is used to write a string on standard output?

- A. 00h
- B. 02h
- C. 09h**
- D. 10h

**Page 144**

**Question No:14**

**(Marks:1)**

**Vu-Topper RM**

BIOS video services are broadly classified into \_\_\_\_\_ categories.

- A. 1
- B. 2**
- C. 3
- D. 4

**Page 141**

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

**Question No:15**

**(Marks:1)**

**Vu-Topper RM**

INT 0x13 service 0x03 is used to \_\_\_\_\_.

- A. Read disk sector
- B. Write disk sector**
- C. Reset disk sector
- D. Get drive parameter

**Page 124**

**Question No:16**

**(Marks:1)**

**Vu-Topper RM**

The root directory of floppy contains \_\_\_\_\_ fixed entries.

- A. 64
- B. 256
- C. 128
- D. 512**

**Page 147**

**Question No:17**

**(Marks:1)**

**Vu-Topper RM**

"INT13 --BIOS disk services" generally uses which register to return the 'error flag'?

- A. CF
- B. DL
- C. AH**
- D. AL

**Page 148**

**Question No:18**

**(Marks:1)**

**Vu-Topper RM**

In the context of video services, if we want to scroll the window up which of the following will be the value of AH?

- A. AH = 05h
- B. AH = 06h**
- C. AH = 07h
- D. AH = 08h

**Page 141**

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

**Question No:19**

**(Marks:1)**

**Vu-Topper RM**

In multitasking environment, which of the following structure is used to maintain the ordering of active PCBs?

- A. Array
- B. Stack
- C. Register
- D. Linked List**

**Page 133**

**Question No:20**

**(Marks:1)**

**Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to RD (Received Data)?

- A. 1
- B. 2**
- C. 3
- D. 4

**Page 163**

**Question No:21**

**(Marks:1)**

**Vu-Topper RM**

We can set the current file position in DOS using service number \_\_\_\_\_

- A. 0x38
- B. 0x40
- C. 0x42**
- D. 0x43

**Page 154**

**Question No:22**

**(Marks:1)**

**Vu-Topper RM**

**Question No:23**

**(Marks:1)**

**Vu-Topper RM**

**Question No:24**

**(Marks:1)**

**Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to DTR (Data Terminal Ready)?

- A. 1
- B. 2
- C. 3
- D. 4**

**Page 163**

**Question No:25**

**(Marks:1)**

**Vu-Topper RM**

Which of the following BIOS INT provides serial port services

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

A. INT 21

**B. INT 14**

**Page 163**

C. INT 10

D. INT 08

**Question No:26**

**(Marks:1)**

**Vu-Topper RM**

The first sector on hard disk contains the

A. Data size

B. Hard disk size

C. Partition table

**D. Bytes per sector**

**Page 159**

**Question No:27**

**(Marks:1)**

**Vu-Topper RM**

In the context of video services, if we want to set cursor position which of the following will be the value of AH?

A. AH = 01h

**B. AH = 02h**

**Page 141**

C. AH = 03h

D. AH = 04h

**Question No:28**

**(Marks:1)**

**Vu-Topper RM**

A 32-bit address register can access up to \_\_\_\_ of memory.

A. 2 MB

B. 2 GB

C. 4 MB

**D. 4 GB**

**Page 167**

**Question No:29**

**(Marks:1)**

**Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to SG (Signal Ground) ?

A. 1

B. 3

**C. 5**

**Page 163**

D. 7

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

**Question No:30**

**(Marks:1)**

**Vu-Topper RM**

In the context of video services, if we want to write string then which of the value will be placed in AH?

- A. 10h
- B. 12h
- C. 11h

**D. 13h**

**Page 142**

**Question No:31**

**(Marks:1)**

**Vu-Topper RM**

A FAT32 file system directory entry in DOS consist of how many bytes?

- A. 16
- B. 24

**C. 32**

**Page 147**

D. 64

**Question No:32**

**(Marks:1)**

**Vu-Topper RM**

\_\_\_\_\_ byte of DOS data buffer stores the maximum characters buffer can hold.

- A. **First**
- B. Last
- C. Third
- D. Second

**Page 144**

**Question No:33**

**(Marks:1)**

**Vu-Topper RM**

9pin DB 9 connector which pin is assigned to DSR (Data Set Ready) ?

**A. 6**

**Page 163**

- B. 8
- C. 2
- D. 4

**Question No:34**

**(Marks:1)**

**Vu-Topper RM**

COM1 is connected with

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

- A. IRQ2
- B. IRQ3
- C. IRQ4**
- D. IRQ5

**Page 106**

**Question No:35**

**(Marks:1)**

**Vu-Topper RM**

COM2 is connected with

- A. IRQ2
- B. IRQ3**
- C. IRQ4
- D. IRQ5

**Page 106**

**Question No:36**

**(Marks:1)**

**Vu-Topper RM**

Which of the following services of INT 10 is used to get the video font information?

- A. 1129h
- B. 1130h**
- C. 1128h
- D. 1127h

**Page 142**

**Question No:37**

**(Marks:1)**

**Vu-Topper RM**

Which of the following services of INT 10 is used text mode change?

- A. 1110h**
- B. 1130h
- C. 1128h
- D. 1127h

**Page 142**

**Question No:38**

**(Marks:1)**

**Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to RTS (Request to Send)?

- A. 1
- B. 3
- C. 5
- D. 7**

**Page 163**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:39**

**(Marks:1)**

**Vu-Topper RM**

Which of the following services of INT 10 is used to write graphic pixel on the screen?

- A. 0Ah
- B. 0Bh
- C. 0Ch**
- D. 0Dh

**Page 144**

**Question No:40**

**(Marks:1)**

**Vu-Topper RM**

Each thread can have their own execution area

- A. List
- B. Array
- C. Stack**
- D. Memory

**Page 141**

**Question No:41**

**(Marks:1)**

**Vu-Topper RM**

Device drivers can be divided into \_\_\_\_ major categories:

- A. 5
- B. 4
- C. 3
- D. 2**

**Page 158**

**Question No:42**

**(Marks:1)**

**Vu-Topper RM**

Threads can have function calls, parameters and \_\_\_\_\_ variables.

- A. Local**
- B. Legal
- C. Illegal
- D. Global

**Page 133**

**Question No:43**

**(Marks:1)**

**Vu-Topper RM**

**Question No:44**

**(Marks:1)**

**Vu-Topper RM**

TSR stands for:

- A. Terminate and Store Routines
- B. Transmits and Save Resources

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

**Question No:45**

**(Marks:1)**

**Vu-Topper RM**

Which of the following IRQs is derived by a keyboard?

- A. IRQ 0
- B. **IRQ 1**
- C. IRQ 2
- D. IRQ 3

**Page 114**

**Question No:46**

**(Marks:1)**

**Vu-Topper RM**

Which of the following IRQs is connected to serial port COM 2?

- A. IRQ 0
- B. IRQ 1
- C. IRQ2
- D. **IRQ3**

**Page 114**

**Question No:47**

**(Marks:1)**

**Vu-Topper RM**

Programmable interrupt controller (PIC) has

- A. One input signal and eight output signals
- B. One input signal and one output signal
- C. **Eight input signals and one output signals**
- D. Eight input signals and eight output signals

**Page 105**

**Question No:48**

**(Marks:1)**

**Vu-Topper RM**

**Question No:49**

**(Marks:1)**

**Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to RI (Ring Indicator)?

- A. 3
- B. 5
- C. 7
- D. **9**

**Page 163**

**Question No:50**

**(Marks:1)**

**Vu-Topper RM**

Which of the following IRQs is a cascading interrupt?

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

- A. IRQ 0
- B. IRQ 1
- C. IRQ 2**
- D. IRQ 3

**Page 106**

**Question No:51**

**(Marks:1)**

**Vu-Topper RM**

Which of the following pins of a parallel port connector are grounded

- A. 10-15
- B. 18-25**
- C. 25-32
- D. 32-39

**Page 117**

**Question No:52**

**(Marks:1)**

**Vu-Topper RM**

Which of the following IRQs is used for Floppy disk derive?

- A. IRQ 4
- B. IRQ 5
- C. IRQ 6**
- D. IRQ 7

**Page 106**

**Question No:53**

**(Marks:1)**

**Vu-Topper RM**

When two devices in the system want to use the same IRQ line then what will happen?

- A. An IRQ Crash
- B. An IRQ Collision
- C. An IRQ Conflict**
- D. An IRQ Blockage

**Page 106**

**Question No:54**

**(Marks:1)**

**Vu-Topper RM**

**Question No:55**

**(Marks:1)**

**Vu-Topper RM**

IRQ is referred to

- A. Eight input signals**
- B. One output signal
- C. Eight output signals
- D. One input signal

**Page 105**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:56**

**(Marks:1)**

**Vu-Topper RM**

Which of the following are required for thread entry?

A. SS and SP

B. CS and DS

**C. CS and IP**

**Page 95**

D. IP and general-purpose registers

**Question No:57**

**(Marks:1)**

**Vu-Topper RM**

**Question No:58**

**(Marks:1)**

**Vu-Topper RM**

Programmable interrupt controller has two ports 20 and 21. Port 20 is the control port while port 21 is.....

A. Input port

B. Output port

C. Interrupt port

**D. The Interrupt mask register**

**Page 107**

**Question No:59**

**(Marks:1)**

**Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to CTS (Clear to Send)?

A. 2

B. 4

C. 6

**D. 8**

**Page 163**

**Question No:60**

**(Marks:1)**

**Vu-Topper RM**

**Question No:61**

**(Marks:1)**

**Vu-Topper RM**

Which of the following interrupts is used for Arithmetic overflow?

**A. INT 4**

**Page 106**

B. INT5

C. INT6

D. INT7

**Question No:62**

**(Marks:1)**

**Vu-Topper RM**

DOS has a single entry point through ----- just like a pin hole camera

**A. INT 21**

**Page 100**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

- B. INT22
- C. INT23
- D. INT24

**Question No:63** (Marks:1) **Vu-Topper RM**

Which of the following interrupt requests (IRQ) is the cascading interrupt connected to the output of the second 8451 in the machine?

- A. IRQ 2** **Page 106**
- B. IRQ 3
- C. IRQ 4
- D. IRQ 5

**Question No:64** (Marks:1) **Vu-Topper RM**

Interrupts are \_\_\_\_\_ and \_\_\_\_\_.

- A. asynchronous, predictable
- B. synchronous, predictable
- C. synchronous, unpredictable

**D. Asynchronous, unpredictable** **Page 95**

**Question No:65** (Marks:1) **Vu-Topper RM**

Which of the following interrupt requests (IRQ) is used by the sound card or network card?

- IRQ 5** **Page 106**
- IRQ 6
- IRQ 7
- IRQ 8

**Question No:66** (Marks:1) **Vu-Topper RM**

**Question No:67** (Marks:1) **Vu-Topper RM**

Which of the following interrupt requests (IRQ) is used by the parallel port?

- A. IRQ 6
- B. IRQ 7** **Page 106**
- C. IRQ 8

برى صءبء سے ءءهائى بهءر هے اور ءءهائى سے نىك صءبء بهءر هے

**For More Help Contact What's app 03224021365**

D. IRQ 9

**Question No:68**

**(Marks:1)**

**Vu-Topper RM**

The IDTR is a \_\_\_\_\_ bit register similar in structure to the GDTR

**A. 48**

**Page 174**

B. 64

C. 32

D. 128

**Question No:69**

**(Marks:1)**

**Vu-Topper RM**

**Question No:70**

**(Marks:1)**

**Vu-Topper RM**

The convention to return a value from a subroutine is to use the \_\_\_\_\_ register.

**A. AX**

**Page 90**

B. DX

C. CX

D. BX

**Question No:71**

**(Marks:1)**

**Vu-Topper RM**

The clear screen operation initializes the whole block of video memory to \_\_\_\_\_.

**A. 0x0720**

**Page 83**

B. 0x0175

C. 0x0721

D. 0x0714

**Question No:72**

**(Marks:1)**

**Vu-Topper RM**

**Question No:73**

**(Marks:1)**

**Vu-Topper RM**

**Question No:74**

**(Marks:1)**

**Vu-Topper RM**

**Question No:75**

**(Marks:1)**

**Vu-Topper RM**

The \_\_\_\_\_ and DPL have the same meaning as in data and code descriptors.

**A. P**

**Page 174**

B. A

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

- C. S
- D. D

**Question No:76** (Marks:1) **Vu-Topper RM**

**Question No:77** (Marks:1) **Vu-Topper RM**

Software interrupts are called by extended \_\_\_\_\_ call mechanism.

**A. Far** **Page 97**

- B. Jmp
- C. Near
- D. Short

**Question No:78** (Marks:1) **Vu-Topper RM**

**Question No:79** (Marks:1) **Vu-Topper RM**

**Question No:80** (Marks:1) **Vu-Topper RM**

**Question No:81** (Marks:1) **Vu-Topper RM**

Which of the following registers hold the page number for using the write string service of INT 10?

- A. AH
- B. BL
- C. CL
- D. BH**

**Question No:82** (Marks:1) **Vu-Topper RM**

iret returns on the basis of \_\_\_\_\_ and \_\_\_\_\_.

- A. CS,SS
- B. Cs,IP**
- C. IP,SP
- D. DS,IP

**Question No:83** (Marks:1) **Vu-Topper RM**

**Question No:84** (Marks:1) **Vu-Topper RM**

In Intel 8088, there are a total of \_\_\_\_\_ possible interrupt vectors in an Interrupt Vector Table.

**A. 256**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

- B. 255
- C. 258
- D. 652

Question No:85 (Marks:1) Vu-Topper RM  
Question No:86 (Marks:1) Vu-Topper RM  
Question No:87 (Marks:1) Vu-Topper RM

During multitasking, \_\_\_\_\_ is used to get control from the program without letting the program know about it.

- A. IRQ 0**
- B. IRQ 1
- C. IRQ 2
- D. IRQ 3

Question No:88 (Marks:1) Vu-Topper RM

Which of the following stands for TSR?

- A. Terminate and stay resident**
- B. Truncate and Start Recursively
- C. Terminate and Store Routines
- D. Transmit and Save Resources

Question No:89 (Marks:1) Vu-Topper RM

Question No:90 (Marks:1) Vu-Topper RM

Question No:91 (Marks:1) Vu-Topper RM

Question No:92 (Marks:1) Vu-Topper RM

Question No:93 (Marks:1) Vu-Topper RM

The program segment prefix for com files is of \_\_\_\_\_ size.

- A. 255 Bytes
- B. 256 Bytes**
- C. 257 Bytes
- D. 258 Bytes

Question No:94 (Marks:1) Vu-Topper RM

Question No:95 (Marks:1) Vu-Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

REP with MOVS utilizes the \_\_\_\_\_ power of a processor to do scrolling in minimum time.

- A. Full**
- B. Half
- C. Small
- D. Quarter

**Question No:96** (Marks:1) **Vu-Topper RM**

**Question No:97** (Marks:1) **Vu-Topper RM**

\_\_\_\_\_ is a special prefix that is used to repeat the block instructions.

- A. REP**
- B. RPT
- C. REPB
- D. REPEAT

**Question No:98** (Marks:1) **Vu-Topper RM**

REPE or REPNE are used with the \_\_\_\_\_ instructions

- A. SCAS**
- B. ADD
- C. CALL
- D. MOVS

**Question No:99** (Marks:1) **Vu-Topper RM**

**Question No:100** (Marks:1) **Vu-Topper RM**

**Question No:101** (Marks:1) **Vu-Topper RM**

Which of the following pins of DB-25 connector are ground?

- A. 10-17
- B. 25-32
- C. 2-9
- D. 18-25**

**Question No:102** (Marks:1) **Vu-Topper RM**

**Question No:103** (Marks:1) **Vu-Topper RM**

What is the purpose of the following two instructions? MOV AX, 0XB800MOV ES, AX

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

- A. Pointing ES to audio base
- B. Pointing ES to video base**
- C. Pointing ES to numeric base
- D. Pointing ES to graphics base

**Question No:104**

**(Marks:1)**

**Vu-Topper RM**

Interrupts are \_\_\_\_\_ events.

- A. Dependent
- B. Predictable
- C. Synchronous**
- D. Asynchronous

**Question No:105**

**(Marks:1)**

**Vu-Topper RM**

**Question No:106**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is the interrupt number for debug interrupt?

- A. INT 3**
- B. INT 0
- C. INT 1
- D. INT 2

**Question No:107**

**(Marks:1)**

**Vu-Topper RM**

**Question No:108**

**(Marks:1)**

**Vu-Topper RM**

**Question No:109**

**(Marks:1)**

**Vu-Topper RM**

**Question No:110**

**(Marks:1)**

**Vu-Topper RM**

INT instruction takes a \_\_\_\_\_ byte(s) argument varying from 0-255.

- A. 2
- B. 1**
- C. 6
- D. 4

**Question No:111**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is used to terminate a string in assembly

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

language?

- A. !
- B. #
- C. \$**
- D. ;

**Question No:112**

**(Marks:1)**

**Vu-Topper RM**

In case of COM file, maximum length of parameters passed through command line can be \_\_\_\_

- A. 63 bytes
- B. 127 bytes
- C. 255 bytes**
- D. 511 bytes

**Question No:113**

**(Marks:1)**

**Vu-Topper RM**

In case of COM file, first command line parameter is stored at \_\_\_\_ offset of 'program segment prefix'

- A. 0x80**
- B. 0x82
- C. 0x84
- D. 0x86

**Question No:114**

**(Marks:1)**

**Vu-Topper RM**

In the context of video services, if we want to set the cursor at top left corner, which of the values will be stored in DH and DL respectively?

- A. 00, 00**
- B. 00, 80
- C. 25, 80
- D. 01,01

**Question No:115**

**(Marks:1)**

**Vu-Topper RM**

While using INT 10 for writing graphic pixel on screen, which of the

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

following registers hold the information about pixel color?

- A. DH
- B. DL
- C. AH
- D. AL**

**Question No:116**

**(Marks:1)**

**Vu-Topper RM**

Which of the following services of INT 10 is used for writing the string?

- A. 0x12
- B. 0x13**
- C. 0x11
- D. 0x10

**Question No:117**

**(Marks:1)**

**Vu-Topper RM**

The 'program segment prefix' for com files is of size:

- A. 64 bytes
- B. 128 bytes
- C. 256 bytes**
- D. 512 bytes

**Question No:118**

**(Marks:1)**

**Vu-Topper RM**

The maximum length of DOS command line parameters is

- A. 64 bits
- B. 127 bits
- C. 256 bits
- D. 512 bits**

**Question No:119**

**(Marks:1)**

**Vu-Topper RM**

On executing INT 0x21 service 0x3D, if file is successfully opened then

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

- A. CF will contain 1
- B. CF will contain 0
- C. ZF will contain 1
- D. ZF will contain 0** Google

**Question No:120** (Marks:1) **Vu-Topper RM**

BPB stands for

- A. Bios Precise Block
- B. Basic Precise Block
- C. Bios Parameter Block** Google
- D. Basic Parameter Block

**Question No:121** (Marks:1) **Vu-Topper RM**

Changing and restoring the state of Central Processing Unit (CPU) is called \_\_\_\_\_.

- A. Thrashing
- B. Multitasking**
- C. Multithreading
- D. Context Switching

**Question No:122** (Marks:1) **Vu-Topper RM**

On executing INT 0x21--service 0x3D, if file can't be opened then

- A. CF will contain 1
- B. CF will contain 0
- C. ZF will contain 1** Google
- D. ZF will contain 0

**Question No:123** (Marks:1) **Vu-Topper RM**

There are \_\_\_\_\_ forms of MOVS instruction.

- A. One
- B. Two**
- C. Three
- D. Four

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:124**

**(Marks:1)**

**Vu-Topper RM**

Each entry of the interrupt vector table is of \_\_\_\_\_ byte(s).

- A. 4**
- B. 2
- C. 3
- D. 1

**Question No:125**

**(Marks:1)**

**Vu-Topper RM**

**Question No:126**

**(Marks:1)**

**Vu-Topper RM**

The 8088 processor divides interrupts into \_\_\_\_\_ classes.

- A. One
- B. Two**
- C. Three
- D. Four

**Question No:127**

**(Marks:1)**

**Vu-Topper RM**

Which of the following formulae is used for calculating the segment address of an interrupt service routine “n”?

- A.  $N*4+2$**
- B.  $N*2+4$
- C.  $N*4$
- D.  $N*2-4$

**Question No:128**

**(Marks:1)**

**Vu-Topper RM**

Which of the following formulae calculates the desired location on the screen?

- A.  $\text{Location} = (\text{rowno} * 80 + \text{column}) * 2$**
- B.  $\text{location} = (\text{rowno} * 80 + \text{columnno}) * 8$
- C.  $\text{location} = (\text{colmunno} * 80 + \text{rowno}) * 2,$
- D.  $\text{location} = (\text{rowno} * 80 + \text{columnno}) * 6,$

**Question No:129**

**(Marks:1)**

**Vu-Topper RM**

**Question No:130**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is used to clear the direction flag?

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

- A. Cld
- B. Std
- C. Clrd
- D. Stdr

**Question No:131** (Marks:1) **Vu-Topper RM**  
Which of the following is the interrupt number for nON-maskable interrupt (NMI)?

- A. INT 2
- B. INT 1
- C. INT 3
- D. INT 0

**Question No:132** (Marks:1) **Vu-Topper RM**  
**Question No:133** (Marks:1) **Vu-Topper RM**  
Which of the following flags is cleared with the help of stack?

- A. Trap flag
- B. Zero Flag
- C. Interrupt flag
- D. Direction flag

**Question No:134** (Marks:1) **Vu-Topper RM**  
There is an auto-increment mode when the \_\_\_\_\_ is \_\_\_\_\_.

- A. DF, set
- B. ZF, not set
- C. CX, not set
- D. DF, not set

**Question No:135** (Marks:1) **Vu-Topper RM**  
The first entry of the GDT must always be zero. It is called the \_\_\_\_\_.  
Descriptor

**Null descriptor** **Page 168**

**Question No:136** (Marks:1) **Vu-Topper RM**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

To declare a character in assembly language, we store its ASCII code in a \_\_\_\_\_.

**Byte** **Page 74**  
Code

**Question No:137** (Marks:1) **Vu-Topper RM**  
Which register is generally used to specify the service number of an interrupt?

**Ax** **Google**  
Bx

**Question No:138** (Marks:1) **Vu-Topper RM**  
The routine which executes as a result of INT instruction is called \_\_\_\_\_.

**Interrupt service routine** **Page 95**

**Question No:139** (Marks:1) **Vu-Topper RM**  
**Question No:140** (Marks:1) **Vu-Topper RM**  
Serial port services are provided by the \_\_\_\_\_.

**BIOS INT 14** **Page 166**

**Question No:141** (Marks:1) **Vu-Topper RM**  
Scrolling is the process of moving one or more lines towards the top or bottom of the screen and this is \_\_\_\_\_.

**Cleared** **Page 90**

**Question No:142** (Marks:1) **Vu-Topper RM**  
The interrupt call loads new values in CS, IP and \_\_\_\_\_.

**FLAgS** **Page 95**

**Question No:143** (Marks:1) **Vu-Topper RM**  
REP allows the instruction to be repeated \_\_\_\_\_ times.

**CX** **Page 90**

**Question No:144** (Marks:1) **Vu-Topper RM**

بري صحبت سے تتهائي بهتر ہے اور تتهائي سے نيک صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

COM1 is accessible via ports \_\_\_\_\_ while COM2 is accessible via \_\_\_\_\_.

**358-3FF,258-2FF**

**Page 164**

**Question No:145** (Marks:1) **Vu-Topper RM**

**Question No:146** (Marks:1) **Vu-Topper RM**

**Question No:147** (Marks:1) **Vu-Topper RM**

\_\_\_\_\_ register r is used for storing the base and limit of GDT.

**GDTR**

**Question No:148** (Marks:1) **Vu-Topper RM**

New devices are allowed to work with the existing operating system with the help of \_\_\_\_\_.

**Device drivers Google**

**Question No:149** (Marks:1) **Vu-Topper RM**

Which of the following register hold the cursor start and options for using the write string service of INT 10?

**CH**

**Question No:150** (Marks:1) **Vu-Topper RM**

Which of the following register hold the number of lines by which to scroll up for using the write string service of INT 10?

**AL**

**Question No:151** (Marks:1) **Vu-Topper RM**

**Question No:152** (Marks:1) **Vu-Topper RM**

INT 0x13 service 0x00 is used to \_\_\_\_\_.

**RESET disk system**

**Question No:153** (Marks:1) **Vu-Topper RM**

INT 0x13 service 0x02 is used to \_\_\_\_\_.

**READ sector into memory**

**Question No:154** (Marks:1) **Vu-Topper RM**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

INT 0x13 service 0x08 is used to \_\_\_\_\_.

**GET drive parameters**

**Question No:155** (Marks:1)

**Vu-Topper RM**

INT 0x21 service 0x01 is used to \_\_\_\_\_.

**READ character from standard input, with echo**

**Question No:156** (Marks:1)

**Vu-Topper RM**

INT 0x21 service 0x09 is used to \_\_\_\_\_.

**Write string to standard output**

**Question No:157** (Marks:1)

**Vu-Topper RM**

INT 0x21 service 0x0A is used to \_\_\_\_\_.

**Buffered input**

**Question No:158** (Marks:1)

**Vu-Topper RM**

In the context of video services, if we want to scroll the window down which of the following will be the value of AH?

**AH=07h**

**Question No:159** (Marks:1)

**Vu-Topper RM**

In the context of video services, if we want to set text-mode cursor shape which of the following will be the value of AH?

**AH=01h Page141**

**Question No:160** (Marks:1)

**Vu-Topper RM**

**Question No:161** (Marks:1)

**Vu-Topper RM**

The register size of 386 architecture is \_\_\_\_\_.

**32 bit**

**Question No:162** (Marks:1)

**Vu-Topper RM**

Which of the following instructions is used to disable all interrupts during the execution of a program?

Sti

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

**Cli**

Cld

Reti

**Question No:163**

**(Marks:1)**

**Vu-Topper RM**

In case of COM file, first command line parameter is stored at \_\_\_\_\_ offset of program segment prefix?

**0x80**

**Question No:164**

**(Marks:1)**

**Vu-Topper RM**

The execution of the instruction `mov word {ES:160} 0x1230` will print a character on screen at the \_\_\_\_\_ column of the \_\_\_\_\_ row.

**First, second**

**Question No:165**

**(Marks:1)**

**Vu-Topper RM**

**Question No:166**

**(Marks:1)**

**Vu-Topper RM**

**Question No:167**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is used to set direction flag?

**Std**

**Question No:168**

**(Marks:1)**

**Vu-Topper RM**

INT13-BIOS disk services generally use which register to return the error flag?

**CF**

**Question No:169**

**(Marks:1)**

**Vu-Topper RM**

**Question No:170**

**(Marks:1)**

**Vu-Topper RM**

**Question No:171**

**(Marks:1)**

**Vu-Topper RM**

After the execution of STOSB and STOSW the CX register will be \_\_\_\_\_ by \_\_\_\_\_.

**Decrement by 1**

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

**Visit My YouTube Channel**  
**For Subjective and More**  
**Important Notes**  
**Channel Name = #VuTopperRM**

برى صحبت سے تٲھائى بہتر ہے اور تٲھائى سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365