

# CS-411 Visual Programming Update MCQS For Final Term Solve By Vu Topper RM

85% To 100% Marks



وَتَعَزَّزُ مِنَ تَشَاءِ وَتَذَلُّ مِنَ تَشَاءِ



PROFESSIONAL ONLINE ACADEMY

## WE Offers

LMS Handling

Important Notes

Online Classes

Assignments

Quiz & GDB's

Projects


NOTHING  
IS  
IMPOSSIBLE

Join Us  
Now

For More Info  
Contact us at:

**Rizwan Manzoor**

☎ **0322-4021365**



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

**Question No:1**

**(Marks:1)**

**Vu-Topper RM**

In \_\_\_\_\_ browser app, you change  
"<TargetZone>Internet</TargetZone>" to  
"<TargetZone>Custom</TargetZone>"

**A. Full-trust**

**Page 132**

B. Full-reject

C. Partial-trust

D. Partial-reject

**Question No:2**

**(Marks:1)**

**Vu-Topper RM**

In WPF, \_\_\_\_\_ resource is reapplied every time it changes

A. Static

B. Abstract

**C. Dynamic**

D. permanent

**Question No:3**

**(Marks:1)**

**Vu-Topper RM**

\_\_\_\_\_ is used to perform navigation.

A. Session

**B. Hyperlink**

**Page 127**

C. Internet protocol

D. Hypertext markup language code

**Question No:4**

**(Marks:1)**

**Vu-Topper RM**

If you want to navigate to an HTML page, you must use the

\_\_\_\_\_ of "Navigate" that \_\_\_\_\_ a URI.

A. IFrame, rejects

B. IFrame, accepts

C. Overload, rejects

**D. Overload, accepts**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:5**

**(Marks:1)**

**Vu-Topper RM**

In WPF, using \_\_\_\_\_ requires more overhead than \_\_\_\_\_ because of the extra tracking.

- A. StaticResource, DynamicResource
- B. DynamicResource, StaticResource**
- C. TemporaryResource, PermanentResource
- D. PermanentResource, TemporaryResource

**Page 137**

**Question No:6**

**(Marks:1)**

**Vu-Topper RM**

An event that is raised whenever the value of "CanExecute" changes is known as \_\_\_\_\_.

- A. Execute
- B. Command
- C. CanExecute
- D. CanExecuteChanged**

**Question No:7**

**(Marks:1)**

**Vu-Topper RM**

In multi touch events, a/an \_\_\_\_\_ id is assigned to each individual event.

- A. Cpu
- B. Event**
- C. Device
- D. Processor

**Question No:8**

**(Marks:1)**

**Vu-Topper RM**

In C# WPF, we can perform sorting through View by using an object of \_\_\_\_\_ class.

- A. SortOrder
- B. ViewOrder
- C. ViewDescription
- D. SortDescription**

**Page 158**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:9**

**(Marks:1)**

**Vu-Topper RM**

In multi touch events, when multiple fingers are touching simultaneously, these events get raised for each finger \_\_\_\_\_.

- A. Partially
- B. Completely
- C. Dependently
- D. Independently**

**Question No:10**

**(Marks:1)**

**Vu-Topper RM**

Manipulation events work if IsManipulationEnabled=?

- A. True**
- B. \r
- C. Null
- D. False

**Question No:11**

**(Marks:1)**

**Vu-Topper RM**

Which one of the following is used, if we want to add a window resource in procedural code?

- A. Window.Resource.Add ();
- B. Window.Resources.Add();
- C. <Widows.Resources></Widows.Resources>
- D. <Window.Resources></Window.Resources>**

**Page 136**

**Question No:12**

**(Marks:1)**

**Vu-Topper RM**

"Binding" technique binds two properties together and keeps a \_\_\_\_\_ open.

- A. Choice
- B. Selection
- C. Memory location
- D. Communication channel**

**Page 140**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:13**

**(Marks:1)**

**Vu-Topper RM**

Button and Textbox have \_\_\_\_\_ Knowledge of each other.

- A. Direct
- B. Partial
- C. No Direct**
- D. Important

**Page 122**

**Question No:14**

**(Marks:1)**

**Vu-Topper RM**

Using \_\_\_\_\_, system can support customized setup user interfaces, such as showing an end user license agreement (EULA).

- A. ClickOnce
- B. Windows API
- C. Windows Installer**
- D. license agreement (EULA)

**Question No:15**

**(Marks:1)**

**Vu-Topper RM**

Which of the following method is used to get the location of touch?

- A. getTouch();
- B. getTouchDown();
- C. getTouchpoint();**
- D. getTocuhLocation();

**Question No:16**

**(Marks:1)**

**Vu-Topper RM**

Frame has a \_\_\_\_\_ property used in enabling or disabling the bar (containing Back/Forward buttons).

- A. NavigationUIBlock
- B. BlocknavigationUI
- C. ShowsNavigationUI
- D. NavigationUIVisibility**

**Page 129**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:17**

**(Marks:1)**

**Vu-Topper RM**

In C# WPF, we use "GetDefaultView" method of \_\_\_\_\_ to get the default View.

- A. DataSource
- B. ViewCollection
- C. ViewDescription

**D. CollectionViewSource**

**Page 146**

**Question No:18**

**(Marks:1)**

**Vu-Topper RM**

XBAPs are suited for relatively full-featured applications that:

- A. Run on Desktop
- B. Require Android Studio
- C. Require .Net framework

**D. Happen to be hosted directly in a web browser**

**Question No:19**

**(Marks:1)**

**Vu-Topper RM**

"JavaScript" is \_\_\_\_\_ Side Scripting Language.

- A. Client**
- B. Server
- C. Browser
- D. Interpreter

**Question No:20**

**(Marks:1)**

**Vu-Topper RM**

\_\_\_\_\_ can add/remove/change "CSS" properties based on input or mouse clicks.

- A. J#
- B. HTML
- C. J query

**D. None of these option**

**Page 180**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:21**

**(Marks:1)**

**Vu-Topper RM**

"Callback" method is used to \_\_\_\_\_ the operation.

- A. Invoke
- B. Pause
- C. Revoke
- D. Terminate**

**Question No:22**

**(Marks:1)**

**Vu-Topper RM**

\_\_\_\_\_ mode of binding is opposite to OneWay mode of binding.

- A. One way to source**      **Page 153**
- B. One time
- C. Two time
- D. Two way

**Question No:23**

**(Marks:1)**

**Vu-Topper RM**

While dealing with "threads" in ".Net", one can avoid performance bottlenecks and enhance the overall responsiveness of his / her application by using \_\_\_\_\_ programming.

- A. Parallel programming
- B. Synchronous programming
- C. Multithreading programming
- D. Asynchronous programming**

**Question No:24**

**(Marks:1)**

**Vu-Topper RM**

DOM is a \_\_\_\_\_ representation of data.

- A. Tree
- B. Object
- C. Graphical
- D. None of the given**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:25**

**(Marks:1)**

**Vu-Topper RM**

Threadpool creates or reduces real threads using a hillclimbing algo to \_\_\_\_\_.

- A. To minimize CPU usage
- B. To maximize CUP usage**
- C. To maximize memory utilization
- D. To reduce the cost of thread creation

**Page 159**

**Question No:26**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is not true about task completion source?

- A. It is an executable thing**
- B. Support result return facility
- C. Provide continuation facility
- D. Provide exception handling facility

**Page 175**

**Question No:27**

**(Marks:1)**

**Vu-Topper RM**

\_\_\_\_\_ solves "JavaScript" complexity and browser incompatibilities

- A. J #
- B. Jhtml
- C. JQuery**
- D. R query

**Page 179**

**Question No:28**

**(Marks:1)**

**Vu-Topper RM**

Threadpool is used to \_\_\_\_\_.

- A. To avoid complexity
- B. To save time of thread creation**
- C. To make easy debugging process
- D. To make easy the process of thread creation

**Page 160**

**Question No:29**

**(Marks:1)**

**Vu-Topper RM**

Which of the following object creates a cancellation token?

- A. Cancellation token
- B. Operation cancelled

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

C. Operation cancel token

**D. Cancellation token source**

Page 172

**Question No:30**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is not handled by the "Task Parallel Library (TPL)"?

- A. Scheduling of threads
- B. Partitioning of the work
- C. Scales degree of concern

**D. Progress report handling**

**Question No:31**

**(Marks:1)**

**Vu-Topper RM**

"async" and \_\_\_\_\_ keywords in C# are the heart of asynchronous programming.

- A. Wait
- B. Await**
- C. Return
- D. Stream

**Question No:32**

**(Marks:1)**

**Vu-Topper RM**

Which of the following class supports data parallelism in "Task Parallel Library"?

- A. System.Task.Parallel
- B. System.Threading.Tasks
- C. System.Task.Threading.Parallel
- D. System.threading.Task.Parallel**

**Question No:33**

**(Marks:1)**

**Vu-Topper RM**

"JavaScript" \_\_\_\_\_ is available in web browser.

- A. Linker
- B. Compiler
- C. Interpreter**
- D. Conjunction

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

**Question No:34** (Marks:1)

**Vu-Topper RM**

HTML is called \_\_\_\_\_ layer.

A. Physical

**B. Structural**

**Page 195**

C. Behavioral

D. Presentation

**Question No:35** (Marks:1)

**Vu-Topper RM**

\_\_\_\_\_ is more than one thing happening at the same time.

A. Cohesion

B. Coherence

C. Congruence

**D. Concurrency**

**Page 156**

**Question No:36** (Marks:1)

**Vu-Topper RM**

\_\_\_\_\_ are high order functions that compose, combine, or otherwise modify functions in useful and interesting ways.

A. Modifiers

B. Constants

C. Separators

**D. Combinators**

**Question No:37** (Marks:1)

**Vu-Topper RM**

Which of the following is correct way to temporarily stop execution of a thread object named as "myThread" for 500 milisec?

A. My thread .stop( 500);

B. My thread .sleep (0.05);

C. My thread. stop (0.05);

**D. My thread. sleep (500);**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:38**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is not a "jQuery" filter?

- A. Has
- B. Odd
- C. Even

**D. Write**

**Page 184**

**Question No:39**

**(Marks:1)**

**Vu-Topper RM**

The "Task Based Asynchronous pattern" method returns either a "Task" or a "Task<TResult>", based on whether the corresponding \_\_\_\_\_ method returns "void" or a type "TResult".

- A. Return
- B. Callback

**C. Synchronous**

D. Asynchronous

**Question No:40**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is not a part of "cancellation" task?

A. Create and start a cancellable task

**B. The calling thread does forcibly end the task**

C. Notice and respond to the cancellation request in your user delegate

D. Pass cancellation token to your user delegate and option to task instance

**Question No:1**

**(Marks:1)**

**Vu-Topper RM**

In c # WPF we can perform certain through view by using an object of \_\_\_\_\_ class.

- A. Sort order
- B. View order
- C. View description

**D. Sort description**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:41**

**(Marks:1)**

**Vu-Topper RM**

Which one of the following can be used to set dependency property values?

- A. Static Resource
- B. Dynamic resource**
- C. Permanent resource
- D. Temporary resource

**Page 137**

**Question No:42**

**(Marks:1)**

**Vu-Topper RM**

In context of data binding, \_\_\_\_\_ contains the current item to get it synchronized with data source.

- A. List**
- B. View
- C. String
- D. Template

**Question No:43**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is not a string format property throughout WPF?

- A. String format
- B. Items drink format
- C. Content string format
- D. Row header string format**

**Question No:44**

**(Marks:1)**

**Vu-Topper RM**

By default, Navigation Window \_\_\_\_\_ a bar along with the top with Back/Forward buttons while a frame \_\_\_\_\_.

- A. Has ,has
- B. Both does't have
- C. Doesn't have ,has
- D. Has, does't have**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:45**

**(Marks:1)**

**Vu-Topper RM**

To plug in custom logic, you need to add a \_\_\_\_\_ to the element that will execute the command are any parent element.

- A. Routed command
- B. Help can execute
- C. Execute command
- D. Command binding**

**Question No:46**

**(Marks:1)**

**Vu-Topper RM**

In case of integrating Navigation to XBAP, "ShowNavigationUI" should be set to \_\_\_\_\_ in order to bypass integration.

- A. 0
- B. True
- C. Null
- D. False**

**Question No:47**

**(Marks:1)**

**Vu-Topper RM**

In C# WPF, \_\_\_\_\_ and \_\_\_\_\_ are the two important properties of Binding object.

- A. Source, path**
- B. Items, selected
- C. Start, destination
- D. Bind to, bind rom

**Question No:48**

**(Marks:1)**

**Vu-Topper RM**

What is the purpose of the following "jQuery "code?\$(# navbar a)"

- A. Find all the element whose ID is navbar and the find a ansector a
- B. Find all the element whose name is navbar and find a descendant a
- C. Find all the element whose name is navbar and then find a an sector a
- D. Find all the element whose ID is navber and then find a descendant a**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:49**

**(Marks:1)**

**Vu-Topper RM**

Web servers receive request and responds as\_.

- A. JSON only
- B. Html only
- C. Plain Text only

**D. Html, plain text and JSON**

**Page 192**

**Question No:50**

**(Marks:1)**

**Vu-Topper RM**

A/An \_\_\_\_\_ screen is an image that appears while a game or program is loading

- A. Initial
- B. Splash**
- C. Startup
- D. Opening

**Question No:51**

**(Marks:1)**

**Vu-Topper RM**

XBAP stands for:

- A. None of given option
- B. Active x browser application
- C. XAML browser application**
- D. Extensive browser application

**Question No:52**

**(Marks:1)**

**Vu-Topper RM**

To remove data binding between the source and the target, we can use \_\_\_\_\_ function.

- A. Reset binding
- B. Clear binding**
- C. Remove binding
- D. Stop the binding

**Page 151**

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

**Question No:53**

**(Marks:1)**

**Vu-Topper RM**

Which of the following operation cannot be performed by using a view?

- A. Sorting
- B. Filtering
- C. Grouping

**D. Searching**

**Page 146**

**Question No:54**

**(Marks:1)**

**Vu-Topper RM**

Which of the following C# method reports are progress change?

- A. Get type
- B. Finalize

**C. On report**

D. Get hash code

**Question No:55**

**(Marks:1)**

**Vu-Topper RM**

Multi touch events are categorized into \_\_\_\_\_ and \_\_\_\_\_.

- A. Touch events, touch up events
- B. Touch down events, touch up events
- C. Advance touch events, low -level manipulation events

**D. Basic touch events, higher- level manipulation events Page 144**

**Question No:56**

**(Marks:1)**

**Vu-Topper RM**

Thread pool is used to \_\_\_\_\_.

- A. To avoid complexity
- B. To make easy debugging process

**C. To save time of thread creation**

D. To make easy the process of thread creation

**Question No:57**

**(Marks:1)**

**Vu-Topper RM**

Interact with web page layout

- A. XML
- B. DOM

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

## C. HTML

D. Java script

**Question No:58**

**(Marks:1)**

**Vu-Topper RM**

Which of the following class sports data parallelism in” task parallel library”?

- A. System. task .parallel
- B. System. threading .tasks
- C. System. task .threading. parallel
- D. System. threading. Task. parallel**

**Question No:59**

**(Marks:1)**

**Vu-Topper RM**

A Window can spawn \_\_\_\_\_ number of additional Windows by instantiating a Window-derived class and calling Show(...).

- A. Any**      **Page 124**
- B. Six
- C. Five
- D. Four

**Question No:60**

**(Marks:1)**

**Vu-Topper RM**

“Editable Grid” is an example of \_\_\_\_\_ mode of binding in context of data binding.

- A. One time
- B. Two ways
- C. Two time
- D. One day**

**Question No:61**

**(Marks:1)**

**Vu-Topper RM**

A class that implements the 'ICommand' and supports 'bubbling' just like a routed event is known as \_\_\_\_\_.

- A. Can execute
- B. Executed command
- C. Can execute changed

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:62**

**(Marks:1)**

**Vu-Topper RM**

In WPF C#, which of the following operation cannot be performed by using a View?

- A. Sorting
- B. Filtering
- C. Searching

**D. Grouping**

**Question No:63**

**(Marks:1)**

**Vu-Topper RM**

In Xaml browser application, how much isolated memory we can use?

- A. 128 kb
- B. 256 kb

**C. 512 kb**

**Page 132**

D. 1024 kb

**Question No:64**

**(Marks:1)**

**Vu-Topper RM**

Which property will be used if we want to restrict the user to don't increase the width of a WPF element from a specific amount?

**A. Maxwidth**

**Page 81**

- B. WidthMaximum
- C. MaximumWidth

D. None of given options

**Question No:65**

**(Marks:1)**

**Vu-Topper RM**

Which one is the correct syntax for declaring attribute?

- A. \*Obsolete
- B. {Obsolete}
- C. (Obsolete)

**D. [Obsolete]**

**Page 42**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:66**

**(Marks:1)**

**Vu-Topper RM**

In C#, comments are written using \_\_\_\_\_.

- A. # and /\*
- B. # and \*/ /\*
- C. // and \*/ /\*
- D. // and /\*\*/**

**Page 14**

**Question No:67**

**(Marks:1)**

**Vu-Topper RM**

\_\_\_\_\_ is an event that is introduced into an event processing system by an event producer.

- A. Raw event**
- B. Event Stream
- C. Event Producer
- D. Event Consumer

**Page 11**

**Question No:68**

**(Marks:1)**

**Vu-Topper RM**

Whenever an attribute value is enclosed in curly braces "{ }", the XAML compiler/parser treats it as a/an \_\_\_\_\_ rather than a/an \_\_\_\_\_.

- A. Markup event, property
- B. Markup property, Event
- C. Literal string, Markup extension value
- D. Markup extension value, Literal string**

**Page 65**

**Question No:69**

**(Marks:1)**

**Vu-Topper RM**

CSS is called \_\_\_\_\_ layer.

- A. Physical
- B. Structural
- C. Behavioral
- D. Presentation**

**Page 179**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:70**

**(Marks:1)**

**Vu-Topper RM**

Shift key is true if the shift key is \_\_\_\_\_when the event occurs.

A. Up

**B. Down**

**Page 187**

C. Move

D. None of the given

**Question No:71**

**(Marks:1)**

**Vu-Topper RM**

Which of the following response show internal server error?

A. 200

B. 300

C. 400

**D. 500**

**Question No:72**

**(Marks:1)**

**Vu-Topper RM**

The original name of JavaScript was\_\_\_\_\_.

A. wireScript

B. JavaScript

**C. LiveScript**

**Page 179**

D. None of the given

**Question No:73**

**(Marks:1)**

**Vu-Topper RM**

One of the ways to create an instance of a class is\_\_\_\_\_.

A. XAML compiler

**B. System array**

**Page 14**

C. Factory method

D. Sequential heap

**Question No:74**

**(Marks:1)**

**Vu-Topper RM**

Which "transform" property can help us to flip the element from its center?

A. ScaleX

B. ScaleY

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

C. None of the given

**D. Render transform origin**

**Page 85**

**Question No:75**

**(Marks:1)**

**Vu-Topper RM**

If we want that "Stretch" property of child element takes the available "height or width of Parent" and shape of child elements doesn't change, then we should write —Stretch= \_\_|.

A. 1

**B. Fill**

**Page 100**

C. Uniform

D. Uniform to fill

**Question No:76**

**(Marks:1)**

**Vu-Topper RM**

When a button makes itself disabled, then the value of "Focusable" property is \_\_\_\_\_?

A. Null

B. True

**C. False**

D. None of the given

**Question No:77**

**(Marks:1)**

**Vu-Topper RM**

ManipulationCompleted gets raised after \_\_\_\_\_ is raised for all fingers.

**A. Touch up**

**Page 116**

B. TouchMove

C. TouchRight

D. TouchDown

**Question No:78**

**(Marks:1)**

**Vu-Topper RM**

CSS is a \_\_language\_\_.

**A. Formatting**

**Page 180**

B. Structuring

C. Object Oriented

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

D. None of the given

**Question No:79**

**(Marks:1)**

**Vu-Topper RM**

JavaScript code is written inside file having extension\_\_.

- A. JS**
- B. JVS
- C. JSC
- D. Javasript

**Question No:80**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is TRUE about Object data providers?

- A. None of the given
  - B. This is useful for binding XML data
  - C. This is useful for binding objects which are designed for binding
  - D. This is useful for binding objects which are not designed for binding**
- Page 151**

**Question No:81**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is TRUE about IsAsync in context of data binding?

- A. This is used to create data source object in foreground
- B. This is used to access the property of an object in foreground
- C. This is used to create data source object in background**
- D. This is used to access the property of an object in background

**Question No:82**

**(Marks:1)**

**Vu-Topper RM**

Refresh" is a predefined building command classified as:

- A. Media command
  - B. Editing command
  - C. Application command
  - D. Navigation command**
- Page 121**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:83**

**(Marks:1)**

**Vu-Topper RM**

JS (JavaScript) is called layer.

- A. Physical
- B. Structural
- C. Behavioral

**D. Presentation**

**Page 179**

**Question No:84**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is NOT true about threads?

- A. Data cannot be share among the threads.
- B. A program can have more than one thread**
- C. Threads are useful to handle simultaneous requests.
- D. Each thread can proceed independently of other threads.

**Question No:85**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is correct way to start execution of a thread object named as myThread?

- A. myThread.Go();
- B. myThread.Begin();
- C. myThread.Start();**
- D. myThread.initialize ();

**Page 156**

**Question No:86**

**(Marks:1)**

**Vu-Topper RM**

The best way to implement simple threading in Windows Forms programs is to use the class.

- A. Windowsform
- B. None of the given
- C. Simplethreadworker

**D. BackgroundWorker**

**Question No:87**

**(Marks:1)**

**Vu-Topper RM**

A child Window is just like any other top-level window: but it automatically gets closed when the parent is closed and minimized when the parent is minimized. Such a Window is sometimes called a\_\_\_\_\_.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

- A. Super Window
- B. Modeless dialog**
- C. Sibling Window
- D. Inherited Window

Page 124

**Question No:88** (Marks:1) **Vu-Topper RM**

In .Net, a task that does not return a value is represented by the

\_\_\_\_\_.

- A. System.Threading.Tasks.
- B. None of the given option**
- C. System.Threading.Tasks.Task
- D. System.Threading.Tasks.Task<TResult>

**Question No:89** (Marks:1) **Vu-Topper RM**

In TAP, progress is handled through an interface, which is passed to the asynchronous method a parameter.

- A. Progress<T>
- B. Aprogress (T)
- C. IProgress (T)**
- D. Progress<T> (Action<T>)

**Question No:90** (Marks:1) **Vu-Topper RM**

In navigation Windows, the frames are more like a/an\_\_\_\_\_.

- A. .Net frame
- B. Java frame
- C. Image frame
- D. HTML frame**

Page 128

**Question No:91** (Marks:1) **Vu-Topper RM**

\_\_\_\_\_ keeps the navigation history in navigation based applications.

- A. frame
- B. journal**
- C. web page
- D. Web browser

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

**Question No:92**

**(Marks:1)**

**Vu-Topper RM**

URI stands for:

- A. Universal Resource Identifier
- B. Uniform Resource Identifier**
- C. Uniform Resource Identification
- D. Universal Resource Identification

**Question No:93**

**(Marks:1)**

**Vu-Topper RM**

In Objective-C, which of the following statements can be used to display something in the "answer" field?

- A. [setTextanswer];
- B. [answerField:answer];
- C. [ setText answeranswerField]
- D. [answerFieldsetText:answer];**

**Page 208**

**Question No:94**

**(Marks:1)**

**Vu-Topper RM**

If we assign an NSString to a possession for its possessionName, and then werelease the string, it will be\_\_.

- A. Allocated
- B. Decreased
- C. Destroyed**
- D. Instance created

**Question No:95**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is used to set the view to default?

- A. Ib**
- B. Redraw
- C. Clear all
- D. Ns coder

**Page 217**

**Question No:96**

**(Marks:1)**

**Vu-Topper RM**

In context of data binding, when we want to apply both sorting and groupingtogether then the rule is that\_\_.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

- A. None of the given option
- B. Grouping will be applied before sorting
- C. Both shall be applied different properties
- D. Sorting will be applied before Grouping**

**Page 150**

**Question No:97**

**(Marks:1)**

**Vu-Topper RM**

What is the word –Color| in given below code? UIColor" (^) (Line\*,int anotherArg)

- A. Block Variable**
- B. Name of Variable
- C. Return Type of Block
- D. Notation to specify that it is a block

**Page 222**

**Question No:98**

**(Marks:1)**

**Vu-Topper RM**

\_\_\_\_\_helps us in provisioning ease of access to data source for data binding.

- A. Source
- B. Interfaces
- C. Data Organizer
- D. Data Provider**

**Question No:99**

**(Marks:1)**

**Vu-Topper RM**

What is the purpose of given below code?

[self.viewaddSubview:imageView];

- A. To set the image
- B. To create the image View
- C. Add the image to this View controllers**
- D. To make sure that image is not scaled incorrectly

**Page 226**

**Question No:100**

**(Marks:1)**

**Vu-Topper RM**

What is the purpose of given below code? NSArray \*folders  
NSSearchPathForDirectoriesInDomains(NSDocumentDirectory,  
NSUserDomainMask, YES);

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

- A. Create the folder
- B. Get the first folder
- C. Add the image to first folder

**D. Get the document folder(s)**

**Page 226**

**Question No:101**

**(Marks:1)**

**Vu-Topper RM**

Which JQuery object is used with bind() function to pass data to an event handling function?

- A. Jobj
- B. Data**
- C. Bind
- D. Target

**Page 187**

**Question No:102**

**(Marks:1)**

**Vu-Topper RM**

Which of the following technologies is not used in AJAX?

- A. Css
- B. Dom
- C. Flash**
- D. Dhtml

**Question No:103**

**(Marks:1)**

**Vu-Topper RM**

Which function is used to create cancel button event of dialog box

\_\_\_\_\_.

- A. OnCancel()**
- B. CancelClick()
- C. OnInitCancel()
- D. OnClickCancel()

**Question No:104**

**(Marks:1)**

**Vu-Topper RM**

Consider the following C# code segment: `button.Background = (Brush) new BrushConverter().ConvertFrom (—SystemColors.WindowBrush);`

Which one of the following is equivalent XAML code?

- A. `<Button Background= —SystemColor.WindowBrush/>`
- B. `<Button Background= —SystemColor.WindowsBrush/>`

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

C. <Button Background= —SystemColors.WindowsBrush//>

**D. <Button Background= “SystemColors.WindowBrush”/>**

**Page 132**

**Question No:105**

**(Marks:1)**

**Vu-Topper RM**

Which of the following components generates an input Event?

- A. Plotter
- B. Printer
- C. Speaker

**D. Multi Touch**

**Question No:106**

**(Marks:1)**

**Vu-Topper RM**

We use "UIElement" property ClipToBounds= —false when

\_\_\_\_\_.

- A. None of the given option
- B. We want area child element don't cross the boundary of parent
- C. Parent area also increases on increasing of area of child element

**D. We want area of child element is allowed to cross the boundary of parent**

**Page 97**

**Question No:107**

**(Marks:1)**

**Vu-Topper RM**

To design a complex Interface, which of the following technique is best to achieve the required results?

- A. Panels composed in two panels
- B. Panels composed in single panel
- C. Panels composed in three panels

**D. Panels composed within panels**

**Question No:108**

**(Marks:1)**

**Vu-Topper RM**

Commonly we have two types of custom command bindings named as

\_\_\_\_\_.

- A. StartBindings and StopBindings

**B. KeyBindings and MouseBindings**

**Page 122**

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

**For More Help Contact What's app 03224021365**

- C. EventBindings and InstanceBindings
- D. ButtonBindings and TextboxBindings

**Question No:109**

**(Marks:1)**

**Vu-Topper RM**

Which of the following is an example of tunnel key event?

- A. Key up
- B. Key down
- C. Preview key down**
- D. Preview key entered

**Question No:110**

**(Marks:1)**

**Vu-Topper RM**

Which one of the following panels is most powerful, versatile and customizable?

- A. Doc panel
- B. Stack panel
- C. Grid Panel**
- D. Canvas panel

**Page 92**

**Question No:111**

**(Marks:1)**

**Vu-Topper RM**

In order to resize the row and column in Grid panel, \_\_\_\_\_ is used.

- A. Grid divider
- B. Grid splitter**
- C. Grid compiler
- D. Grid converter

**Page 95**

**Question No:112**

**(Marks:1)**

**Vu-Topper RM**

Data binding is about tying together arbitrary .NET \_\_\_\_\_.

- A. Object**
- B. Variables
- C. Functions
- D. Properties

**Page 140**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:113**

**(Marks:1)**

**Vu-Topper RM**

\_\_\_\_\_ supports the creation of applications that run directly in a web browser.

- A. C#
- B. WPE**
- C. HTML
- D. C/C++

**Question No:114**

**(Marks:1)**

**Vu-Topper RM**

To check that the user either pressed left Alt key or right Alt key, the \_\_\_\_\_ is used.

- A. IsDown
- B. IsKeyDown
- C. KeyStates.IsKeyDown
- D. keyboardDevice.IsKeyDown**

**Page 113**

**Question No:115**

**(Marks:1)**

**Vu-Topper RM**

\_\_\_\_\_ provides the logic behind the "Back" and "Forward" buttons.

- A. Jframe
- B. Hyperlink
- C. Journal**
- D. Navigation Window

**Page 138**

**Question No:116**

**(Marks:1)**

**Vu-Topper RM**

In a code segment, if the Visibility=`Collapsed` then which of the following events are not generated?

- A. Routed Events
- B. Mouse Events**
- C. Keyboard Events
- D. Key down Events

**Page 113**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:117**

**(Marks:1)**

**Vu-Topper RM**

If we insert some objects in a single cell in Grid panel, then these objects are placed on

- A. One after the other
- B. One on Side of the other
- C. One on Top of the other**
- D. One on Bottom of the other

**Question No:118**

**(Marks:1)**

**Vu-Topper RM**

A \_receives keyboard events only if it has keyboard focus

- A. Mouse
- B. Keyboard
- C. UIElement**
- D. Keyboard Controls

**Question No:119**

**(Marks:1)**

**Vu-Topper RM**

In case of HTML page navigation, you must use the that a URI.

- A. IFrame, rejects
- B. IFrame, accepts
- C. Overload, rejects
- D. Overload, accepts**

**Question No:120**

**(Marks:1)**

**Vu-Topper RM**

The Java programming language has a specific class for creating splash screens, called .

- A. Java.awt.start
- B. Java.lang.splash
- C. Java.start.screen
- D. Java.awt.SplashScreen**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:121**

**(Marks:1)**

**Vu-Topper RM**

Which of the followings are keyboard events?

- A. Key down, key up** **Page 113**
- B. Key entered, key exist
- C. Key strike, key release
- D. Key pressed, key released

**Question No:122**

**(Marks:1)**

**Vu-Topper RM**

To plug custom logic, you need to add a \_\_\_\_\_ to the element that will execute the command or any parent element.

- A. Helpcanexecute
- B. CommandBinding**
- C. Execute command
- D. RoutedUICommand

**Question No:123**

**(Marks:1)**

**Vu-Topper RM**

Which of the following -Event| property is used to show the -distance (in pixels)| of the mouse pointer from the left edge of the browser window?

- A. Page x** **Page 187**
- B. Page y
- C. Screen x
- D. Screen y

**Question No:124**

**(Marks:1)**

**Vu-Topper RM**

Which of the following -Event -properties is used with -key press event| to determine the numeric code for the key that was pressed?

- A. Page x
- B. Which** **Page 187**
- C. Target
- D. Shift Key

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:125**

**(Marks:1)**

**Vu-Topper RM**

HTML is a helper function.

A. JS

**B. JQuery**

**Page 184**

C. RQuery

D. Browser

**Question No:126**

**(Marks:1)**

**Vu-Topper RM**

Which of the following server(s) support -AJAX|?

**A. HTTP**

B. SMTP

C. WWW

D. Both SMTP and HTTP

**Question No:127**

**(Marks:1)**

**Vu-Topper RM**

Why we use —Alloc message?

A. To create a class

**B. To create an instance**

C. To extend functions

D. To inherent methods

**Question No:128**

**(Marks:1)**

**Vu-Topper RM**

Objective – c introduces \_\_\_ messaging in c?

A. Group

B. New Style

C. Short session

**D. Smalltalk style**

**Page 97**

**Question No:129**

**(Marks:1)**

**Vu-Topper RM**

Threadpool create and reduce real threads using hillclimbing algo to

\_\_\_\_\_.

A. To minimize CPU usage

**B. To maximize CPU usage**

**Page 60**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

- C. To maximize memory utilization
- D. To reduce the cost of thread creation

**Question No:130**

**(Marks:1)**

**Vu-Topper RM**

Which of these are defined as the model object?

- A. Question= 0;
- B. UILabel \*questionField;
- C. NSMutableArray \*questions;**
- D. NSMutableArray \*questions@field;

**Page 205**

**Question No:131**

**(Marks:1)**

**Vu-Topper RM**

Which of the following "Event" property is used to show the "distance (inpixels)" of the mouse pointer from top edge of the Monitor?

- A. Page x
- B. Page y
- C. Screen x
- D. Screen y**

**Page 187**

**Question No:132**

**(Marks:1)**

**Vu-Topper RM**

What is —nill like?

- A. Null**
- B. Zero
- C. Terminate
- D. Move to new line

**Page 197**

**Question No:133**

**(Marks:1)**

**Vu-Topper RM**

Which of the following "Event" property is used to show the "distance (inpixels)" of the mouse pointer from top edge of the browser window?

- A. Page x
- B. Page y**
- C. Screen x
- D. Screen y

**Page 187**

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Question No:134**

**(Marks:1)**

**Vu-Topper RM**

What message is used to send to destroy the object?

- A. Stop
- B. Free
- C. Delete
- D. Release**

**Question No:135**

**(Marks:1)**

**Vu-Topper RM**

What is NSMutableArray?

- A. Object
- B. Group
- C. Method
- D. Class Reference**

**Question No:136**

**(Marks:1)**

**Vu-Topper RM**

AJAX stands for\_\_\_\_\_.

- A. Abstract JSON and XML
- B. Abstract Java and XML Library
- C. Asynchronous JavaScript and XHTML
- D. Asynchronous JavaScript and XML**

**Question No:137**

**(Marks:1)**

**Vu-Topper RM**

The pairing of labels and arguments is an important feature of\_\_\_\_\_.

- A. C++
- B. PHP
- C. Scripts
- D. Objective-C**

**Page 197**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

**For More Help Contact What's app 03224021365**

**Visit My YouTube Channel**  
**For Subjective and More**  
**Important Files**  
**Channel Name = #VuTopperRM**

برى صءبء سے ءءهائى بهءر هے اور ءءهائى سے نىك صءبء بهءر هے

For More Help Contact What's app 03224021365