

**Download Solved Mid/Final Term
Past Papers by Waqar Siddhu
in PDF form**

VUNET.BLOGSPOT.COM



Facebook.com/vunets



Question No : 41 of 52 Marks: 2 (Budgeted Time 4 Min)

Which diagrams are used to present dynamic behavior of the system?

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for file operations, editing, and formatting. The toolbar includes buttons for New, Open, Save, Print, Find, Cut, Copy, Paste, Undo, Redo, Bold, Italic, Underline, Bulleted List, Numbered List, Indent, and Outdent. The font settings are set to Arial, size 12, and the zoom level is 100%.

Start Time: 11:18 AM
119:00
Time Left

41

Navigation icons: Information, Previous, Home, Next, Last

MADE BY WAQAR SIDDHU

Question No : 42 of 52 Marks: 2 (Budgeted Time 4 Min)

Explain how can the size of the function in a program affect program maintainability?

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The text area below is empty.

Start Time: 11:18 AM
119:00
Time Left

42

Navigation icons: Information, Previous, Home, Next, Last

MADE BY WAQAR SIDDHU

Question No : 43 of 52

Marks: 2 (Budgeted Time 4 Min)

Suppose that you write a C program in which you declare a pointer to dynamically allocate memory to store the ages of 10 students. But, you forget to delete the pointer. In doing so, what type of bug will occur in the program?

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for file operations, editing, and formatting. The text area is currently empty.

Start Time: 11:18 AM
119:00
Time Left

43

Navigation icons: Information, Previous, Home, Next, Last

MADE BY WAQAR SIDDHU

Question No : 44 of 52 Marks: 2 (Budgeted Time 4 Min)

Suppose that software testing phase has been completed and all the defects have been discovered. What is the next step after completion of test phase?

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for file operations, editing, and formatting. The toolbar includes buttons for New, Open, Save, Print, Find, Cut, Copy, Paste, Undo, Redo, Bold, Italic, Underline, Bulleted List, Numbered List, Indent Left, Indent Right, and Link. The font is set to Arial, size 12, and zoom is 100%.

Start Time: 11:18 AM
119:00
Time Left

44

Navigation icons: Information, Previous, Home, Next, Last, Print

MADE BY WAQAR SIDDHU

Question No : 45 of 52 Marks: 3 (Budgeted Time 6 Min)

Bit fields do suffer from lack of portability between platforms. Why ?

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for file operations, editing, and formatting. The toolbar includes buttons for New, Open, Save, Print, Find, Cut, Copy, Paste, Undo, Redo, Bold, Italic, Underline, Bulleted List, Numbered List, Indent, and Outdent. The font settings are set to Arial, size 12, and the zoom level is 100%.

Start Time: 11:18 AM
119:00
Time Left

45

Navigation icons: Information, Previous, Home, Next, Last, Print

MADE BY WAQAR SIDDHU

Question No : 46 of 52

Marks: 3 (Budgeted Time 6 Min)

Consider the following scenario:

“A hard disk drive (e.g. C-drive, D-Drive etc) contains folders which contain files. Whenever user right clicks on the folder or file and presses delete button the file is deleted and is sent to recycle bin, from where it can be deleted permanently”

Using Peter Coad methodology, identify at least two container objects.

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level.

Normal | Arial | 12 | B I U | [List Icons] | [Indent/Outdent Icons]

Start Time: 11:18 AM

119:00

Time Left

46

MADE BY WAQAR SIDDHU

Question No : 47 of 52 Marks: 3 (Budgeted Time 6 Min)

Name at least three fault classes which must be specified while preparing an inspection checklist.

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for file operations, editing, and formatting. The toolbar includes buttons for New, Open, Save, Print, Find, Cut, Copy, Paste, Undo, Redo, Bold, Italic, Underline, Bulleted List, Numbered List, Indent, and Outdent. The font style is set to Normal, the font face is Arial, and the font size is 12. The zoom level is set to 100%.

Start Time: 11:18 AM
119:00
Time Left

47

Navigation icons: Information, Previous, Home, Next, Last

Question No : 48 of 52 Marks: 3 (Budgeted Time 6 Min)

How does profiling works?

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The text area below is empty.

Start Time: 11:18 AM
119:00
Time Left

48



MADE BY WAQAR SIDDHU

Question No : 49 of 52

Marks: 5 (Budgeted Time 10 Min)

Rewrite the following code by following General naming conventions for C++

- 1) int fileprefix;
- 2) const int max_ iterations;
- 3) int getmaxiterations() { ... }
- 4) template<class t>

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for file operations, editing, and formatting. The text area is currently empty.

Start Time: 11:18 AM
119:00
Time Left

49

Navigation icons: Information, Previous, Home, Next, Last

MADE BY WAQAR SIDDHU

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)

Software Design Phase is a combination of number of activities. List those activities.

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for file operations, editing, and formatting. The toolbar includes a 100% zoom level indicator.

Formatting bar showing: Normal, Arial, 12, Bold (B), Italic (I), Underline (U), and alignment options.

Start Time: 11:18 AM

119:00

Time Left



50



MADE BY WAQAR SIDDHU

Question No : 51 of 52

Marks: 5 (Budgeted Time 10 Min)

Compute the cyclomatic complexity of the code below:

- 1. if (a > 10)
- 2. c++;
- 3. else

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for file operations, editing, and formatting. The text area is currently empty.

Start Time: 11:18 AM
119:00
Time Left

51

Navigation icons: Information, Previous, Home, Next, Last

MADE BY WAQAR SIDDHU

Question No : 52 of 52

Marks: 5 (Budgeted Time 10 Min)

How many test cases for the given scenario are generated to achieve 100% Statement coverage? Also draw the Flow graph for the scenario.

```
if (n%2==0)
    printf("even number");
else
    printf("Odd Number");
```

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level.

Normal | Arial | 12 | B I U | [List Icons] | [Indent/Outdent Icons]

Start Time: 11:18 AM

119:00

Time Left

52

Navigation icons: Information (i), Previous (left arrow), Next (right arrow), Home (house icon), and a printer icon.

MADE BY WAQAR SIDDHU

Question No : 52 of 52 Marks: 5 (Budgeted Time 10 Min)

```
if (n%2==0)
    printf("even number");
else
    printf("Odd Number");

printf("End of program");
```

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The text area below is empty.

Start Time: 11:18 AM
119:00
Time Left

52

Navigation icons: Information, Previous, Home, Next, Last, Print

Question No : 41 of 52 **Marks: 2 (Budgeted Time 4 Min)**

Considers the following values and calculate Cyclomatic Complexity:

- Number of edges = 8
- Number of nodes = 6

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for file operations, undo, redo, bold, italic, underline, bulleted list, numbered list, link, unlink, and a 100% zoom level.

Normal Arial 12 B I U

Empty text area for providing the answer.

Start Time: 12:52 AM
114:00
Time Left

Question No : 42 of 52 Marks: 2 (Budgeted Time 4 Min)

Do you agree that a side effect of a function can make things difficult during maintenance or debugging activities?

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The editor area below is empty.

Start Time: 12:52 AM
114:00
Time Left

42

Navigation icons: Information, Previous, Home, Next, Last, Print

MADE BY WAQAR SIDDHU

Question No : 43 of 52 **Marks: 2 (Budgeted Time 4 Min)**

As a requirement engineer, you are modeling business requirements according to the function point analysis. Which conditions are mandatory for a function to be categorized as EO?

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The text area below is empty.

Start Time: 12:52 AM
114:00
Time Left

Navigation icons: Information, Previous, Home, Next, Last, Print

Question No : 44 of 52 Marks: 2 (Budgeted Time 4 Min)

In which two ways the shift Operator (>>) can be used in C/C++?

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The editor area is currently empty.

Start Time: 12:52 AM
114:00
Time Left

44

Navigation icons: Information, Previous, Home, Next, Last

MADE BY WAQAR SIDDHU

Question No : 45 of 52 **Marks: 3 (Budgeted Time 6 Min)**

Can a tester write test cases without having an in-depth knowledge about the system and requirements from users? Give solid comments.

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for file operations, undo, redo, bold, italic, underline, list, link, unlink, and a 100% zoom level. The editor area below is empty.

Start Time: 12:52 AM
114:00
Time Left

45

Navigation icons: info, back, forward, next, and a printer icon.

MADE BY WAQAR SIDDHU

Question No : 46 of 52 **Marks: 3 (Budgeted Time 6 Min)**

What is the general style guideline for naming generic variables in a program? Give an example.

Answer ([Please click here to Add Answer](#))

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The editor area is currently empty.

Start Time: 12:52 AM
114:00
Time Left

46

Navigation icons: Information, Previous, Home, Next, Last, Print

MADE BY WAQAR SIDDHU

Question No : 47 of 52 **Marks: 3 (Budgeted Time 6 Min)**

Write one advantage and one disadvantage of software inspection.

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level.

Normal | Arial | 12 | B I U | [List Icons] | [Indent/Outdent Icons] | [Undo/Redo Icons] | 100%

Start Time: 12:52 AM
114:00
Time Left

47

Navigation icons: Information, Previous, Home, Next, Last, Print

Question No : 48 of 52 Marks: 3 (Budgeted Time 6 Min)

How user requirements are different from functional requirements?

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The text area below is empty.

Start Time: 12:52 AM
114:00
Time Left

48

Navigation icons: Information, Previous, Home, Next, Last, Print

MADE BY WAQAR SIDDHU

Question No : 49 of 52 **Marks: 5 (Budgeted Time 10 Min)**

In Intel architecture, the lowest byte is the most significant byte while in Motorola architecture the highest byte of a word is the most significant one. Discuss how the above mentioned factor affects portability of program.

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for file operations, undo, redo, bold, italic, underline, list, link, unlink, and a 100% zoom level. The editor area is currently empty.

Start Time: 12:52 AM
114:00
Time Left

49

Navigation icons: info, back, forward, next, and a printer icon.

MADE BY WAQAR SIDDHU

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

★ Favorites | ★ Suggested Sites | Web Slice Gallery

VU Examination System (CLIENT) VUTES 6.5 :::: Fall...

Home RSS Print Page Safety Tools

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)

Which of the following is/are example of cryptic code?

1. `x *= a;`
2. `subkey = subkey >> (bitoff - (bitoff >> 3) << 3);`
3. `a = a >> 2;`

Answer ([Please click here to Add Answer](#))

100%

Normal Arial 12 B I U

Start Time: 12:52 AM

114:00

Time Left

50



MADE BY WAQAR SIDDHU

Question No : 51 of 52 **Marks: 5 (Budgeted Time 10 Min)**

Keeping the defect removal efficiency in mind, draw a comparison between testing and inspection phases of software development lifecycle.

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The editor area is currently empty.

Start Time: 12:52 AM
114:00
Time Left

51 [Navigation icons: Info, Previous, Home, Next, Last]

Question No : 52 of 52 **Marks: 5 (Budgeted Time 10 Min)**

As a requirement engineer you should build a good communication relationship with the stakeholders of the company for which you are going to build software. What efforts will you put to establish this relationship?

Answer (Please click here to Add Answer)

Rich text editor toolbar with icons for Bold, Italic, Underline, Bulleted List, Numbered List, Indent, Outdent, Undo, Redo, and a 100% zoom level. The text area below is empty.


Start Time: 12:52 AM
114:00
Time Left

52

Navigation icons: Information, Previous, Home, Next, Last, Print

MADE BY WAQAR SIDDHU

For More Solutions or Short Lectures (Playlist) Visit our Youtube Channel



VUNET.BLOGSPOT.Com