

Space operator in SNOBOL is used for _____.

page 39 handouts

Select the correct option

<input type="radio"/>	Concatenation	↑
<input type="radio"/>	Both Concatenation and Pattern matching	
<input type="radio"/>	Immediate Assignment	
<input type="radio"/>	Pattern matching	

CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM
BEST OF LUCK!

Total Marks: 1

Variables in Prolog _____ that any value associated with it cannot change in the function.

Select the correct option

<input type="radio"/>	Are loosely typed		<p>A Good Education is a Foundation For a Better Future CORRECT ANSWER SOLVED BY HADI EMAIL:hadirajputofficial@gmail.com WHATSAPP& CALL:03087122922</p>
<input type="radio"/>	Are strongly typed		
<input type="radio"/>	Have no concern with type binding		
<input type="radio"/>	None of the given		

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Total Marks: 1

With programming in _____ we state what and not how.

Select the correct option

Fortran

Algol

C#

Prolog



A Good Education is a Foundation
CORRECT ANSWER SOL
EMAIL: hadirajputofficial
WHATSAPP & CALL: 0308

MADE BY HADI
Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**
(WE DEAL ALL KIND OF VU PROJECT)

Question # 1 of 50 (Start time: 03:14:14 PM, 28 November 2017)

Total Marks: 1

In _____ Boolean expression is convertible into integer type.

but check please
90% sure

Select the correct option

<input type="radio"/>	C#	//
<input type="radio"/>	C++	//
<input type="radio"/>	Java	//
<input type="radio"/>	Ada	//

↑

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI

**BITOUT
SOFTWARE
HOUSE LAHORE**

A/An _____ is a default mechanism for specifying types of variables.

book page 161

Select the correct option

<input type="radio"/>	Explicit declaration	//
<input type="radio"/>	Implicit declaration	//
<input type="radio"/>	Run time declaration	//
<input type="radio"/>	None of the given	//



A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

All objects in Java are _____

Select the correct option

Dynamic storage binding



Stack dynamic storage binding

Static storage binding

Explicit heap dynamic

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

CORRECT ANSWER SOLVED BY HADI


CELL NO: 03228043306

EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

BEST OF LUCK!

Dangling pointer errors in Java reduce the language _____.

Select the correct option

<input type="radio"/>	Efficiency	
<input type="radio"/>	Safety	
<input type="radio"/>	Robustness	
<input type="radio"/>	Security	

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM
BEST OF LUCK!

Total Marks: 1

Tag is present in _____ discriminated union type.

Select the correct option

<input type="radio"/>	C/C++	
<input type="radio"/>	Ada	↑
<input type="radio"/>	Java	
<input type="radio"/>	C#	

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL-03087122922

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Total Marks: 1

In Java the arithmetic expression evaluation order is always from _____

Select the correct option

Right to Left

Centre to right

Left to right

Centre to left



CORRECT ANSWER SOLVED BY HADI

CELL NO: 03228043306

EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

BEST OF LUCK!

Total Marks: 1

loop is different from ____ loop as the control expression can also be boolean

Select the correct option

<input type="radio"/>	C#, C++
<input type="radio"/>	C++, Java
<input type="radio"/>	C, C++
<input type="radio"/>	C++, C

CORRECT ANSWER SOLVED BY HADI

CELL NO: 03228043306

EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM


BEST OF LUCK!

Total Marks: 1

_____ has a pre-test version, but no post-test version of logically controlled loop

Select the correct option

- | | | |
|-----------------------|------|----|
| <input type="radio"/> | Java | // |
| <input type="radio"/> | C | // |
| <input type="radio"/> | C++ | // |
| <input type="radio"/> | Ada | // |



A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

MADE BY HADI

BITC
SOFT
HOU

Total Marks: 1

cannot pass array in _____ by value as it has no fix size. But it has fixed size in structure

Select the correct option

<input type="radio"/>	C#	//
<input type="radio"/>	Java	//
<input type="radio"/>	C++	//
<input type="radio"/>	C	//



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Total Marks: 1

In C programming language array is passed by_____.

Select the correct option

- | | | |
|-----------------------|---------------|----|
| <input type="radio"/> | Value | // |
| <input type="radio"/> | Reference | // |
| <input type="radio"/> | Pointer | // |
| <input type="radio"/> | Access method | // |

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

Total Marks: 1

Java supports _____ programming paradigm

Select the correct option

<input type="radio"/>	Functional	//
<input type="radio"/>	Imperative	//
<input type="radio"/>	Object Oriented	//
<input type="radio"/>	Logical	//



A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

MADE BY HADI

**BITOUT
SOFTWARE
HOUSE LAHORE**

Total Marks: 1

In ENIAC physical motion was eventually replaced by _____ signals

Select the correct option

<input type="radio"/>	Logical	//
<input type="radio"/>	Analog	//
<input type="radio"/>	Electrical	//
<input type="radio"/>	Digital	//



book

**CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL**

A predicate may have _____ or more arguments.

handout page 82

Select the correct option

<input type="radio"/>	Three	
<input type="radio"/>	Zero	↑
<input type="radio"/>	One	
<input type="radio"/>	Two	

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI

EMAIL: hadirajputofficial@gmail.com

WHATSAPP & CALL: 03087122922

CORRECT ANSWER SOLVED BY HADI

CELL NO: 03228043306

EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

_____ generates readable code which is easy to maintain.

page 91

Select the correct option

<input type="radio"/>	Clauses	//
<input type="radio"/>	Backtracking	//
<input type="radio"/>	Inference mechanism	//
<input type="radio"/>	Facts	//

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

Total Marks: 1

C# was the first _____ language by Microsoft.

doubt

Select the correct option

<input type="radio"/>	Mid stream	//
<input type="radio"/>	Main stream	//
<input type="radio"/>	Sub stream	//
<input type="radio"/>	Last stream	//



A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Which of following statements correctly declares a two-dimensional array in C#?

`int [][] A; // A is a two-dimensional array`

page 95

Select the correct option

`int[][] myArray;`



A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

`System.Array[2] myArray;`

`int[2] myArray;`

`int[,] myArray;`

CORRECT ANSWER SOLVED BY HADI

CELL NO: 03228043306

EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

BEST OF LUCK!

Total Marks: 1

In C#, if you don't use new keyword, you must _____ all the values in the struct by hand before you use it.

Select the correct option

- | | | |
|-----------------------|------------|----|
| <input type="radio"/> | Define | // |
| <input type="radio"/> | Declare | // |
| <input type="radio"/> | Create | // |
| <input type="radio"/> | Initialize | // |



TEAM HADI(VU)

MADE BY HADI

BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

Email: hadirainutofficial@gmail.com | Whatsapp: 9987122922 (Team Hadi Lahore)

Total Marks: 1

_____ is the correct size of a Decimal datatype.

float 4 byte
double 8 byte
decimal 16 byte

Select the correct option

8 Bytes

4 Bytes

10 Bytes

16 Bytes



CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

BEST OF LUCK!

In Ada all pointers are initialized to _____.

page 170

Select the correct option

<input type="radio"/>	One
<input type="radio"/>	Value
<input type="radio"/>	Null
<input type="radio"/>	Zero



CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM
BEST OF LUCK!

Which statement best suited for C programming language?

page 30

Select the correct option

- String manipulation language
- First language to provide exception handling
- With powerful set of operators but poor type checking
- Introduce the notion of class



CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

BEST OF LUCK!

Variable name in SNOBOL may not be longer than _____.

BOOK

page 33

Select the correct option

- 150 characters
- 250 characters
- 500 characters
- 120 characters



MADE BY HADI

BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Total Marks: 1

Space is used as an operator in _____.

Select the correct option

<input type="radio"/>	ADA
<input type="radio"/>	ALOGOL
<input type="radio"/>	↑ SNOBOL
<input type="radio"/>	PROLOG

CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

BEST OF LUCK!

Total Marks: 1

(.)Dot operator is a _____ in SNOBOL.

check

Select the correct option

<input type="radio"/>	Reference pointer	//
<input type="radio"/>	Unary operator	//
<input type="radio"/>	Class pointer	//
<input type="radio"/>	Binary operator	//

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL-hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

Total Marks: 1

A/An _____ is a sequence of ordered enumeration literals in Ada.

Select the correct option

<input type="radio"/>	Struct type
<input type="radio"/>	Enumeration type
<input type="radio"/>	Enum data type
<input type="radio"/>	Float data type

CORRECT ANSWER SOLVED BY HADI

CELL NO: 03228043306

EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

BEST OF LUCK!

Total Marks: 1

There is no automatic type conversion in _____

Select the correct option

<input type="radio"/>	C
<input type="radio"/>	Both Java and C++
<input type="radio"/>	Java
<input type="radio"/>	C++



CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM
BEST OF LUCK!

Total Marks: 1

_____ is/are a multi paradigm language/s.

check

Select the correct option

<input type="radio"/>	C++	//
<input type="radio"/>	JAVA	//
<input type="radio"/>	C++ and JAVA	//
<input type="radio"/>	C and C++	//



A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

MADE BY HADI

**BITOUT
SOFTWARE
HOUSE LAHORE**

Total Marks: 1

Automatic garbage collection in Java prevents _____.

Select the correct option

<input type="radio"/>	Multithreading	//
<input type="radio"/>	Exception handling	//
<input type="radio"/>	Indirect referencing	//
<input type="radio"/>	Dangling pointers	//



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Total Marks: 1

String identifier <<< is also called _____ in PHP.

hanouts page 131

Select the correct option

- | | | |
|-----------------------|-------------|----|
| <input type="radio"/> | Sidentifier | // |
| <input type="radio"/> | Stringkey | // |
| <input type="radio"/> | Adoc | // |
| <input type="radio"/> | Heredoc | // |



MADE BY HADI

Email: hadicainputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

An array in PHP is an ordered _____.

page 132

Select the correct option

<input type="radio"/>	Map		<p>A Good Education is a Foundation For a Better Future CORRECT ANSWER SOLVED BY HADI EMAIL: hadirajputofficial@gmail.com WHATSAPP& CALL-03087122922</p>
<input type="radio"/>	Tree		
<input type="radio"/>	Execution type		
<input type="radio"/>	Data structure		

CORRECT ANSWER SOLVED BY HADI

CELL NO: 03228043306

EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM


BEST OF LUCK!

Total Marks: 1

In _____ the Break statement may have the optional parameter or argument.

Select the correct option

- | | | |
|-----------------------|-------------|----|
| <input type="radio"/> | C/C++ | // |
| <input type="radio"/> | Java | // |
| <input type="radio"/> | PHP | // |
| <input type="radio"/> | Java Script | // |



MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Total Marks: 1

_____ operator is used to return a reference from a function in PHP.

Select the correct option

<input type="radio"/>	&&		//
<input type="radio"/>	\$		//
<input checked="" type="radio"/>	&	A Good Education is a Foundation For a Better Future CORRECT ANSWER SOLVED BY HADI EMAIL:hadirajputofficial@gmail.com WHATSAPP& CALL:03087122922	right by hadi //
<input type="radio"/>	Dot		

MADE BY HADI

**BITOUT
SOFTWARE
HOUSE LAHORE**

Total Marks: 1

In JavaScript _____ operator is used for concatenation.

Select the correct option

<input type="radio"/>	Dot (.)	//
<input type="radio"/>	Plus (+)	//
<input type="radio"/>		//
<input type="radio"/>	^	//

MADE BY HADI
Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

Total Marks: 1

The resultant value of variable 'x' in JavaScript statement `var x = "5" - "2"`; will be _____.

Select the correct option

- | | | |
|----------------------------------|--------|----|
| <input type="radio"/> | 5-2 | // |
| <input type="radio"/> | 52 | // |
| <input type="radio"/> | "5"-2" | // |
| <input checked="" type="radio"/> | 3 | // |



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)


**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Total Marks: 1

The _____ model in JavaScript provides access to the contents of the browser window.

Select the correct option

<input type="radio"/>	DOM		<p>A Good Education is a Foundation For a Better Future</p> <p>CORRECT ANSWER SOLVED BY HADI EMAIL-hadirajputofficial@gmail.com WHATSAPP& CALL:03087122922</p>
<input type="radio"/>	BOM		
<input type="radio"/>	ROM		
<input type="radio"/>	COM		

CORRECT ANSWER SOLVED BY HADI
CELL NO: 03228043306
EMAIL: HADIRAJPUTOFFICIAL@GMAIL.COM

BEST OF LUCK!

Total Marks: 1

In JavaScript navigator is a _____ object.

Select the correct option

<input type="radio"/>	Built-in	//
<input type="radio"/>	Browser	//
<input type="radio"/>	Document	//
<input type="radio"/>	User defined	//



A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

You can return structures but not _____ from a function in C programming language.

page 19

Select the correct option

<input type="radio"/>	Numbers	//
<input type="radio"/>	Pointers	//
<input type="radio"/>	Arrays	//
<input type="radio"/>	References	//

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

MADE BY HADI**BITOUT
SOFTWARE
HOUSE LAHORE**

Total Marks: 1

Sub ranges of integer types are not compatible with _____.

handouts page
163

Select the correct option

- | | | |
|-----------------------|---------------|----|
| <input type="radio"/> | float types | // |
| <input type="radio"/> | char type | // |
| <input type="radio"/> | double types | // |
| <input type="radio"/> | integer types | // |



MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Current cs508 Final Term paper Made and solved by hadi

Question No: 41 (Marks: 3)

How is **Dynamic Binding** in Java different from C++?

Question No: 42 (Marks: 3)

Name any three application areas where 'PROLOG' language is suitable.

Question No: 43 (Marks: 3)

Why we have to use the keyword **override** in derived class with a virtual method of base class in C#?

Question No: 44 (Marks: 3)

If you had the following record type of ADA:

```
type Complex is record
    Real_Part, Imaginary_Part : Float := 0.0;
end record;
```

and you declared the following type:

```
W: Complex;
```

How would you set W's Real_Part to 4?

Question No: 45 (Marks: 3)

For a strongly typed language which two conditions a language should satisfy?

Question No: 46 (Marks: 5)

Suppose you are using a very powerful programming language like SNOBOL primarily oriented towards string data for writing software. Identify the operator used for string concatenation as well as for pattern matching in SNOBOL4? Give proper example to illustrate your

Question No: 47 (Marks: 5)

Explain the concept of immutable declaration in C#? Also explain how C# supports immutability?

Question No: 48 (Marks: 5)

Point out the design issues of counter controlled loops. Give suitable example.

Question No: 49 (Marks: 5)

Given the following set of Prolog clauses

```
father(X,Y) :- parent(X,Y), male(X).
parent(sally,bob).
parent(jim,bob).
parent(alice,jane), parent(thomas,jane).
male(bob).
male(jim).
male(thomas).
female(sally).
female(alice).
```

Write the output of each query.

Question No: 50 (Marks: 5)

Being a **Java** developer, write a code snippet to do type conversion from **double** data type to **int** data types. How information can be lost in this type of conversion?

HADI

Note: subjective question also available in word file

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

(Final Term Past Paper)

MADE AND SOLVED BY TEAM HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.



WhatsApp: 03087122922



FACEBOOK ID: <https://www.facebook.com/hadipastpapers/>

Best of luck!



PAST PAPER