

<https://www.youtube.com/@VUSOLUTION701/featured>

SUBSCRIBE THE CHANNEL FOR VU SOLUTION

VU SOLUTION SPRING 2023

CS508 - Modern Programming Languages

QUIZ # 4 SOLVE

Question # 1 of 10 (Start time: 01:49:42 PM, 18 July 2023)

The resultant value of variable 'x' in JavaScript statement `var x = "5" - "2"` ; will be _____.

Select the correct option

<input checked="" type="radio"/>	3
<input type="radio"/>	"5"-2"
<input type="radio"/>	5-2
<input type="radio"/>	52

Question # 2 of 10 (Start time: 01:50:42 PM, 18 July 2023)

If an integer variable is not initialized in PHP then its default value will be:

Select the correct option

- | | |
|----------------------------------|-------|
| <input type="radio"/> | One |
| <input type="radio"/> | NULL |
| <input type="radio"/> | False |
| <input checked="" type="radio"/> | Zero |

Question # 3 of 10 (Start time: 01:52:07 PM, 18 July 2023)

The scripts written in PHP are executed by:

Select the correct option

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | Java Applet |
| <input type="radio"/> | Client machine |
| <input checked="" type="radio"/> | Web Server |
| <input type="radio"/> | Web browser |

Question # 4 of 10 (Start time: 01:52:47 PM, 18 July 2023)

Which of the following type of numbers are not supported by PHP?

Select the correct option

<input type="radio"/>	Singed Integers
<input type="radio"/>	Complex Numbers
<input type="radio"/>	Real Numbers
<input checked="" type="radio"/>	Unsinged Integers

Question # 5 of 10 (Start time: 01:54:16 PM, 18 July 2023)

Classes and objects of PHP are similar to _____.

Select the correct option

- | | |
|----------------------------------|------------------------------|
| <input checked="" type="radio"/> | Classes and objects of Java |
| <input type="radio"/> | Classes and objects of C |
| <input type="radio"/> | Classes and objects of Basic |
| <input type="radio"/> | Classes and objects of C++ |

Question # 6 of 10 (Start time: 01:54:54 PM, 18 July 2023)

Arrays in JavaScript are _____ based.

Select the correct option

- | | |
|----------------------------------|------------|
| <input checked="" type="radio"/> | Zero Index |
| <input type="radio"/> | One Index |
| <input type="radio"/> | Location |
| <input type="radio"/> | Length |

Question # 7 of 10 (Start time: 01:55:39 PM, 18 July 2023)

----- , an object that describes the basic characteristics of the browser, notably its type and version.

Select the correct option

<input type="radio"/>	Location
<input checked="" type="radio"/>	Document
<input type="radio"/>	Window
<input type="radio"/>	Navigator

Question # 8 of 10 (Start time: 01:57:04 PM, 18 July 2023)

In JavaScript, navigator is a _____ object.

Select the correct option

<input type="radio"/>	User defined
<input type="radio"/>	Browser
<input type="radio"/>	Document
<input checked="" type="radio"/>	Built-in

Question # 9 of 10 (Start time: 01:58:54 PM, 18 July 2023)

How many <script> tags can be used in the <head> element?

Select the correct option

<input checked="" type="radio"/>	Many
<input type="radio"/>	Two
<input type="radio"/>	Zero
<input type="radio"/>	One

Question # 10 of 10 (Start time: 02:00:26 PM, 18 July 2023)

An _____ in PHP is an ordered map.

Select the correct option

<input checked="" type="radio"/>	array
<input type="radio"/>	string
<input type="radio"/>	queue
<input type="radio"/>	stack

Question # 1 of 10 (Start time: 02:06:28 PM, 18 July 2023)

An _____ in PHP is an ordered map.

Select the correct option

- | | |
|----------------------------------|--------|
| <input type="radio"/> | string |
| <input type="radio"/> | stack |
| <input type="radio"/> | queue |
| <input checked="" type="radio"/> | array |

Question # 2 of 10 (Start time: 02:07:03 PM, 18 July 2023)

Which of the following type of numbers are not supported by PHP?

Select the correct option

- | | |
|----------------------------------|-------------------|
| <input checked="" type="radio"/> | Real Numbers |
| <input type="radio"/> | Singed Integers |
| <input type="radio"/> | Complex Numbers |
| <input type="radio"/> | Unsinged Integers |

Question # 3 of 10 (Start time: 02:08:32 PM, 18 July 2023)

The division of two integers (i.e. $7/2$) in PHP generates a/an:

Select the correct option

<input checked="" type="radio"/>	Integer
<input type="radio"/>	Runtime error
<input type="radio"/>	Floating point number
<input type="radio"/>	Exception

Question # 4 of 10 (Start time: 02:09:59 PM, 18 July 2023)

In _____, the 'break' statement may have an optional parameter or argument.

Select the correct option

<input type="radio"/>	Java
<input type="radio"/>	PHP
<input checked="" type="radio"/>	C/C++
<input type="radio"/>	C#

Question # 5 of 10 (Start time: 02:11:27 PM, 18 July 2023)

In _____, Strings and numeric values are inter convertible

Select the correct option

<input checked="" type="radio"/>	PHP
<input type="radio"/>	Java
<input type="radio"/>	C#
<input type="radio"/>	C/C++

Question # 6 of 10 (Start time: 02:12:43 PM, 18 July 2023)

The scripts written in PHP are executed by:

Select the correct option

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | Client machine |
| <input type="radio"/> | Java Applet |
| <input checked="" type="radio"/> | Web Server |
| <input type="radio"/> | Web browser |

Question # 7 of 10 (Start time: 02:13:26 PM, 18 July 2023)

Classes and objects of PHP are similar to _____.

Select the correct option

<input type="radio"/>	Classes and objects of Basic
<input type="radio"/>	Classes and objects of C
<input checked="" type="radio"/>	Classes and objects of Java
<input type="radio"/>	Classes and objects of C++

Question # 8 of 10 (Start time: 02:14:01 PM, 18 July 2023)

If an integer variable is not initialized in PHP then its default value will be:

Select the correct option

<input type="radio"/>	False
<input type="radio"/>	One
<input type="radio"/>	NULL
<input checked="" type="radio"/>	Zero

Question # 9 of 10 (Start time: 02:14:47 PM, 18 July 2023)

"with" statement in JavaScript is an alternative of _____.

Select the correct option

- | | |
|----------------------------------|--------------------------------------|
| <input type="radio"/> | Multiple 'document.read' Statements |
| <input type="radio"/> | Single 'document.read' Statement |
| <input checked="" type="radio"/> | Multiple 'document.write' Statements |
| <input type="radio"/> | Single 'document.write' Statement |

Question # 10 of 10 (Start time: 02:15:23 PM, 18 July 2023)

The code written in PHP is returned to the web browser as:

Select the correct option

<input type="radio"/>	Applets
<input type="radio"/>	CSS flexbox
<input type="radio"/>	Shell scripts
<input checked="" type="radio"/>	Plain HTML

100% CORRECT SOLUTION by VU SOLUTION
FOR PAID QUIZZES OTHER GRADING ACTIVITIES
AND LMS HANDLING then contact me via
email :- solutionvu2@gmail.com