

CS-508 Modern Programming Languages Update MCQS For Quiz-1 File Solve By Vu Topper RM

85% To 100% Marks



وَتَعَزُّ مِنْ تَشَاءِ وَتَذِلُّ مِنْ تَشَاءِ

PROFESSIONAL ONLINE ACADEMY



We Offers

LMS Handling

Important Notes

Online Classes

Assignments

Quiz & GDB's

Projects


NOTHING
IS
IMPOSSIBLE

Join Us
Now

For More Info
Contact us at:

Rizwan Manzoor

☎ **0322-4021365**



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Measure of ----- is considered as the cost of writing programs in a programming language.

- A. Reliability
- B. Writability
- C. Readability
- D. Productivity**

_____ was the era when programming language design took an empirical approach.

- A. 1940s
- B. 1950s**
- C. 1960s
- D. 1970s

The design and evaluation of a particular _____ is highly dependent on the domain in which it is to be used.

- A. Software design
- B. Database system
- C. Computer program
- D. Programming language**

15-30 function points shows that language level is :

- A. Above 55
- B. 1-3**
- C. 4-8
- D. 16-23

Which of the following statement is best suited for C programming language?

- A. With powerful set of operators but poor type checking**
- B. First language to provide exception handling
- C. Introduced the notion of class
- D. String manipulation language

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

_____ are rule based, order of execution is not defined.

- A. Declarative languages**
- B. Parallel programming languages
- C. System engineering languages
- D. Imperative languages

In 1988 _____ compilers ignore parameter errors.

- A. Java
- B. Ada**
- C. C++
- D. C

_____ is a language for symbolic computation and its syntax is based on lambda calculus.

- A. ALGOL
- B. C
- C. LISP**
- D. MATLAB

The _____ field is used to alter the flow of control of a SNOBOL program.

- A. Pass
- B. Stay
- C. Goto**
- D. CONTINUE

In ENIAC physical motion was eventually replaced by _____ signals.

- A. Logical
- B. Digital
- C. Analog
- D. Electrical**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Certain _____ can only be found and fixed if a programmer knows some implementation details such as two-dimensional array in FORTRAN is column major.

- A. Rule
- B. Bugs**
- C. Constants
- D. Exceptions

Page 6

_____ brought back pointers, structs, enum types, operator overloading, and goto statement which were eliminated by Java.

- A. C#**
- B. C++
- C. PASCAL
- D. SNOBOL

Page 29

The only Control structure in SNOBOL is _____

- A. For Loop
- B. Go to Statement**
- C. If Else statement
- D. Switch statement

Page 45

Following are object oriented programming languages EXCEPT

- A. C#
- B. C++
- C. LISP**
- D. JAVA

Page 29

Operator overloading _____ Writability but Readability is affected.

- A. Increases
- B. Stabilizes
- C. Decreases**
- D. Has no affect on

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

\$ operator in SNOBOL is used as both a/an_____ and_____ operator.

- A. unary , binary**
- B. internal , binary
- C. unary , external
- D. external , internal

COBOL is mainly designed for _____.

- A. AI applications
- B. Business application**
- C. Scientific experiments
- D. Publishing and writing algorithm

Suppose, P1 and P2 are two patterns in SNOBOL.P1 = 'A' | 'B'P2 = 'C' | 'D'The correct resultant value after the concatenation of patterns P1 and P2 will be;

- A. 'AB' | 'BC' | 'CD' | 'DA'
- B. 'A' | 'B' | 'C' | 'D'
- C. 'AC' | 'AD' | 'BC' | 'BD'**
- D. 'AA' | 'BB' | 'CC' | 'DD'

Which of the following is true about Dot operator (.) in SNOBOL?

- A. Unary operator
- B. Binary operator**
- C. Class pointer
- D. Reference pointer

Language levels have a direct influence on _____ .

- A. Readability
- B. Writability**
- C. Productivity
- D. Reliability

PHP stands for _____ Home Page.

- A. Public

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. Private
- C. Personal**
- D. Protected

If we have two spaces in SNOBOL the first is used for _____ and the second one for _____.

- A. pattern matching , concatenation
- B. concatenation , pattern matching** **Page 36**
- C. immediate assignment , replacement
- D. as a whole assignment , immediate assignment.

Smalltalk was the first purest _____ language and pioneered graphical user interface.

- A. Functional
- B. Procedural
- C. Structured
- D. object oriented** **Page 30**

The first compiler was implemented on the _____ computer in 1953.

- A. Bell
- B. MIT Whirlwind** **Page 24**
- C. INRIA
- D. IBM

_____ was designed by Niklaus Wirth in 1971.

- A. C
- B. Pascal**
- C. Java
- D. Simula

Simple data structure and large floating point operations are linked to _____

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- A. Parallel programming domain
- B. System programming domain
- C. Scientific application programming domain**
- D. Artificial intelligence language domain

Which of the following is an example of null assignment in SNOBOL?

- A. NULL = "NULL"
- B. NULL =**
- C. NULL = "Hello"
- D. V = "NULL"

Initial version of SONOBOL only supported _____ and strings.

- A. Digits
- B. Real Numbers
- C. Exponential Numbers
- D. Integers**

Plus sign (+) is used for _____ in SNOBOL.

- A. Body of the program
- B. Line Continuation
- C. Line Breakge
- D. Immediate assignment**

In SNOBOL4, the _____ is accomplished through the INPUT and OUTPUT statements.

- A. Restart
- B. Assignment
- C. I/O**
- D. Matching

The language that introduced concurrency through tasking model was:

- A. ADA**
- B. SIMULA
- C. PL/1

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. SNOBOL

We can use a variable in Visual Basic without declaring it. This thing decreases reliability on one side and enhances _____ on the other side.

- A. Writability**
- B. Training cost
- C. Readability
- D. Execution speed

C language was popular in students due to:

- A. Orthogonality
- B. Easy Portability**
- C. Size of language
- D. Arithmetic decimal support

_____ is used for value assignment for those parts of pattern that match or immediate assignment in SNOBOL.

- A. Binary Space operator
- B. Unary Space operator
- C. (.)Dot operator
- D. \$ operator**

The ANSI standard for C++ was first approved in:

- A. May, 1995**
- B. January, 1996
- C. August, 1994
- D. November, 1997

SIZE function in SONOBOL language is used to return the size of

- A. String**
- B. Operator

Page 41

C. Keyword

بري صحبت سے تہائی بہتر ہے اور تہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. Variable

Programming environments have become important parts of software development systems, in which the _____ is just one of the components.

- A. Software
- B. Language**
- C. Database
- D. Hardware

Which statement is correct about SNOBOL?

- A. Variables must be declared before use
- B. Variables are not declared before use**
- C. Value is assigned to variable first
- D. Variable is declared first

To the man who only has a hammer in the toolkit, every problem looks like a _____ .

- A. Nut
- B. Nail** **Page 5**
- C. Bolt
- D. Screw

_____ was the era when programming language design took a mathematical approach.

Analysis and elaboration **Page**

Which of the following is not primitive type in java?

Array

_____ is the designer of C++ language.

Bjarne Stroustrup **Google**

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

LISP was basically developed to solve _____ problems.

Artificial intelligence Page 75

In Java, out-of-bounds array index always causes a _____ error.

Syntax

run time

Elements of the array in SNOBOL4 _____

must be of same type

not necessarily of the same

Which of the following function of LISP assigns value 5 to symbol y?

A. >(setq y 5)

B. >(setq 5 y)

C. >(setq.5.y)

D. >(setq.y.5)

Following statement returns the union of the two list in LISP.

A. >(Union L1 L2) Page 68

B. >(L1 UNION L2)

C. >Union L1

D. >(L1 union L2)

In _____, Enumeration type can also be used as indexes in arrays.

A. Ada Page 51

B. C

C. C++

D. LISP

Lists can be constructed (created and extended) with the help of _____ basic functions in LISP.

A. One

B. Two

C. Five

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

For immediate value assignment _____ sign is used.

A. +

B. \$ Page 37

C. &

D. *

How many element(s) are there in LISP list (a (b c))?

A. 1

B. 2 Page 63

C. 3

D. 4

You can return structures but not _____ from a function in C programming language.

A. Array Page 19

B. Int

C. Float

D. String

_____ operator in Prolog is used for List construction and also for List dismantling.

A. !(Sign of exclamation)

B. |(Vertical Slash) Page 90

C. :(Colon)

D. None of the given

Which of the following is not true about delegates?

A. C/C++

B. Delegates are value type

C. Delegates are reference type

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. Delegates are similar to function pointers.

Block statement in Ada is very similar to a block in _____.

A. C **Page 56**

B. SNOBOL

C. FORTRAN

D. None of these

_____ was considered good for describing algorithms.

A. LISP

B. ADA

C. ALGOL **Page 24**

D. FORTRAN

The declarative language among the following is CS508 C

A. C

B. C++

C. PASCAL

D. PROLOG **Page 77**

In Ada programming language Tagged types are used for _____

A. Encapsulation

B. Defining extensible types **Page 59**

C. Both

D. None of these

_____ are a type of Aliasing.

A. Arrays

B. Pointers

C. Linked list

D. Parameters

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Following factors influences a portable language design EXCEPT

- A. Readability
- B. Windows XP**
- C. Programmer's time
- D. Computer architecture

What is maximum length of variable name in Snobol?

- A. 16
- B. 32
- C. 64
- D. 120**

In LISP, following statement returns the difference of the two lists.

- A. (L1 Difference L2)
- B. (Difference L1 L2)
- C. (set-difference L1 L2)
- D. (set-difference L1 L2)**

If a language become very simple then it will _____.

- A. increase writability
- B. increase readability**
- C. increase readability and decrease writability
- D. decrease both readability and writability

_____ helps in creating types of your own choice even numeric types can be created.

- A. Ada**
- B. LISP
- C. FORTRAN
- D. PROLOG

LISP was the first programming language that introduced the concept of _____.

- A. Trees

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. Arrays
- C. Pointers
- D. Dynamic typing**

What will be the result of following function call in LISP?

- A. 3.5**
- B. 9.0
- C. 7/2
- D. 7.02

Which of the following function in LISP determines whether 'm' is a member of list 'T' or not?

- A. (isMember (m, T))
- B. (eq member (T, m))
- C. (cond ((member T) m))
- D. (defun member (m T))**

In which of the following style of programming, evaluation of expression is emphasized rather than execution of commands?

- A. Generic Programming
- B. Functional Programming**
- C. Aspect-based Programming
- D. Object-oriented Programming

The property list in LISP is a substitute of _____.

- A. Compiler
- B. C/C++ pointer
- C. Java interfaces
- D. C/C++ structure**

Which of the following is an invalid symbol in LISP?

- A. Test_symbol
- B. Test-symbol

بري صحبت سے تتهائي بهتر ہے اور تتهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

C. Testsymbol

D. Test symbol

In LISP, _____ is the main tool used for iteration.

A. For Loop

B. Recursion

C. While Loop

D. Do-While Loop

To implement a counter-controlled loop in LISP, which of the following statement is used?

A. Defun

B. Iterate

C. Dentimes

D. listLoop

The first programming language to support Recursion was _____.

A. Ada

B. Lisp

C. Cobol

D. FORTRAN

In LISP, _____ function is same as _____ function.

A. car , rest

B. car , first

C. cdr , cons

D. car , second

We have extensive use of _____ in LISP.

A. for loop

B. recursion

C. while loop

D. switch statement

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Which of the following is a correct if-statement in LISP?

- A. if(score < 66) 'High
- B. if(< score 66) 'High**
- C. if(66 score <) 'High
- D. if(score 66 <) 'High

SIZE() and REPLACE() in SNOBOL4 are ____ functions.

- A. primitive**
- B. built-in
- C. user defined
- D. both primitive and built-in

Which of the following is a discrete type in Ada.

- A. Modular type
- B. enumeration type
- C. Both of the above**
- D. None

We use ____ operator for indirect referencing in SNOBOL

- A. Unary dot(.)
- B. Unary \$**
- C. Binary dot(.)
- D. Binary \$

In Ada subprograms, the list of parameters is separated by ____

- A. comma(,)
- B. colon(:)
- C. semicolon(;**
- D. dot(.)

____ function is used to forbid the evaluation of x in LISP

- A. (setf x)
- B. (setq x)
- C. (cons

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. (quote x)

Two-dimensional arrays are stored column-wise (column major) in:

- A. C#
- B. ALGOL
- C. BASIC
- D. FORTRAN**

A subprogram defined inside another subprogram can be used by ____

- A. Parent only
- B. Children only
- C. Siblings only
- D. Parent, Children and siblings**

Genetics allow parameterization of ____

- A. Objects
- B. Variables
- C. Programs
- D. Subprograms**

What is the size of the integer in SNOBOL?

- A. 2 bytes**
- B. 4 bytes
- C. 8 bytes
- D. 32 bytes

Table in SNOBOL can be used as ____

- A. Pointers
- B. Arrays** **Page 43**
- C. Both arrays and pointers
- D. Reference operator

Array index in Ada start from ____

- A. Null**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. Zero
- C. One
- D. Two

Ada is a ___ language

- A. Typed
- B. Non typed
- C. Weakly typed
- D. Strongly typed**

A language that can be used for a wide domain of applications has higher ___

- A. Portability
- B. Reliability
- C. Generality**
- D. Readability

Page 20

In earlier versions of FORTRAN, parameters were:

- A. Pass by Type
- B. Pass by Value**
- C. Pass by reference
- D. Only 1 byte could pass

The more orthogonal the designs the fewer the ___

- A. Bugs
- B. Errors
- C. Warnings
- D. Exceptions**

Prolog database is based upon ___

- A. Facts
- B. Facts and rules**
- C. Facts and queries
- D. Rules

and queries

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

The statement true about Prolog “ ___ ”

- A. It is a database language
- B. It is used for AI application**
- C. It is string manipulation language
- D. Use both for AI application and as a database language

COBOL was the first language that brought the concept of _____.

- A. Object
- B. Records**
- C. Variable
- D. Structure

Page 28

Which language had great influence on high programming languages like C:

- A. LISP
- B. COBOL
- C. ALGOL68**
- D. FORTRAN I

Page 27

Which of the following is not a symbol in Lisp

- A. Testsymbol
- B. Test symbol**
- C. Test-symbol
- D. Test_symbol

Which of following operator is used for concatenation of statement which is speared over more than one line in SNOBOL?

- A. +**
- B. +=
- C. :=
- D. ->

بري صحبت سے تتهائي بهتر ہے اور تتهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

To make necessary arrangement for run time errors is called_____.

- A. Debugging
- B. Error checking
- C. Feature multiplicity
- D. Exception handling**

The correct statement about SNOBOL ____

- A. Poor readability
- B. Good writability
- C. Good readability
- D. Poor readability and writability**

The block structure feature of ALGOL60 has ____ scope

- A. No
- B. Local**
- C. Global
- D. Universal

In the Decimal fixed point type, the distance between values is implemented as a power of ____

- A. 2
- B. 8
- C. 10**
- D. 16

____ operations must have one of its parameters of the tagged type

- A. Generic
- B. Primitive**
- C. Concurrent
- D. Synchronized

بري صحبت سے تتهائي بهتر ہے اور تتهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

An understanding of implementation issues leads to a/an _____ of why languages are designed the way they are

- A. Confusion
- B. Uncertainty
- C. Understanding**
- D. Misunderstanding

Imperative programming languages are the direct result of ____

- A. Charles Babbage engine
- B. Von Neumann architecture**
- C. Language application domain
- D. Logic or list program languages

In java, explicit conversion of primitive type is done by _____

- A. Aliasing
- B. Boxing
- C. Casting**
- D. Overloading

_____ is used to initialize values of arrays in C++ and Java.

- A. []**
- B. ()
- C. {}
- D. <>

In Prolog language _____ is used for comments.

- A. //
- B. %**
- C. \
- D. **

_____ was designed primarily for system simulation.

- A. APL
- B. Pascal

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C. Simula**
- D. SNOBOL

Which of the following is not a discrete type in ada

- A. String type**
- B. Integer type
- C. Modular type
- D. Character type

Which of the following operator is used for pattern matching in SNOBOL?

- A. . (Dot)
- B. (Space)**
- C. = (Equal)
- D. ≠ (Not Equal)

In SNOBOL we can create new pattern by ----- two or more patterns.

- A. Matching
- B. Replacing
- C. Removing
- D. Concatenating**

A ----- is used to signify a potentially infinite loop in ada

- A. Full loop
- B. Master loop
- C. Simple loop**
- D. Special loop

“Everything for everybody” was the motive of the language

- A. PL/1**
- B. LISP
- C. JAVA

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. COBOL

Which of the following is not part of standard SNOBOL 4 statement structure?

A. END

B. LABEL

C. Goto Field

D. Statement body

The first programming language was ----- developed by Zuse in isolation.

A. PL1

B. Ada

C. Algol

D. Plankalkul

The tools we use have a profound (and devious!) influence on our -----
-- --- habits and, on our thinking abilities.

A. Seeing

B. Feeling

C. Thinking

D. Listening

----- was developed at Bell Labs by Stroustrup. It evolved from C and SIMULA 67

A. C#

B. C++

C. Java

D. Smalltalk

Two important versions of LISP are -----.

A. Scheme and Atoms

B. List and Common Lisp

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C. Common Lisp and defacto
- D. Scheme and Common Lisp**

Pascal language was popular in Colleges and universities to teach:

- A. Scripting language
- B. Business programming
- C. Structured programming**
- D. Object Oriented programming

----- was developed at Sun in the early 1990s and is based on C++.

- A. C#
- B. Java**
- C. Pascal
- D. Smaltalk

Some languages allow special keywords for signaling the start and end of a construct, making it more ----- and less prone to errors.

- A. Writable
- B. Readable**
- C. Listenable
- D. Watchable

Following are some of the reasons for studying concepts related to different programming languages EXCEPT.

- A. Increased ability to learn new language
- B. Increased ability to design new languages
- C. Increased capability to design communication links**
- D. Increased capacity to express programming concepts

Which of the following statement is correct about SNOBOL?

- A. Poor Readability Poor Writability**
- B. Good Readability Poor Writability

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C. Poor Readability Good Writability
- D. Good Readability Poor Writability

A query given to a PROLOG system:

- A. Is treated an object
- B. Cannot contain variables
- C. Does not involve database
- D. Is a pattern matching exercise**

A loop in which condition is tested after executing the body of loop is called post-test loop. Which of the following post-test loop is not supported in Ada language?

- A. 'for' loop
- B. 'While' loop
- C. Infinite loop
- D. 'do while' loop**

The integrity of types is checked from all together in -----.

- A. Ada**
- B. ALGOL
- C. SNOBOL
- D. Plankal Koll

SNOBOL is case _____.

- A. Sensitive
- B. In-Sensitive**
- C. Super-Sensitive
- D. Not-Sensitive

Page 33

SNOBOL was designed for _____ purpose.

- A. String manipulation**
- B. AI
- C. Business

Page35

D. Scientific

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Which of the following statement in LISP is used to list all properties of symbol 'k'?

A. >(get all 'k')

B. >(obtain all 'k')

C. >(symbol-plist 'k')

Page74

D. >(get 'k')

In Prolog was specify _____ and do not specify _____.

A. Solution, Problem

B. Problem, Solution

Page 86

C. Result, Inputs

D. Result, Outputs

If you want to assign a value 10 to a variable name "Roll_No" in Ada language, then which of the following is a correct way to do that?

A. Roll_No = 10

B. Roll_No -> 10

C. Roll_No := 10

Page47

D. Roll_No : 10

_____ is the first programming language that give unit level concurrency.

A. PROLOG

B. SNOBOL

C. PL1

Page 28

D. BASIC

_____ is concerned with maintenance and debugging. This is a very important because if maintenance cost is reduced, the overall cost of the software will also be reduced.

A. Readability

Page 20

B. Writabilty

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C. Orthogonality
- D. Portability

(.) Dot operator is a _____ in SNOBOL.

- A. Reference pointer
- B. Unary operator**
- C. Binary Operator
- D. None of the given

Page33

Plankalku has _____ arithmetic.

- A. Long
- B. Floating point**
- C. Double
- D. Decimal

Page 24

Which of the following statement of LISP creates an array of size 5?

- A. (self linear-array(make-array'(5)))**
- B. (make linear-array(5))
- C. (setq linear-array(array'(5)))
- D. (setf(make-array'(5)))

Page 75

_____ operator is right associative in SNOBOL.

- A. Unary Operator
- B. Binary Operator
- C. Exponentiation operator**
- D. Division Operator

Page33

Which of the following feature of Ada language is similar to the pointers in C++?

- A. Records
- B. Arrays
- C. Access Types**
- D. Structures

Page 53

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Computers are used in a wide variety of _____ domains.

- A. problem-generating
- B. problem-defining
- C. problem-describing
- D. problem-solving**

Which of the following is a correct if statement in Lisp?

- A. if (score 66 <) High
- B. if (< score 66) High**
- C. if (score < 66) High
- D. if (66 score <) High

Page 69

One of the significant feature associated with SNOBOL is _____.

- A. Performing arithmetic operation seperately
- B. Mixing arithmetic and string operations**
- C. Allow String manipulation operation only
- D. Explicit Variable declaration

Page 35

In Ada, tagged type defination is performed in a _____.

- A. Concurrency
- B. Package**
- C. Generics
- D. Structure

Page 59

Using SNOBOL the correct way to create a one-dimensional array of 10 elements and each element contains 1.0, is:

- A. V= ARRAY(10,1.0)**
- B. V= ARR(10,1.0)
- C. V= ARR(1.0,10)
- D. V= ARRAY(1.0,10)

Page 42

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

_____ is/are harmful as far as readability is concerned.

- A. Overloading
- B. Orthogonality
- C. Control statement**
- D. Case statement

Page 16

_____ may also change global variable as a side effect.

- A. dotime LISP iteration
- B. time LISP iteration
- C. list LISP iteration
- D. dolist LISP iteration**

Simplicity is linked with which of the following language base criteria:

- A. Orthogonality
- B. Readability**
- C. Writability
- D. Cost of language

Page 15

**Visit My YouTube Channel
For More Important Notes
Channel Name = #VuTopperRM**

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365