

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Topic 66: (Pre Assessment)

Question # 1 of 2

Time Left: 71 sec(s)

There are _____ parameters taken by the HeapCreate() API.

Select the correct option

[Reload Math Equations](#)

- 2
- 4
- 1
- 3

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 2

Time Left: 77 sec(s)

A process can have _____ heap(s).

Select the correct option

[Reload Math Equations](#)

- Many
- Only one
- At the most two
- Only two

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 2

Time Left: 77 sec(s)

When a fixed size data structure is allocated from a single heap, it reduces

Select the correct option

[Reload Math Equations](#)

- Throughput
- Errors
- Memory density
- Fragmentation

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 2

Time Left: 82 sec(s)

The parameter "flOptions" in the HeapCreate() API is a combination of flags.

Select the correct option

[Reload Math Equations](#)

- 3
- 2
- 1
- 4

[Click to Save Answer & Move to Next Question](#)

Topic 66: (post assessment)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 5

Time Left: 87 sec(s)

For a non growable heap, the value of "dwBytes" in heap memory allocation is _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---------|
| <input checked="" type="radio"/> | 0x7FFF8 |
| <input type="radio"/> | 0x7FEEB |
| <input type="radio"/> | 0xAAAA8 |
| <input type="radio"/> | 0x7FDD8 |

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 5

Time Left: 77 sec(s)

_____ are the APIs for heap memory allocation.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------------------------------|
| <input type="radio"/> | HeapAlloc() and HeapCreate() |
| <input type="radio"/> | HeapCreate() and HeapReAlloc() |
| <input type="radio"/> | AllocHeap() and ReAllocHeap() |
| <input checked="" type="radio"/> | HeapAlloc() and HeapReAlloc() |

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 5

Time Left: 87 sec(s)

When a heap (logical structure) is created, the memory is _____ allocated to the program.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | Completely |
| <input type="radio"/> | Directly |
| <input checked="" type="radio"/> | Not directly |
| <input type="radio"/> | Partially |

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 4 of 5

Time Left: 84 sec(s)

The HeapReAlloc() API has _____ parameter(s).

Select the correct option

[Reload Math Equations](#)

- 3
- 1
- 4
- 2

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 5

Time Left: 87 sec(s)

The HeapAlloc() API has _____ parameter(s).

Select the correct option

[Reload Math Equations](#)

- 1
- 3
- 2
- 4

[Click to Save Answer & Move to Next Question](#)

Topic 69: (Pre Assessment)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 3

Time Left: 78 sec(s)

Serialization is necessary when concurrent threads use _____ resource(s).

Select the correct option

[Reload Math Equations](#)

- Extra
- Different
- Remaining
- Common

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 3

Time Left: 66 sec(s)

Which of the following allocates memory blocks from a heap.

Select the correct option

[Reload Math Equations](#)

- HeapFree()
- HeapAlloc()
- HeapDestroy()
- HeapCreate()

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 3

Time Left: 72 sec(s)

Which of the following function enumerates the allocated blocks on heap?

Select the correct option

[Reload Math Equations](#)

- HeapWalk()
- HeapNos()
- HeapCount()
- HeapCompact()

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 3

Time Left: 85 sec(s)

The function HeapSize() returns the size of a block, or _____ in case of failure.

Select the correct option

[Reload Math Equations](#)

- 1
- 1
- NULL
- 0

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 3

Time Left: 77 sec(s)

There are _____ parameters taken by the HeapSize() API.

Select the correct option

[Reload Math Equations](#)

- 1
- 4
- 2
- 3

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 3

Time Left: 74 sec(s)

_____ is used to determine the size of an allocated block.

Select the correct option

[Reload Math Equations](#)

- HeapBlock()
- SizeofHeap()
- HeapSize()
- Heapify()

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 3

Time Left: 85 sec(s)

The function HeapSize() returns the size of a block, or _____ in case of failure.

Select the correct option

[Reload Math Equations](#)

- 1
- 1
- NULL
- 0

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 3

Time Left: 66 sec(s)

_____ is the first step to allocate heap in a program.

Select the correct option

[Reload Math Equations](#)

- HeapDestroy()
- Release heap handle
- Get heap handle
- HeapFree()

[Click to Save Answer & Move to Next Question](#)

Topic 69: (Post Assessment)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 4

Time Left: 81 sec(s)

Sorting is performed in the _____.

Select the correct option

[Reload Math Equations](#)

- NodeHeap
- RecHeap
- RootHeap
- ProcHeap

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 4

Time Left: 71 sec(s)

_____ stores the root address.

Select the correct option

[Reload Math Equations](#)

- RecHeap
- RootHeap
- ProcHeap
- NodeHeap

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 3 of 4

Time Left: 84 sec(s)

The NodeHeap maintains a

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | Record |
| <input type="radio"/> | Data |
| <input checked="" type="radio"/> | Data structure |
| <input type="radio"/> | Root |

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 4

Time Left: 68 sec(s)

Which of the following stores the records.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|----------|
| <input checked="" type="radio"/> | RecHeap |
| <input type="radio"/> | NodeHeap |
| <input type="radio"/> | ProcHeap |
| <input type="radio"/> | RootHeap |

[Click to Save Answer & Move to Next Question](#)

Topic 70: (pre assesement)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 5

Time Left: 59 sec(s)

In order to make a program more efficient, _____ heap(s) may be required.

Select the correct option

[Reload Math Equations](#)

- Minimum number of
- Several
- Only one
- Partial

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 5

Time Left: 72 sec(s)

There are _____ parameters taken by the HeapCreate() API.

Select the correct option

[Reload Math Equations](#)

- 4
- 3
- 2
- 1

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 4 of 5

Time Left: 50 sec(s)

The parameter "fIOptions" in the HeapCreate() API is a combination of _____ flags.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---|
| <input type="radio"/> | 2 |
| <input type="radio"/> | 4 |
| <input type="radio"/> | 1 |
| <input checked="" type="radio"/> | 3 |

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 5

Time Left: 74 sec(s)

_____ is an appropriate API to dispose-off a heap handle.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-----------------|
| <input type="radio"/> | ShudderHandle() |
| <input type="radio"/> | DestroyHandle() |
| <input type="radio"/> | HeapDestroy() |
| <input checked="" type="radio"/> | DeleteHeap() |

[Click to Save Answer & Move to Next Question](#)

Topic 72(pre Assessment)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 2

Time Left: 78 sec(s)

Which of the following is recommended to use while dealing with memory mapped file to look for EXCEPTION_IN_PAGE_ERROR exceptions?

Select the correct option

[Reload Math Equations](#)

- SHE exception handling
- HE exception handling
- HES exception handling
- ESH exception handling

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 2

Time Left: 61 sec(s)

While using Memory Mapped I/O, there is/are _____ to manage buffers for repetitive operation on a file.

Select the correct option

[Reload Math Equations](#)

- Always a need
- No need
- Several libraries
- Requirements

Question # 1 of 2

Time Left: 81 sec(s)

Dynamic memory is allocated from the _____.

Select the correct option

[Reload Math Equations](#)

- Cache
- Static memory
- Stack
- Paging file

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Topic 72 (post assessment)

Question # 1 of 5

Time Left: 82 sec(s)

While using CreateFileMapping(),..... refers to the paging file.

Select the correct option

Reload Math Equations

<input type="radio"/>	INVALID_VALUE
<input checked="" type="radio"/>	INVALID_HANDLE_VALUE
<input type="radio"/>	LPSECURITY_ATTRIBUTES
<input type="radio"/>	PSECURITY_ATTRIBUTES

Click to Save Answer & Move to Next Question

Question # 2 of 5

Time Left: 85 sec(s)

While using CreateFileMapping(), setting lpMapName to disables the map sharing.

Select the correct option

Reload Math Equations

<input type="radio"/>	0
<input type="radio"/>	-1
<input type="radio"/>	1
<input checked="" type="radio"/>	NULL

Click to Save Answer & Move to Next Question

Question # 3 of 5

Time Left: 81 sec(s)

..... is the API for file mapping objects.

Select the correct option

Reload Math Equations

<input type="radio"/>	Create_File_Mapping()
<input type="radio"/>	FileCreateMapping()
<input type="radio"/>	MakeFileMapping()
<input checked="" type="radio"/>	CreateFileMapping()

Click to Save Answer & Move to Next Question

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 4 of 5

Time Left: 76 sec(s)

While using CreateFileMapping(),..... allow the mapping object to be secured.

Select the correct option

[Reload Math Equations](#)

- INVALID_VALUES
- INVALID_HANDLE_VALUES
- LPSECURITY_ATTRIBUTES
- PSECURITY_ATTRIBUTES

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 5

Time Left: 86 sec(s)

Which of the following are the number of parameters taken by CreateFileMapping()?

Select the correct option

[Reload Math Equations](#)

- 4
- 7
- 5
- 6

[Click to Save Answer & Move to Next Question](#)

Topic 74 (post assessment)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 5

Time Left: 82 sec(s)

To start the mapping from the start of a file, set both dwFileOffsetHigh and dwFileOffsetLow as _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|------|
| <input type="radio"/> | 1 |
| <input checked="" type="radio"/> | 0 |
| <input type="radio"/> | -1 |
| <input type="radio"/> | NULL |

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 5

Time Left: 74 sec(s)

Which of the following are the number of parameters taken by MapViewOfFile()?

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | 5 |
| <input type="radio"/> | 2 |
| <input type="radio"/> | 3 |
| <input type="radio"/> | 4 |

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 5

Time Left: 66 sec(s)

While using MapViewOfFile(), which of the following are the three commonly used flags?

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--|
| <input type="radio"/> | MAP_WRITE, MAP_READ, and MAP_ALL_ACCESS |
| <input type="radio"/> | FILE_WRITE, FILE_READ, and FILE_ALL_ACCESS |
| <input checked="" type="radio"/> | FILE_MAP_WRITE, FILE_MAP_READ, and FILE_MAP_ALL_ACCESS |
| <input type="radio"/> | WRITE, READ, and ALL_ACCESS |

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 4 of 5

Time Left: 85 sec(s)

UnmapViewOfFile() takes _____ argument(s).

Select the correct option

[Reload Math Equations](#)

- 3
- 1
- 2
- 4

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 5

Time Left: 82 sec(s)

_____ and _____ specify the starting address of the file from where the mapping starts.

Select the correct option

[Reload Math Equations](#)

- dwFileHigh, dwFileLow
- dwFileOffsetHigh, dwFileOffsetLow
- High, Low
- dbFileOffsetHigh, dbFileOffsetLow

[Click to Save Answer & Move to Next Question](#)

Topic 77 (post assessment)

Question # 1 of 5

Time Left: 78 sec(s)

It is much _____ to sort large data available in memory rather than in files.

Select the correct option

[Reload Math Equations](#)

- Easier
- Unyielding
- Costly
- Harder

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 2 of 5

Time Left: 81 sec

ReadFile() and WriteFile() functions perform much _____ than memory mapped files processing.

Select the correct option

[Reload Math Equations](#)

- Nimble
- Slower
- Convenient
- Faster

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 5

Time Left: 84 sec(s)

When we create a file mapped object for sorting 1000 numbers in a file then file records will be saved in a/an_____.

Select the correct option

[Reload Math Equations](#)

- Array
- Heap
- Stack
- Queue

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 4 of 5

Time Left: 84 sec(s)

It is not possible for a system to map a file greater than _____ into virtual memory space, while using Win32 OS.

Select the correct option

[Reload Math Equations](#)

- 2 MB
- 3 MB
- 2 GB
- 3 GB

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 5

Time Left: 82 sec(s)

qsort() is a _____ function.

Select the correct option

[Reload Math Equations](#)

- Windows DLL
- User defined
- EXE
- Standard library

[Click to Save Answer & Move to Next Question](#)

Topic 79 (pre assessment)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 4

Time Left: 83 sec(s)

A file mapping handle returns _____ on failure.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-----------|
| <input checked="" type="radio"/> | NULL |
| <input type="radio"/> | TRUE |
| <input type="radio"/> | FALSE |
| <input type="radio"/> | UNDEFINED |

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 4

Time Left: 79 sec(s)

The generic syntax for declaring based pointers in Windows is _____

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-------------------------------|
| <input type="radio"/> | type declarator _based (base) |
| <input type="radio"/> | declarator type _based (base) |
| <input type="radio"/> | type (base) declarator _based |
| <input checked="" type="radio"/> | type _based (base) declarator |

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 3 of 4

Time Left: 83 sec(s)

It is _____ to refer to a mapping file multiple times while using pointers as data structure.

Select the correct option

[Reload Math Equations](#)

- Necessary
- Useful
- Optional
- Meaningless

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 4

Time Left: 81 sec(s)

Performance of memory mapping is excellent while using with _____ programs.

Select the correct option

[Reload Math Equations](#)

- Multi valued
- Single threaded
- Multi threaded
- Single process

[Click to Save Answer & Move to Next Question](#)

Topic 81 (pre assessment)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 2

Time Left: 71 sec(s)

The approach to gather all the source code and library functions after encapsulation into a single executable file, is called as _____.

Select the correct option

[Reload Math Equations](#)

- Thread Linking
- Dynamic Linking
- Process Linking
- Static Linking

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 2

Time Left: 84 sec(s)

DLL stands for _____.

Select the correct option

[Reload Math Equations](#)

- Dynamic Link Library
- Direct Link Library
- Dynamic Layout Library
- Direct Layout Library

[Click to Save Answer & Move to Next Question](#)

Topic 81 (Post Assessment)

Question # 1 of 3

Time Left: 83 sec(s)

In DLLs, the executable library files are linked at _____ time.

Select the correct option

[Reload Math Equations](#)

- Load
- Run
- Link
- Compile

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 2 of 3

Time Left: 79 sec(s)

Each DLL program will have its own copy of _____ variables.

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	Local
<input type="radio"/>	Static
<input checked="" type="radio"/>	Global
<input type="radio"/>	Dynamic

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 3

Time Left: 86 sec(s)

In _____ operating system, DLLs are used to invoke all kernel services.

Select the correct option

[Reload Math Equations](#)

<input checked="" type="radio"/>	Windows
<input type="radio"/>	Unix
<input type="radio"/>	Solaris
<input type="radio"/>	Linux

[Click to Save Answer & Move to Next Question](#)

Topic 83 (Post Assessment)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)


Prepared by J.c FIA

Question # 1 of 4

Time Left: 80 sec(s)

Once the DLL is loaded, the programmer needs to obtain _____ into the DLL for an entry point.

Select the correct option

 Reload Math Equations

<input type="radio"/>	Physical address
<input type="radio"/>	Bus address
<input checked="" type="radio"/>	Procedure address
<input type="radio"/>	Dynamic address


Click to Save Answer & Move to Next Question

Question # 2 of 4

Time Left: 81 sec(s)

We write and _____ functions in DLL and invoke them explicitly.

Select the correct option

 Reload Math Equations

<input checked="" type="radio"/>	Encapsulate
<input type="radio"/>	Encrypt
<input type="radio"/>	Decrypt
<input type="radio"/>	Compile

Click to Save Answer & Move to Next Question

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 3 of 4

Time Left: 81 sec(s)

In a pointer function declaration for DLL explicit linking, HMODULE is NULL in case of _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-----------|
| <input type="radio"/> | Success |
| <input type="radio"/> | Execution |
| <input type="radio"/> | Waiting |
| <input checked="" type="radio"/> | Failure |

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 4

Time Left: 78 sec(s)

Explicit linking requires the program to explicitly specify the DLL to be _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|------------------|
| <input type="radio"/> | Freed |
| <input type="radio"/> | Loaded |
| <input checked="" type="radio"/> | Loaded or Freed |
| <input type="radio"/> | Loaded and Freed |

[Click to Save Answer & Move to Next Question](#)

Topic 86 (Pre Assessment)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 3

Time Left: 77 sec(s)

In case of _____ linking the DLL attaches at the time of process start and detaches when process ends.

Select the correct option

Reload Math Equations

- Dynamic
- Hard
- Implicit
- Explicit

Click to Save Answer & Move to Next Question

Question # 2 of 3

Time Left: 83 sec(s)

LoadLibraryEx() can suppress the execution of entry point, in _____ linking of DLL.

Select the correct option

Reload Math Equations

- Explicit
- Implicit
- Static
- Dynamic

Click to Save Answer & Move to Next Question

Question # 3 of 3

Time Left: 84 sec(s)

The Entry point in DLL defined structure (DWORD) has _____ values.

Select the correct option

Reload Math Equations

- 2
- 4
- 16
- 8

Click to Save Answer & Move to Next Question

Topic 86 (Post Assessment)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 4

Time Left: 76 sec(s)

In case of _____ linking the DLL attaches at the time of process start and detaches when process ends.

Select the correct option

Reload Math Equations

- Explicit
- Dynamic
- Hard
- Implicit

Click to Save Answer & Move to Next Question

Question # 4 of 4

Time Left: 77 sec(s)

If entry point of DLL is not specified, then it is an example of _____ linking.

Select the correct option

Reload Math Equations

- Implicit
- Hard
- Dynamic
- Explicit

Click to Save Answer & Move to Next Question

Question # 2 of 4

Time Left: 80 sec(s)

"Application that require newer updated functionality may sometime link with older DLL version". This statement refers to _____ of DLL versioning.

Select the correct option

Reload Math Equations

- Caution
- Problem
- Advantage
- Strength

Click to Save Answer & Move to Next Question

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 3 of 4

Time Left: 84 sec(s)

The process of DLL detachment in explicit linking is invoked by _____ function call.

Select the correct option

[Reload Math Equations](#)

- FreeLib()
- Free()
- FLibrary()
- FreeLibrary()

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 4

Time Left: 84 sec(s)

If entry point of DLL is not specified, then it is an example of _____ linking.

Select the correct option

[Reload Math Equations](#)

- Explicit
- Implicit
- Hard
- Dynamic

[Click to Save Answer & Move to Next Question](#)

Topic 88 (Pre Assessment)

Question # 1 of 3

Time Left: 81 sec(s)

Each thread has its own _____.

Select the correct option

[Reload Math Equations](#)

- Stack
- TLS
- Environment Block
- TLS and Stack

[Click to Save Answer & Move to Next Question](#)

Topic 88 (Post Assessment)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 1 of 2

Time Left: 84 sec(s)

The most fundamental process management function in windows is CreateProcess() that has _____ parameters.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|----|
| <input type="radio"/> | 4 |
| <input type="radio"/> | 6 |
| <input checked="" type="radio"/> | 10 |
| <input type="radio"/> | 12 |

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 2

Time Left: 84 sec(s)

Windows OS does not have any structure that keeps track record of the _____ processes.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | Parent |
| <input type="radio"/> | Grand-child |
| <input checked="" type="radio"/> | Parent-child |
| <input type="radio"/> | Child |

[Click to Save Answer & Move to Next Question](#)

Important For Midterm

CS609 (Update) Solved MCQ's Topic 66-91 (2022)

Prepared by J.c FIA

Question # 3 of 3

Time Left: 83 sec(s)

Thread Local Storage (TLS) is an array of collection of pointers enabling a thread to _____ storage to create its unique data environment.

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	Clear
<input type="radio"/>	Re-allocate
<input checked="" type="radio"/>	Allocate
<input type="radio"/>	De-allocate

[Click to Save Answer & Move to Next Question](#)

Question # 1 of 3

Time Left: 84 sec(s)

The processes can share memory and files but the process itself lie in an individual _____ memory space.

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	Permanent
<input type="radio"/>	Non-Volatile
<input checked="" type="radio"/>	Virtual
<input type="radio"/>	Physical

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 3

Time Left: 77 sec(s)

Each _____ is a unit within the _____.

Select the correct option

[Reload Math Equations](#)

<input type="radio"/>	Kernel, Process
<input type="radio"/>	Process, Thread
<input type="radio"/>	Process, Kernel
<input checked="" type="radio"/>	Thread, Process

[Click to Save Answer & Move to Next Question](#)

Important For Midterm