

VUBWN Contact Us for LMS Handling NASIR ABBAS

CS609 UPDATED MCQ FILE BY VUBWN



PROFESSIONAL ONLINE ACADEMY



EagleSoft

NOTHING IS
IMPOSSIBLE

All Paid Services

- LMS Handling
- Important Notes
- Online Classes
- Projects
- Assignments
- Quiz
- GDB's

JOIN US NOW!

www.vubwn.com

for more info
Contact us at:
Nasir Abbas

+92 317 6526827



TRAINING FOR CS-619 Final Year Project

We Are Providing Assistance in
Following Phases For Final Year Project

SRS
Design Documents
Test Phase Code
Final Deliverable Code
Final Report
Final Presentation
Viva Preparation

For Selecting
Easy Projects

CONTACT US

03176526827



VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5

Time Left: 59 sec(s)

To provide an interface between the user and computer, a system is required which is called_____.

Select the correct option

[Reload Math Equations](#)

- Operating System
- Customized Software
- Application Software
- Both Application and Customized software

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 5

Time Left: 85 sec(s)

Windows operating system provides a naming scheme for the resources which allows maximum_____characters only.

Select the correct option

[Reload Math Equations](#)

- 255
- 55
- 155
- 16

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5

Time Left: 84 sec(s)

A process-1 in Windows operating system can access the memory space of process-2 if _____.

Select the correct option

[Reload Math Equations](#)

- Both processes have same ID
- Process-1 has no privilege to access memory space of other processes
- Process-1 has privilege to access memory space of other processes
- Process-1 is loaded in the same memory space as process-2

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 5

Time Left: 62 sec(s)

Which of the following tasks is not performed by the Operating System?

Select the correct option

[Reload Math Equations](#)

- Memory Management
- Hardware repairing
- Files management
- Multitasking

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Windows Operating System allows us to run a huge process in a small memory space due to _____:

Select the correct option

[Reload Math Equations](#)

- Virtual memory management
- Flexible naming scheme for resources
- High processing speed of processor
- Efficient primary memory management

Topic 2

Question # 1 of 4

Time Left: 67 sec(s)

API stands for _____.

Select the correct option

[Reload Math Equations](#)

- Application Programming Interface
- Application Programs Interoperability
- Advance Programming Interface
- Application Programming Integrity

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 4

Time Left: 86 sec(s)

Which Operating System was offered by Microsoft that was used prior to Windows?

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---------|
| <input type="radio"/> | UNIX |
| <input checked="" type="radio"/> | DOS |
| <input type="radio"/> | Solaris |
| <input type="radio"/> | LINUX |

Question # 3 of 4

Time Left: 85 sec(s)

Which of the following features was not supported by Windows NT?

Select the correct option

[Reload Math Equations](#)


- | | |
|----------------------------------|---------------------|
| <input type="radio"/> | Multi-user |
| <input type="radio"/> | NTFS |
| <input checked="" type="radio"/> | 64-bit architecture |
| <input type="radio"/> | Enhanced security |

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

DOS was a _____ Operating System.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--------------|
| <input checked="" type="radio"/> | Command line |
| <input type="radio"/> | Multitasking |
| <input type="radio"/> | GUI based |
| <input type="radio"/> | Real time |


Topic 3

Question # 1 of 5

Time Left: 83 sec(s)

In 2021, which of the following desktop operating systems was widely used in the world market?

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---------|
| <input type="radio"/> | Fedora |
| <input type="radio"/> | Solaris |
| <input checked="" type="radio"/> | Windows |
| <input type="radio"/> | Linux |

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 5

Time Left: 80 sec(s)

Which statement is NOT correct about the Windows Operating System?

Select the correct option

 Reload Math Equations


- It supports diverse hardware platforms
- It supports voice commands
- It supports both 32 & 64-bit architecture
- It can only be used in desktop systems

Question # 3 of 5

Time Left: 86 sec(s)

One of the major causes of Windows dominance in PCs market is its_____.

Select the correct option

 Reload Math Equations

- Best security features
- Feature of multitasking
- Best Marketing strategy
- User-friendly GUI

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 4 of 5

Time Left: 83 sec(s)

Using _____, commands can be issued to the system through icons, buttons, shortcuts, sound etc.

Select the correct option

[Reload Math Equations](#)

- Result-driven interface
- Command line interface
- Graphical user interface
- Menu-driven interface only

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 5

Time Left: 85 sec(s)

Which version of Windows is used for mobile devices?

Select the correct option

[Reload Math Equations](#)

- Windows ME
- Windows Server
- Windows CE
- Windows Vista

Topic 4

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5

Time Left: 85 sec(s)

Example of a closed source software is_____

Select the correct option

 Reload Math Equations

- Fedora
- Windows OS
- Linux
- Chrome browser

Question # 2 of 5

Time Left: 81 sec(s)

A uniform extension in software components is possible in_____ software.

Select the correct option

 Reload Math Equations

- Open source
- Vendor specific
- Both open and closed
- Community source

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5

Time Left: 78 sec(s)

Choose the major drawback of a closed source software:

Select the correct option

[Reload Math Equations](#)

- Neither affordable, customizable, nor freely available for download
- Not freely available to download
- Not affordable by the user
- Not customizable

Question # 4 of 5

Time Left: 84 sec(s)

A socket on end-point is required only if _____.

Select the correct option

[Reload Math Equations](#)

- A process needs a resource
- Two processes communicate over a network
- Processor tries to write on internal hard disk
- Processor needs to access main memory

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 5 of 5

Time Left: 85 sec(s)

Which statement is incorrect about open source software?

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---|
| <input type="radio"/> | It is publicly available |
| <input checked="" type="radio"/> | Paid license is required for its use |
| <input type="radio"/> | Source code is freely available |
| <input type="radio"/> | Changes can be made by the general public |


Topic 5

Question # 1 of 4

Time Left: 80 sec(s)

DWORD data type represents_____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--------------------------|
| <input type="radio"/> | 32 bits signed integer |
| <input type="radio"/> | 16 bits signed integer |
| <input checked="" type="radio"/> | 32 bits unsigned integer |
| <input type="radio"/> | 16 bits unsigned integer |

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 4

Time Left: 84 sec(s)

Each Windows API has a_____ number of parameters.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------|
| <input type="radio"/> | Two |
| <input type="radio"/> | Fixed |
| <input checked="" type="radio"/> | Variable |
| <input type="radio"/> | Four |

Question # 3 of 4

Time Left: 81 sec(s)

Which statement is true about a multi-threading process?

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--|
| <input checked="" type="radio"/> | A process has one or many threads. |
| <input type="radio"/> | A thread has only one process. |
| <input type="radio"/> | A thread can be created without process. |
| <input type="radio"/> | A process has only one thread. |

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 4 of 4

Time Left: 78 sec(s)

A software or application can access any Windows object_____.

Select the correct option

[Reload Math Equations](#)

- Through API only
- Not directly nor through API
- Directly and through API as well
- Directly

Topic 6

Question # 1 of 3

Time Left: 64 sec(s)

Windows supports both the 32 and 64-bit source code by_____.

Select the correct option

[Reload Math Equations](#)

- Converting 64-bit into 32-bit code
- Keeping separate APIs for 32 and 64-bit code
- Keeping separate compilers for each hardware
- Converting 32-bit into 64-bit code

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 3

Time Left: 78 sec(s)

Which statement is incorrect about the 32-bit source code?

Select the correct option

 Reload Math Equations


- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | It runs on 64-bit hardware and can use its all features |
| <input type="radio"/> | It does not support large disk space |
| <input type="radio"/> | It has its own Windows APIs |
| <input type="radio"/> | It runs on 64-bit hardware |

Question # 3 of 3

Time Left: 82 sec(s)

Windows operating system keeps _____ versions of each API.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | One |
| <input type="radio"/> | Interpreted |
| <input checked="" type="radio"/> | Two |
| <input type="radio"/> | Compiled |

Topic 7

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 2

Time Left: 82 sec(s)

Choose the appropriate advantage of C source code that uses C standard functions.

Select the correct option

 Reload Math Equations


- Can access advance Windows features
- Runs without making system calls to Windows APIs
- Runs on Windows platform only
- Portable source code

Question # 2 of 2

Time Left: 78 sec(s)

Choose the correct option for a source code that uses only Windows APIs instead of C Library functions.

Select the correct option

 Reload Math Equations

- Source code will not remain portable.
- Source code can only access some features of Windows.
- Source code is portable.
- Source code cannot be compiled.

Topic 8

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5

Time Left: 74 sec(s)

Open file objects using C Library functions are identified by _____.

Select the correct option

 Reload Math Equations

- Pointer to a file structure
- Both Handle and Buffer
- Buffer
- Handle

Question # 2 of 5

Time Left: 86 sec(s)

What the following C statement represents?

```
FILE *ptr;
```

Select the correct option

 Reload Math Equations

- Pointer to a file structure
- Pointer to an integer
- Pointer to a binary number
- Pointer to a character

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5

Time Left: 87 sec(s)

Which statement is true about fopen() function in C?

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--|
| <input type="radio"/> | It opens the file only for reading purpose. |
| <input type="radio"/> | It opens the file only for writing purpose. |
| <input checked="" type="radio"/> | It opens the existing file and if not exists, it creates a new file. |
| <input type="radio"/> | It opens the existing file only. |

Question # 4 of 5

Time Left: 86 sec(s)

A successful read using fread() function in C is indicated by a _____ return value.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | Boolean |
| <input checked="" type="radio"/> | Non-negative |
| <input type="radio"/> | Zero |
| <input type="radio"/> | Negative |

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 5 of 5

Time Left: 84 sec(s)

fopen() function in C returns _____ if the file is not successfully opened.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-----------------------|
| <input checked="" type="radio"/> | NULL value |
| <input type="radio"/> | Zero value |
| <input type="radio"/> | Neither NULL nor Zero |
| <input type="radio"/> | Pointer to a file |

Topic 9

Question # 1 of 2

Time Left: 77 sec(s)

Which statement is true about CreateFile() function?

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---|
| <input type="radio"/> | It is not used for opening a file |
| <input type="radio"/> | It opens or creates a file only for generic write |
| <input type="radio"/> | It opens or creates a file only for generic read |
| <input checked="" type="radio"/> | It opens the existing file or creates a new file |

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 2

Time Left: 81 sec(s)

The return type of ReadFile() and WriteFile() is -----

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--------|
| <input checked="" type="radio"/> | BOOL |
| <input type="radio"/> | HANDLE |
| <input type="radio"/> | INT |
| <input type="radio"/> | DWORD |


Topic 10

Question # 1 of 3

Time Left: 82 sec(s)

Which statement is correct about the Convenience function?

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---|
| <input type="radio"/> | It takes considerable time in execution |
| <input type="radio"/> | It does not improve overall performance |
| <input type="radio"/> | It performs a small task |
| <input checked="" type="radio"/> | A big task is performed by a single API |

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 3

Time Left: 84 sec(s)

The return type of malloc() function in C can be_____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--|
| <input type="radio"/> | Null only |
| <input checked="" type="radio"/> | Pointer to the allocated space or Null |
| <input type="radio"/> | An array |
| <input type="radio"/> | Linked list |

Question # 3 of 3

Time Left: 64 sec(s)

LPWSTR stands for _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-----------------------------|
| <input checked="" type="radio"/> | Long Pointer to Wide String |
| <input type="radio"/> | Last Pointer to Wide String |
| <input type="radio"/> | Last Pointer With String |
| <input type="radio"/> | Long Pointer With String |

Topic 11

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5

Time Left: 85 sec(s)

UDF stands for _____.

Select the correct option



- | | |
|----------------------------------|-------------------------|
| <input type="radio"/> | Universal Disk File |
| <input checked="" type="radio"/> | Universal Disk Format |
| <input type="radio"/> | Universal Driver Format |
| <input type="radio"/> | Universal Driven File |

Question # 2 of 5

Time Left: 84 sec(s)

Which option is NOT related to the NT File System?

Select the correct option



- | | |
|----------------------------------|----------------------|
| <input checked="" type="radio"/> | File size limitation |
| <input type="radio"/> | Encryption |
| <input type="radio"/> | Fault Tolerance |
| <input type="radio"/> | Compression |

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5

Time Left: 86 sec(s)

Keeping in view the support for huge file size, which file system is more favorable?

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------|
| <input type="radio"/> | FAT32 |
| <input type="radio"/> | FAT16 |
| <input type="radio"/> | FAT8 |
| <input checked="" type="radio"/> | NTFS |


Click to Save Answer & Move to Next Question

Question # 4 of 5

Time Left: 86 sec(s)

Which feature of NTFS is related to Data Security?

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---------------------------|
| <input checked="" type="radio"/> | Encryption |
| <input type="radio"/> | Large file name mechanism |
| <input type="radio"/> | Compression |
| <input type="radio"/> | File Allocation Table |

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 5 of 5

Time Left: 68 sec(s)

NTFS stands for -----

Select the correct option

[Reload Math Equations](#)

- New Technology For System
- New Trend For System
- New Trend File System
- New Technology File System

Topic 12:

Question # 1 of 3

Time Left: 83 sec(s)

In the Windows file system, which symbol can be used as a path separator?

Select the correct option

[Reload Math Equations](#)

- Pipe symbol
- Backslash only
- Forward slash only
- Both forward and backslash

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 3

Time Left: 78 sec(s)

The file extension usually contains _____ characters.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--------|
| <input type="radio"/> | 5 to 8 |
| <input checked="" type="radio"/> | 2 to 4 |
| <input type="radio"/> | 1 to 3 |
| <input type="radio"/> | 1 to 2 |

Click to Save Answer & Move to Next Question

Question # 3 of 3

Time Left: 56 sec(s)

The path name of a remote resource or server starts with _____ symbol.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|------------------|
| <input checked="" type="radio"/> | Double backslash |
| <input type="radio"/> | Backslash |
| <input type="radio"/> | Forward slash |
| <input type="radio"/> | Pipe |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 3

Time Left: 86 sec(s)

In Windows file system, the extension and file name is separated by _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---------|
| <input checked="" type="radio"/> | dot (.) |
| <input type="radio"/> | \ |
| <input type="radio"/> | |
| <input type="radio"/> | / |

[Click to Save Answer & Move to Next Question](#)

Topic 13

Question # 1 of 5

Time Left: 53 sec(s)

In the CreateFile() function, if the same name file already exists, then the attribute, CREATE_ALWAYS is used to_____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--|
| <input type="radio"/> | Delete the existing file |
| <input type="radio"/> | Creates a new file only |
| <input checked="" type="radio"/> | Overwrite an existing file |
| <input type="radio"/> | Delete the existing file and create a new file |

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 5

Time Left: 85 sec(s)

The name of Windows API used for opening or creating a new file is_____.

Select the correct option

 Reload Math Equations

- CreateOpenFile()
- CreateFile()
- OpenFile()
- ReOpenFile()


Click to Save Answer & Move to Next Question

Question # 3 of 5

Time Left: 85 sec(s)

In the CreateFile() function, which statement is true about OPEN_EXISTING attribute, if the file does not exist?

Select the correct option

 Reload Math Equations

- It will open an existing file
- It will create a new file
- It will fail to open the file
- It will open some other file instead of specified file

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 4 of 5

Time Left: 84 sec(s)

The return type of CreateFile() function is _____.

Select the correct option

[Reload Math Equations](#)

- A Handle to an open file object or INVALID_HANDLE_VALUE
- INVALID_HANDLE_VALUE
- NULL
- Always a Handle to an open file object

[Click to Save Answer & Move to Next Question](#)

Question # 5 of 5

Time Left: 83 sec(s)

In FILE_SHARE_READ mode, the file is shared for _____.

Select the correct option

[Reload Math Equations](#)

- Concurrent read by a single process
- Concurrent read and write by multiple processes
- Concurrent read and write by a single process
- Concurrent read by multiple processes

[Click to Save Answer & Move to Next Question](#)

Topic 14:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5

Time Left: 86 sec(s)

If we want to read 1000 bytes from a file with ReadFile() function but there are actually only 400 bytes in a file, then _____.

Select the correct option

[Reload Math Equations](#)

- 1000 bytes will be read
- 400 bytes will be read
- Exception will be thrown
- Read operation will fail

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 5

Time Left: 65 sec(s)

The Windows API _____ is used to read data from a file and store it in a buffer.

Select the correct option

[Reload Math Equations](#)

- CopyFile()
- WriteFile()
- ReadFile()
- CreateFile()

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5

Time Left: 86 sec(s)

The return type of WriteFile() function is _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------------|
| <input checked="" type="radio"/> | BOOL |
| <input type="radio"/> | DWORD |
| <input type="radio"/> | LPDWORD |
| <input type="radio"/> | LPOVERLAPPED |

[Click to Save Answer & Move to Next Question](#)

The Windows API _____ is used to write data from a buffer and store it in a file.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | CreateFile() |
| <input type="radio"/> | CopyFile() |
| <input type="radio"/> | ReadFile() |
| <input checked="" type="radio"/> | WriteFile() |

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 5 of 5 **Time Left: 84 sec(s)**

If the file is not opened in concurrent mode, then ReadFile() API starts reading from the _____.

Select the correct option [Reload Math Equations](#)

<input type="radio"/>	Start of file
<input checked="" type="radio"/>	Current position
<input type="radio"/>	Backup file
<input type="radio"/>	End of file

[Click to Save Answer & Move to Next Question](#)

Topic 15:

Question # 1 of 1 **Time Left: 85 sec(s)**

If an invalid file handle is passed as a parameter to the CloseFile() function, then it will return_____.

Select the correct option [Reload Math Equations](#)

<input type="radio"/>	Empty string
<input type="radio"/>	File handle
<input type="radio"/>	1
<input checked="" type="radio"/>	False value

[Click to Save Answer & Move to Next Question](#)

Topic 16:

**Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS**

VUBWN Contact Us for LMS Handling NASIR ABBAS

Post-Assessment

Question # 1 of 5

Time Left: 82 sec(s)

The latest versions of Windows supports _____ standard.

Select the correct option

[Reload Math Equations](#)

- Unicode
- ASCII
- Scan codes
- Both ASCII and Unicode

[Click to Save Answer & Move to Next Question](#)

Post-Assessment

Question # 2 of 5

Time Left: 82 sec(s)

__sprintf() is a/an _____ C library function.

Select the correct option

[Reload Math Equations](#)

- Generic
- Unicode
- Both ASCII and Unicode
- ASCII

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS


Post-Assessment

Question # 3 of 5

Time Left: 85 sec(s)

In Unicode format, _____ number of characters can be encoded.

Select the correct option

 Reload Math Equations

- 2^{16}
- 2^8
- 2^{10}
- 2^{32}

Click to Save Answer & Move to Next Question


Post-Assessment

Question # 4 of 5

Time Left: 84 sec(s)

A Unicode word consists of _____ bits.

Select the correct option

 Reload Math Equations

- 32
- 24
- 8
- 16

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Post-Assessment

Question # 5 of 5

Time Left: 84 sec(s)

TCHAR is a/an _____ type variable.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|------------------------|
| <input type="radio"/> | Unicode |
| <input checked="" type="radio"/> | Generic |
| <input type="radio"/> | ASCII |
| <input type="radio"/> | Both ASCII and Unicode |

[Click to Save Answer & Move to Next Question](#)

Topic 17:

Question # 1 of 5

Time Left: 78 sec(s)

TextOutW() is a _____ bits API and it supports _____ standard.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | 32, Generic |
| <input type="radio"/> | 16, Unicode |
| <input type="radio"/> | 32, ASCII |
| <input checked="" type="radio"/> | 32, Unicode |

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 5

Time Left: 66 sec(s)

Which one is the correct definition of generic main() function?

Select the correct option

[Reload Math Equations](#)

- `int main(int argc, LPTSTR argv[])`
- `int main(int argc, String argv[])`
- `int _tmain(int argc, LPTSTR argv[])`
- `int _main(int argc, LPTSTR argv[])`

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 5

Time Left: 81 sec(s)

All generic functions are included in _____ header file.

Select the correct option

[Reload Math Equations](#)

- `<windows.h>`
- `<tchar.h>`
- `<char.h>`
- `<string.h>`

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 4 of 5

Time Left: 70 sec(s)

All generic data types are included in _____ header file.

Select the correct option

 Reload Math Equations

- <windows.h>
- <tchar.h>
- <string.h>
- <char.h>

Click to Save Answer & Move to Next Question

Question # 5 of 5

Time Left: 77 sec(s)

_tscmp() is _____ function to compare the strings.

Select the correct option

 Reload Math Equations

- not a generic
- an ASCII
- a generic
- a Unicode

Click to Save Answer & Move to Next Question

Topic 18:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 6

Time Left: 85 sec(s)

The standard C library function atoi() supports _____.

Select the correct option

 Reload Math Equations

128-bit character code

8-bit character code

Generic code

Unicode

Click to Save Answer & Move to Next Question

Question # 2 of 6

Time Left: 78 sec(s)

Which header file includes all the Unicode macros for setting environment of a program?

Select the correct option

 Reload Math Equations

<windows.h>

<environment.h>

<everything.h>

<tchar.h>

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 6

Time Left: 85 sec(s)

Developing generic code needs extra effort but provides maximum

Select the correct option

 Reload Math Equations

- Flexibility
- User-friendly look
- Productivity
- Chance of errors

Click to Save Answer & Move to Next Question

Question # 4 of 6

Time Left: 75 sec(s)

What is the return value of GetLastError() function?

Select the correct option

 Reload Math Equations

- It returns error message for the last error
- It returns a formatted message for last error
- It takes input message from user and returns
- It returns error code for the last error

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 5 of 6

Time Left: 79 sec(s)

Which Windows API is used to return a system error code?

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---|
| <input type="radio"/> | Both GetLastError() and FormatMessage() |
| <input type="radio"/> | FormatMessage() |
| <input type="radio"/> | GetError() |
| <input checked="" type="radio"/> | GetLastError() |

Click to Save Answer & Move to Next Question

Question # 6 of 6

Time Left: 80 sec(s)

To switch between 8-bit character code and standard unicode, _____ functions and data types are required.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------------|
| <input checked="" type="radio"/> | Generic |
| <input type="radio"/> | Unicode |
| <input type="radio"/> | Non-generic |
| <input type="radio"/> | 8-bit |

Click to Save Answer & Move to Next Question

Topic 21:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5

Time Left: 78 sec(s)

STD_INPUT_HANDLE macro contains a variable, CONIN\$, which is a/an _____.

Select the correct option

 Reload Math Equations

- Console variable
- Input variable
- Default variable
- Environment variable


Click to Save Answer & Move to Next Question

Question # 2 of 5

Time Left: 81 sec(s)

STD_OUTPUT_HANDLE contains _____ as an environment variable.

Select the correct option

 Reload Math Equations

- CONPRN\$
- CONDIS\$
- CONOUT\$
- CONIN\$

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5

Time Left: 76 sec(s)

On execution, HANDLE GetStdHandle(DWORD nStdHandle) will return a valid handle, in case of _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------------------------|
| <input type="radio"/> | Failure |
| <input type="radio"/> | Passing invalid parameters |
| <input type="radio"/> | Exception |
| <input checked="" type="radio"/> | Success |


Click to Save Answer & Move to Next Question

Question # 4 of 5

Time Left: 78 sec(s)

In a Windows system, Input, _____, and _____ are the three standard I/O devices.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------------------|
| <input type="radio"/> | Display, error |
| <input type="radio"/> | Error, Correction |
| <input checked="" type="radio"/> | Output, Error |
| <input type="radio"/> | Output, display |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 5 of 5

Time Left: 85 sec(s)

There are _____ number of standard I/O devices in a Windows system.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------|
| <input type="radio"/> | Two |
| <input type="radio"/> | Five |
| <input type="radio"/> | Four |
| <input checked="" type="radio"/> | Three |

Click to Save Answer & Move to Next Question

Topic 22

Question # 1 of 2

Time Left: 84 sec(s)

Options() function takes _____ parameters.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------|
| <input checked="" type="radio"/> | Variable |
| <input type="radio"/> | 3 |
| <input type="radio"/> | 4 |
| <input type="radio"/> | 5 |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 2

Time Left: 81 sec(s)

CatFile() function takes _____ parameters.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---|
| <input type="radio"/> | 5 |
| <input checked="" type="radio"/> | 2 |
| <input type="radio"/> | 4 |
| <input type="radio"/> | 3 |

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5

Time Left: 73 sec(s)

----- empire is considered to be pioneers of encryption as they used basic encryption algorithms to encrypt secret conversation in a war.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---------|
| <input type="radio"/> | Chinese |
| <input type="radio"/> | Mughal |
| <input type="radio"/> | Persian |
| <input checked="" type="radio"/> | Roman |


Click to Save Answer & Move to Next Question

Question # 2 of 5

Time Left: 72 sec(s)

The formula of Ceaser Cipher is -----.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|------------------------|
| <input type="radio"/> | $E = (P + n) \bmod 27$ |
| <input type="radio"/> | $E = (D + n) \bmod 27$ |
| <input type="radio"/> | $C = (E + w) \bmod 26$ |
| <input checked="" type="radio"/> | $C = (P + n) \bmod 26$ |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5

Time Left: 82 sec(s)

Roman empire use algorithm to encrypt secret conversation.

Select the correct option

[Reload Math Equations](#)

- Cryptography
- Ceasar Cipher
- Brute Force
- CRT

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 5

Time Left: 84 sec(s)

When a text is encrypted, we represent that text by the symbol in the encryption formula.

Select the correct option

[Reload Math Equations](#)

- A
- C
- B
- E

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 5 of 5

Time Left: 83 sec(s)

The text that we are going to encrypt is called _____text so it is denoted by _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--------------|
| <input checked="" type="radio"/> | Plain , P |
| <input type="radio"/> | Proposed, P |
| <input type="radio"/> | Personal , P |
| <input type="radio"/> | Secret, W |

Click to Save Answer & Move to Next Question


Topic 24

Question # 1 of 5

Time Left: 69 sec(s)

Which of the following API is used for copying a file?

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---|
| <input type="radio"/> | Char CopyFile(LPCTSTR lpExistingFileName, LPCTSTR lpNewFileName, BOOL bFailIfExists); |
| <input checked="" type="radio"/> | BOOL CopyFile(LPCTSTR lpExistingFileName, LPCTSTR lpNewFileName, BOOL bFailIfExists); |
| <input type="radio"/> | CopyFile(LPCTSTR lpExistingFileName, LPCTSTR lpNewFileName, BOOL bFailIfExists); |
| <input type="radio"/> | String CopyFile(LPCTSTR lpExistingFileName, LPCTSTR lpNewFileName, BOOL bFailIfExists); |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 5

Time Left: 75 sec(s)

Which statement is true about hard copy function?

Select the correct option

[Reload Math Equations](#)

- Both the files must not be on same system volume
- Both the files must be in encrypted form.
- Creates a hard link for copy file
- Security attributes will apply on new file name

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 5

Time Left: 83 sec(s)

We use MoveFileEx() to _____ the existing file.

Select the correct option

[Reload Math Equations](#)

- Copy
- Overwrite
- Rename
- Delete

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 4 of 5

Time Left: 80 sec(s)

DeleteFile() function takes _____ parameter(s).

Select the correct option

 Reload Math Equations

- 3
- 4
- 2
- 1

Click to Save Answer & Move to Next Question

Question # 5 of 5

Time Left: 67 sec(s)

Correct syntax of MoveFile() functions is _____.

Select the correct option

 Reload Math Equations

- BOOL MoveFile(bool lpNewFileName , bool lpExistingFileName);
- BOOL MoveFile(LPCTSTR lpExistingFileName, LPCTSTR lpNewFileName);
- BOOL MoveFile(LPCTSTR lpNewFileName , LPCTSTR lpExistingFileName);
- BOOL MoveFile(bool lpNewFileName , LPCTSTR lpExistingFileName);

Click to Save Answer & Move to Next Question

Topic 25:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4

Time Left: 87 sec(s)

Return type of GetCurrentDirectory() function is _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------|
| <input checked="" type="radio"/> | DWORD |
| <input type="radio"/> | Bool |
| <input type="radio"/> | Int |
| <input type="radio"/> | String |

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 4

Time Left: 84 sec(s)

SetCurrentDirectory() function takes _____ parameter(s).

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---|
| <input type="radio"/> | 4 |
| <input type="radio"/> | 2 |
| <input type="radio"/> | 3 |
| <input checked="" type="radio"/> | 1 |

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 4

Time Left: 84 sec(s)

CreateDirectory() function takes _____ parameter(s).

Select the correct option

 Reload Math Equations

- 1
- 3
- 2
- 4


Click to Save Answer & Move to Next Question

Question # 4 of 4

Time Left: 84 sec(s)

RemoveDirectory() function takes _____ parameter(s).

Select the correct option

 Reload Math Equations

- 2
- 4
- 1
- 3

Click to Save Answer & Move to Next Question

Topic 27:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4

Time Left: 71 sec(s)

Correct syntax for create console input file is _____.

Select the correct option

[Reload Math Equations](#)

- hIn = CreateFile (_T("CONINS"), GENERIC_WRITE | GENERIC_READ, 0, \$ NULL, OPEN_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL);
- hIn = CreateFile (_T("CONOUT\$"), GENERIC_READ, \$ NULL, OPEN_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL);
- hIn = CreateFile (_T("CONINS"), GENERIC_READ | GENERIC_WRITE, 0, \$ NULL, OPEN_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL);
- hIn = CreateFile (_T("CONOUT\$"), GENERIC_READ | GENERIC_WRITE, 0, \$ NULL, OPEN_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL);

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 4

Time Left: 75 sec(s)

Return type of printMsg() function is _____.

Select the correct option

[Reload Math Equations](#)

- CHAR
- DWORD
- Bool
- WORD

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 4

Time Left: 81 sec(s)

ConsolePrompt() function takes _____ parameters.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | 4 |
| <input type="radio"/> | 2 |
| <input type="radio"/> | 5 |
| <input type="radio"/> | 3 |


Click to Save Answer & Move to Next Question

Question # 4 of 4

Time Left: 85 sec(s)

Return type of printStrings() function is _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------|
| <input type="radio"/> | Char |
| <input checked="" type="radio"/> | Bool |
| <input type="radio"/> | DWORD |
| <input type="radio"/> | WORD |

Click to Save Answer & Move to Next Question

Topic 28:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 2

Time Left: 67 sec(s)

Correct syntax of GetCurrentDirectory() function is _____.

Select the correct option

[Reload Math Equations](#)

- lenCurDir = GetCurrentDirectory (DIRNAME_LEN);
- lenCurDir = GetCurrentDirectory (pwdBuffer ,DIRNAME_LEN);
- lenCurDir = GetCurrentDirectory (pwdBuffer);
- lenCurDir = GetCurrentDirectory (DIRNAME_LEN, pwdBuffer);

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 2

Time Left: 85 sec(s)

GetCurrentDirectory() function takes _____ parameters.

Select the correct option

[Reload Math Equations](#)

- 3
- 5
- 4
- 2

[Click to Save Answer & Move to Next Question](#)

Topic 29:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 2

Time Left: 80 sec(s)

In FAT32 based system, _____ is the maximum allowed size for a single file.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------|
| <input type="radio"/> | 2^8 |
| <input checked="" type="radio"/> | 2^{32} |
| <input type="radio"/> | 2^{64} |
| <input type="radio"/> | 2^{16} |


Click to Save Answer & Move to Next Question

Question # 2 of 2

Time Left: 86 sec(s)

In NTFS based system, _____ is the maximum allowed size for a single file.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------|
| <input type="radio"/> | 2^8 |
| <input type="radio"/> | 2^{16} |
| <input checked="" type="radio"/> | 2^{64} |
| <input type="radio"/> | 2^{32} |

Click to Save Answer & Move to Next Question

Topic 30:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 2

Time Left: 85 sec(s)

SetFilePointer() will take _____ parameters.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---|
| <input type="radio"/> | 2 |
| <input type="radio"/> | 5 |
| <input type="radio"/> | 3 |
| <input checked="" type="radio"/> | 4 |

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 2

Time Left: 79 sec(s)

PLONG is a _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|----------------------------|
| <input checked="" type="radio"/> | Pointer to a long variable |
| <input type="radio"/> | String |
| <input type="radio"/> | Pointer to a string |
| <input type="radio"/> | Variable |

[Click to Save Answer & Move to Next Question](#)

Topic 31:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4

Time Left: 76 sec(s)

In setFilePointer() function, DistanceToMove parameter is placed in _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | PLARGE_INTEGER |
| <input checked="" type="radio"/> | Large_integer |
| <input type="radio"/> | Handle |
| <input type="radio"/> | Dword |

Click to Save Answer & Move to Next Question

Question # 2 of 4

Time Left: 83 sec(s)

in setFilePointer() function, lpNewFilePointer parameter is placed in a/an_____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | DWORD |
| <input type="radio"/> | Handle |
| <input checked="" type="radio"/> | PLARGE_INTEGER |
| <input type="radio"/> | Large_integer |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 4

Time Left: 84 sec(s)

There are _____ components of a LARGE integer.

Select the correct option

 Reload Math Equations

3

4

5

2


Click to Save Answer & Move to Next Question

Question # 4 of 4

Time Left: 82 sec(s)

Return type of SetFilePointerEx() is _____.

Select the correct option

 Reload Math Equations

DWORD

String

WORD

Bool

Click to Save Answer & Move to Next Question

Topic 32:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4

Time Left: 77 sec(s)

In the OVERLAPPED structure, ULONG_PTR Internal is a _____ field.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------|
| <input type="radio"/> | Integer |
| <input type="radio"/> | DWORD |
| <input checked="" type="radio"/> | Reserved |
| <input type="radio"/> | Pointer |


Click to Save Answer & Move to Next Question

Question # 2 of 4

Time Left: 85 sec(s)

Overlap structure is a structure which is defined in the _____ header file.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | everything.h |
| <input type="radio"/> | stdio.h |
| <input type="radio"/> | stdarg.h |
| <input checked="" type="radio"/> | windows.h |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 4

Time Left: 78 sec(s)

In the OVERLAPPED structure, the data type of Offset and OffsetHigh is _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------|
| <input checked="" type="radio"/> | DWORD |
| <input type="radio"/> | WORD |
| <input type="radio"/> | Int |
| <input type="radio"/> | Bool |


Click to Save Answer & Move to Next Question

Question # 4 of 4

Time Left: 85 sec(s)

In the OVERLAPPED structure, ULONG_PTR InternalHigh is a _____ field.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------|
| <input type="radio"/> | Integer |
| <input type="radio"/> | High |
| <input type="radio"/> | Pointer |
| <input checked="" type="radio"/> | Reserved |

Click to Save Answer & Move to Next Question

Topic 33:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4

Time Left: 77 sec(s)

File size can be obtained using the _____ windows API.

Select the correct option

 Reload Math Equations

- FileSizeExGet ()
- GetFileSize()
- GetFileSizeEx()
- FileSize()


Click to Save Answer & Move to Next Question

Question # 2 of 4

Time Left: 78 sec(s)

Retrun type of GetFileSizeEx() is _____.

Select the correct option

 Reload Math Equations

- Int
- Char
- Bool
- DWORD

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 4

Time Left: 81 sec(s)

To reduce the file size, we use _____ windows API.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|------------------|
| <input checked="" type="radio"/> | SetEndOfFileEx() |
| <input type="radio"/> | ChangeFileSize() |
| <input type="radio"/> | SetFileEx() |
| <input type="radio"/> | SetFileSize() |

Click to Save Answer & Move to Next Question

Question # 4 of 4

Time Left: 83 sec(s)

EOF is the short form of _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-----------------|
| <input checked="" type="radio"/> | End of file |
| <input type="radio"/> | Erase of folder |
| <input type="radio"/> | Erase of file |
| <input type="radio"/> | End of folder |

Click to Save Answer & Move to Next Question

Topic 34:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling

NASIR ABBAS

Question # 1 of 5

Time Left: 73 sec(s)

What will be next code statement, if the following *if statement* is true
if (!ReadFile(hFile, &header, sizeof (HEADER), &nXfer, &ovZero))

Select the correct option

[Reload Math Equations](#)

- ReportError (_T("RecordAccess Error: ReadFile header."), 6, TRUE);
- ReportError (_T("RecordAccess Error: Set Pointer."), 4, TRUE);
- ReportError (_T("RecordAccess Error: Set End of File."), 5, TRUE);
- ReportError (_T("RecordAccess Error: WriteFile header."), 4, TRUE);

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 5

Time Left: 70 sec(s)

What will be next code statement, if the following *if statement* is true?
if (!SetFilePointerEx (hFile, currentPtr, NULL, FILE_BEGIN))

Select the correct option

[Reload Math Equations](#)

- ReportError (_T("RecordAccess Error: WriteFile header."), 4, TRUE);
- ReportError (_T("RecordAccess Error: Set End of File."), 5, TRUE);
- ReportError (_T("RecordAccess Error: Set Pointer."), 4, TRUE);
- ReportError (_T("RecordAccess Error: ReadFile header."), 6, TRUE);

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5

Time Left: 82 sec(s)

In the RECORD structure, data type of numRecords is

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------|
| <input type="radio"/> | Int |
| <input checked="" type="radio"/> | DWORD |
| <input type="radio"/> | Bool |
| <input type="radio"/> | Double |

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 5

Time Left: 83 sec(s)

What will be next code, if the following *if* statement is true?

```
if (!WriteFile(hFile, &header, sizeof (header), &nXfer, &ovZero))
```

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---|
| <input type="radio"/> | ReportError (_T("RecordAccess Error: Set End of File."), 5, TRUE); |
| <input checked="" type="radio"/> | ReportError (_T("RecordAccess Error: WriteFile header."), 4, TRUE); |
| <input type="radio"/> | ReportError (_T("RecordAccess Error: Set Pointer."), 4, TRUE); |
| <input type="radio"/> | ReportError (_T("RecordAccess Error: ReadFile header."), 6, TRUE); |

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 5 of 5

Time Left: 73 sec(s)

In the RECORD structure, data type of numNonEmptyRecords is_____

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--------|
| <input type="radio"/> | BOOL |
| <input checked="" type="radio"/> | DWORD |
| <input type="radio"/> | Int |
| <input type="radio"/> | Double |

Click to Save Answer & Move to Next Question


Topic 35:

Question # 1 of 3

Time Left: 84 sec(s)

The number of arguments required for FindClose() API is _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | 1 |
| <input type="radio"/> | 0 |
| <input type="radio"/> | 3 |
| <input type="radio"/> | 2 |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 3

Time Left: 85 sec(s)

The field ftLastAccessTime in a WIN32_FIND_DATA structure is used to represent a time when a file was _____ time accessed.

Select the correct option

 Reload Math Equations

- First
- Last
- Closing
- Second last


Click to Save Answer & Move to Next Question

Question # 3 of 3

Time Left: 85 sec(s)

During searching files/folders, a data structure_____ is used to store the information about a found file or directory.

Select the correct option

 Reload Math Equations

- DIRECTORY_64
- WIN32_FIND_DATA
- ATTRIBUTE
- DIRECTORY_32

Click to Save Answer & Move to Next Question

Topic 36:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 3

Time Left: 80 sec(s)

CompareFileTime() API returns _____ if both the file times are equal.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----|
| <input type="radio"/> | 2 |
| <input checked="" type="radio"/> | 0 |
| <input type="radio"/> | 1 |
| <input type="radio"/> | -1 |


Click to Save Answer & Move to Next Question

Question # 2 of 3

Time Left: 76 sec(s)

Using GetFileTime() API, _____ argument(s) is/are provided.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--|
| <input type="radio"/> | Only creation time |
| <input checked="" type="radio"/> | Creation, last access, and last write time |
| <input type="radio"/> | Only last access time |
| <input type="radio"/> | Both creation and last access time |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 3

Time Left: 77 sec(s)

GetFileAttributes() API need _____ argument(s) to return the attributes of a file or directory.

Select the correct option



- 3
- 2
- 1
- 0

Click to Save Answer & Move to Next Question

Topic 38:

Question # 1 of 3

Time Left: 68 sec(s)

Temporary files are assigned an extension _____ and they are used to store _____.

Select the correct option



- .tmp, intermediate results
- .tmpe, intermediate results
- .temp, final results
- .com, intermediate results

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 3

Time Left: 82 sec(s)

Which of the following is not an argument of the TraverseDirectory() API?

Select the correct option

 Reload Math Equations

- Option for simple listing or recursive processing
- Parent path
- File creation time
- Search pattern


Click to Save Answer & Move to Next Question

Question # 3 of 3

Time Left: 78 sec(s)

Which option is incorrect when the TraverseDirectory() API is required to be use?

Select the correct option

 Reload Math Equations

- It allows both the non-recursive and recursive traversal
- It allows non-recursive traversal
- It allows recursive traversal
- Recursive and non-recursive traversal option is irrelevant

Click to Save Answer & Move to Next Question

Topic 39:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4

Time Left: 80 sec(s)

_____ is NOT a valid argument for SetFileTime() function.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------------|
| <input checked="" type="radio"/> | _T(amc) |
| <input type="radio"/> | NULL |
| <input type="radio"/> | _p(AccessTime) |
| <input type="radio"/> | pModifyTime |

Click to Save Answer & Move to Next Question

Question # 2 of 4

Time Left: 72 sec(s)

Which of the following is NOT a correct argument of options() function?

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---------|
| <input type="radio"/> | argv |
| <input checked="" type="radio"/> | _T(amg) |
| <input type="radio"/> | _T(amc) |
| <input type="radio"/> | argc |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 4

Time Left: 83 sec(s)

SetFileTime() function takes a total of _____ arguments.

Select the correct option

[Reload Math Equations](#)

- 2
- 5
- 4
- 3

[Click to Save Answer & Move to Next Question](#)

Question # 4 of 4

Time Left: 84 sec(s)

GetSystemTimeAsFileTime() function receives _____ as an argument.

Select the correct option

[Reload Math Equations](#)

- File object
- File array
- File pointer
- File handle

[Click to Save Answer & Move to Next Question](#)

Topic 40:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 3

Time Left: 85 sec(s)

In Microsoft's UNIX library, all I/O functions are named with _____ prefix.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|------------|
| <input type="radio"/> | Semicolon |
| <input checked="" type="radio"/> | Underscore |
| <input type="radio"/> | Colon |
| <input type="radio"/> | Dot |

Click to Save Answer & Move to Next Question

Question # 2 of 3

Time Left: 70 sec(s)

For file processing, Windows provides a proprietary function called _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-----------|
| <input type="radio"/> | Pseek() |
| <input type="radio"/> | Pseek64() |
| <input type="radio"/> | Fseek() |
| <input checked="" type="radio"/> | Fseek64() |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 3

Time Left: 82 sec(s)

The fseek() C library function uses_____ bit file position.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----|
| <input checked="" type="radio"/> | 32 |
| <input type="radio"/> | 8 |
| <input type="radio"/> | 16 |
| <input type="radio"/> | 64 |

Click to Save Answer & Move to Next Question

Topic 40:

Question # 1 of 2

Time Left: 81 sec(s)

File lock can be _____ or _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------------------------|
| <input type="radio"/> | Read-locked, Write-only |
| <input type="radio"/> | Read-only, Write-only |
| <input checked="" type="radio"/> | Read-only, Read-write |
| <input type="radio"/> | Read-only,Write-locked |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 2

Time Left: 86 sec(s)

In LockFileEx() function, the OVERLAPPED data structure contains _____ data members.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | 3 |
| <input type="radio"/> | 2 |
| <input type="radio"/> | 5 |
| <input type="radio"/> | 4 |

Click to Save Answer & Move to Next Question


Topic 43:

Question # 1 of 3

Time Left: 77 sec(s)

Before encountering a/an _____ lock, the read or write operation can complete its request partially.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------------------------|
| <input checked="" type="radio"/> | Conflicting lock |
| <input type="radio"/> | Mutually exclusive lock |
| <input type="radio"/> | Shared lock |
| <input type="radio"/> | Exclusive lock |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 3

Time Left: 80 sec(s)

The read operation does not conflict with the _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-------------------------|
| <input type="radio"/> | Remove operation |
| <input type="radio"/> | Existing exclusive lock |
| <input type="radio"/> | Write operation |
| <input checked="" type="radio"/> | Existing shared lock |

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 3

Time Left: 82 sec(s)

If process-A has a shared lock on a file, and process-B tries to read without a shared lock then the read attempt will _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|----------------------|
| <input type="radio"/> | Return a shared lock |
| <input checked="" type="radio"/> | Succeed |
| <input type="radio"/> | Fail |
| <input type="radio"/> | Return exception |

[Click to Save Answer & Move to Next Question](#)

Topic 45:(pre assessment)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 2

Time Left: 84 sec(s)

Programmers usually access Windows build number through -----.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------------|
| <input checked="" type="radio"/> | Windows API |
| <input type="radio"/> | REST API |
| <input type="radio"/> | Web API |
| <input type="radio"/> | Web sockets |


Click to Save Answer & Move to Next Question

Question # 2 of 2

Time Left: 79 sec(s)

Information about ----- is not present in the registry file.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | Processor |
| <input type="radio"/> | Chipset |
| <input checked="" type="radio"/> | Power Supply |
| <input type="radio"/> | Memory |

Click to Save Answer & Move to Next Question

Topic 45:(post assessment)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5

Time Left: 67 sec(s)

Programmers usually access Windows build number through _____.

Select the correct option

 Reload Math Equations

- Web sockets
- REST API
- Web API
- Windows API

Click to Save Answer & Move to Next Question

Question # 2 of 5

Time Left: 82 sec(s)

_____Information is present in the registry HKEY_CURRENT_CONFIG.

Select the correct option

 Reload Math Equations

- Processor make
- Display size
- Display resolution
- Memory amount

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5

Time Left: 83 sec(s)

The registry HKEY_CURRENT_USER does NOT contains _____ information.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------------------------|
| <input checked="" type="radio"/> | System fonts |
| <input type="radio"/> | Environment variables |
| <input type="radio"/> | Application preferences |
| <input type="radio"/> | Printers |


Click to Save Answer & Move to Next Question

Question # 4 of 5

Time Left: 86 sec(s)

The registry HKEY_LOCAL_MACHINE stores _____ information about the machine.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-----------|
| <input checked="" type="radio"/> | Physical |
| <input type="radio"/> | Protected |
| <input type="radio"/> | Logical |
| <input type="radio"/> | Private |

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 5 of 5

Time Left: 84 sec(s)

UNIX system stores information in _____ directory similar to the registry entry.

Select the correct option

 Reload Math Equations

- /reg
- /etc
- /root
- /keys

Click to Save Answer & Move to Next Question

Topic 47:(pre assessment)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 2

Time Left: 76 sec(s)

The RegOpenKeyEx() function opens a named _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------|
| <input type="radio"/> | Key |
| <input type="radio"/> | List |
| <input type="radio"/> | Instance |
| <input checked="" type="radio"/> | Subkey |


Click to Save Answer & Move to Next Question

Question # 2 of 2

Time Left: 85 sec(s)

The function RegCreateKeyEx() has _____ parameters.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---|
| <input type="radio"/> | 8 |
| <input type="radio"/> | 6 |
| <input type="radio"/> | 7 |
| <input checked="" type="radio"/> | 9 |

Click to Save Answer & Move to Next Question

Topic 47: (post assessment)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5

Time Left: 78 sec(s)

RegSetValueEx() function is used to set the data of a _____ value.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------|
| <input type="radio"/> | Fixed |
| <input type="radio"/> | Final |
| <input checked="" type="radio"/> | Named |
| <input type="radio"/> | Static |

[Click to Save Answer & Move to Next Question](#)

Question # 2 of 5

Time Left: 82 sec(s)

The function RegCreateKeyEx() has _____ parameters.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---|
| <input type="radio"/> | 7 |
| <input checked="" type="radio"/> | 9 |
| <input type="radio"/> | 6 |
| <input type="radio"/> | 8 |

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5

Time Left: 82 sec(s)

The RegOpenKeyEx() function opens a named _____.

Select the correct option

 Reload Math Equations

- Key
- Subkey
- List
- Instance


Click to Save Answer & Move to Next Question

Question # 4 of 5

Time Left: 80 sec(s)

IsReg() function processes registry keys rather than _____ and _____.

Select the correct option

 Reload Math Equations

- Directories, key-value pairs
- Key-value pairs, files
- Directories, files
- Key-value pairs, properties

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 5 of 5

Time Left: 73 sec(s)

----- function enumerates subkey names of an open registry key.

Select the correct option

[Reload Math Equations](#)

- RegEnumKeyEx()
- RegOpenKey()
- RegEnumKey()
- RegOpenKeyEx()

[Click to Save Answer & Move to Next Question](#)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS