

CS-610 Computer Network Update MCQS For Quiz-2 File Solve By Vu Topper RM

85% To 100% Marks

وَتَعَزُّ مِنْ تَشَاءٍ وَتَذَلُّ مِنْ تَشَاءٍ



PROFESSIONAL & ONLINE ACADEMY



**NOTHING IS
IMPOSSIBLE**

All Paid Services

- ❖ LMS Handling
- ❖ Important Notes
- ❖ Online Classes
- ❖ Projects
- ❖ Assignments
- ❖ Quiz
- ❖ GDB's

JOIN US NOW

For More Info
Contact us at:

Rizwan Manzoor

📞 0322-4021365

Which is the incorrect statement about 'Bridge'?

A. Bridges do not recognize frame formats, they just amplify and retransmit the electrical signal.

B. A bridge listens to all traffic and recognizes frame format.

C. A bridge uses two NICs to connect two segments.

D. A bridge is more intelligent than repeater.

Question No:1

(Marks:1)

Vu-Topper RM

Uses counter rotating rings in which data flows in opposite directions.

A. FDDI Page 31

B. IBM

C. DMS

Question No:2

(Marks:1)

Vu-Topper RM

The Ethernet speed was originally 3Mbps, and the current standard is the fast Ethernet operates at 100Mbps.

A. 10Mbps Page27

B. 20Mbps

C. 30mbps

Question No:3

(Marks:1)

Vu-Topper RM

Mapping between a protocol address and a hardware address is called

A. Segmentation

B. Hashing

C. Fragmentation

D. Address Resolution Page 93

Question No:4

(Marks:1)

Vu-Topper

RM

Protocols of TCP/IP layering model specify how to organize data into frame and how a computer transmits frames over a network.

A. Session

B. Internet Layer

C. Network interface layer

D. Internet Layer

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:5

(Marks:1)

Vu-Topper

RM

In Closed-form computation, the protocol address assigned to a computer is chosen carefully so that computer's hardware address can be computed from the protocol address using basic Boolean and operations.

A. Arithmetic Page 94

B. XOR

C. Shift

Question No:6

(Marks:1)

Vu-Topper

RM

As the Internet grew, the original Classful addressing scheme became a limitation. The IP address space was being exhausted because all networks had to choose one of possible sizes.

A. One

B. Two

C. Three Page 90

Question No:7

(Marks:1)

Vu-Topper RM

Dotted decimal notation is a syntactic form the IP software uses to express binary values when interacting with humans.

A. 32-bit Page 87

B. 16-bit

C. 8-bit

Question No:8

(Marks:1)

Vu-Topper RM

_____ protocols of TCP/IP layering model specify how to ensure reliable transfer.

A. Physical Layer

B. Internet Layer

C. Network Interface Layer

D. Transport Layer

Question No:9

(Marks:1)

Vu-Topper RM

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

In the IP address---identifies an individual computer on the network.

A. Prefix

B. Suffix **Page 85**

C. Mux

D. Demux

Question No:10

(Marks:1)

Vu-Topper RM

Internet protocol (IP) address version 4 is comprised of --- bits.

A. 48

B. 32

C. 24

Question No:11

(Marks:1)

Vu-Topper RM

A separate table is used for each physical network. bit-binding

A. Checksum

B. CRC

C. Bit-binding

D. Address-binding

Question No:12

(Marks:1)

Vu-Topper RM

Inside a computer, each address mask is stored as a --- value.

A. 32 **Page 91**

B. 48

C. 36

Question No:13

(Marks:1)

Vu-Topper RM

Dotted decimal represents each octet in _____ and uses a dot to separate octets.

A. Octal

B. binary

C. Decimal **Page 87**

D. hexadecimal

Question No:14

(Marks:1)

Vu-Topper RM

_____ of TCP/IP Protocol Suit specifies the format of packets sent across Internet as well as the mechanisms used to forward packets.

A. Physical Layer

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. Transport Layer
- C. Data Link Layer
- D. Internet Layer**

Question No:15 (Marks:1) **Vu-Topper RM**

The IP class scheme does not divide the address space into equal size class and the classes do not contain the same number of networks.

A. 32-bit **Page 88**

- B. 16-bit
- C. 8-bit

Question No:16 (Marks:1) **Vu-Topper RM**

TCP/IP protocol suit defines the basic characteristics of network hardware.

A. Physical Layer

- B. Data Link Layer
- C. Internet Layer

Question No:17 (Marks:1) **Vu-Topper RM**

The protocol address of the next hop must be _____ to an equivalent hardware address before a packet can be sent.

- A. Encrypted
- B. Decrypted
- C. Segmented

D. Translated **Page 93**

Question No:18 (Marks:1) **Vu-Topper RM**

Address Resolution Protocol is mostly used to bind a 32-bit IP address to an _ Ethernet address.

- A. 16-bit
- B. 48-bit**
- C. 64-bit

Question No:19 (Marks:1) **Vu-Topper RM**

TCP/IP defines the term to refer any computer system that connects to a

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

network and runs applications for users.

A. Router

B. Host computer **Google**

C. Bridge

Question No:20

(Marks:1)

Vu-Topper RM

There are two standard implementations to improve computational efficiency:

A. Hashing and Direct indexing **Page 94**

B. Segmentation and Fragmentation

C. Queuing and Packetizing

D. Indexing and Framing

Question No:21

(Marks:1)

Vu-Topper RM

In the IP address identifies the physical network to which the computer is attached.

A. PREFIX **Page 85**

B. SUFFIX

C. Mux

Question No:22

(Marks:1)

Vu-Topper RM

In Cyclic Redundancy Checking, CRC is _____.

A. Divisor

B. Quotient

C. Remainder **Page 20**

D. Dividend

Question No:23

(Marks:1)

Vu-Topper RM

The satellite or radio topology in which all computers are connected to each other via satellite or radio wave is a kind of

A. Broadcast network **Page 5**

B. Point-to-Point network

C. Many-to-One network

D. Face-to- Face network

Question No:24

(Marks:1)

Vu-Topper RM

Which of the following two operations are performed by Ethernet CD?

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

- A. Packet Switch
- B. Exterior Switch
- C. Interior Switch**
- D. External Switch

Page 59

ok

Question No:29

(Marks:1)

Vu-Topper RM

_____ is the most popular wiring scheme because of lowest cost.

- A. 5 Base T
- B. 10 Base T**
- C. 100 base T
- D. 1000 base T

Page 43

Question No:30

(Marks:1)

Vu-Topper RM

In _____ technique, all members of the network can send data only on the specific time slot?

- A. CDMA
- B. FDMA
- C. CSMA**
- D. TDMA

Page 43

Question No:31

(Marks:1)

Vu-Topper RM

If a sender with a 100 Megabit NIC and receiver with 10 Megabit NIC wants to communicate with each other at which speed they can communicate?

- A. 110 Megabit
- B. 1000 Megabit
- C. 10 Megabit
- D. 100 Megabit**

Page 40

Question No:32

(Marks:1)

Vu-Topper RM

Missing _____ in a frame format indicates receiving computer missed beginning of the message.

- A. eot
- B. sot
- C. eoh
- D. soh**

Page 16

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:33

(Marks:1)

Vu-Topper RM

The _____ of errors is easier than the _____ of errors.

- A. Correction; detection
- B. Correction; creation
- C. Detection; manipulation

D. Detection; correction

Google

Question No:34

(Marks:1)

Vu-Topper RM

The _____ of errors is difficult than the _____ of errors.

- A. Detection; correction
- B. Correction; creation
- C. Detection; manipulation

D. Correction; detection

Google

Question No:35

(Marks:1)

Vu-Topper RM

Source Independence phenomenon allows fast and efficient _____.

- A. Source Addressing
- B. Routing

C. Packet Switching

Page 58

D. Store and forward

Question No:36

(Marks:1)

Vu-Topper RM

In distributed route computation process each packet switch computes its routing table locally and sends messages to the_____.

- A. Router
- B. Graph

C. Neighbors

Page 63

ok

D. WAN

Question No:37

(Marks:1)

Vu-Topper RM

The ___ layer of the OSI model takes the data from the physical layer and perform error checking.

A. Transport

B. Data link

Google

C. Application

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

D. Presentation

Question No:38 (Marks:1) **Vu-Topper RM**

CBR stands for_____.

A. Constant Byte Rate

B. Constant Bit Rate Page 71 ok

C. Connection break Recovery

D. Constant Borrow Rate

Question No:39 (Marks:1) **Vu-Topper RM**

VBR stands for _____.

A. Variable Byte Rate

B. Variable Bit Rate Page 71

C. Variable break Recovery

D. Variable borrow Rate

Question No:40 (Marks:1) **Vu-Topper RM**

ABR stands for.....

A. Available Byte Rate

B. Available Bit Rate Page 71 ok

C. Available break Recovery

D. Available Borrow Rate

Question No:41 (Marks:1) **Vu-Topper RM**

A network that uses _____ usually consist of a single long cable to which computer attach.

A. Star Topology

B. Ring Topology

C. Bus Topology Page 26

D. Bus and Ring Topology

Question No:42 (Marks:1) **Vu-Topper RM**

If simultaneous transmission occurs, the frames interfere with each other and this phenomenon is called _____.

A. packet loss

B. collision Page 28

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

For More Help Contact What's app 03224021365

- C. delayed transmission
- D. coordination

Question No:43

(Marks:1)

Vu-Topper RM

In _____ all computers are attached to a central hub.

A. Ring topology

B. Star topology

Page 31

C. Hub topology

D. Bus topology

Question No:44

(Marks:1)

Vu-Topper RM

For adding a new computer in a point-to-point network _____ new connection will be required

A. N

B. N-1 **Page 23**

C. N-2

D. 2N

Question No:45

(Marks:1)

Vu-Topper RM

The fastest Ethernet hardware operates at a rate of _____

A. 1000 bps

B. 100 Mbps **Page 27**

C. 10 Mbps

D. 1000 Mbps

Question No:46

(Marks:1)

Vu-Topper RM

Which of the following the benefit to point to point communication?

A. Quick to configure

B. Security implementation **Page 23**

C. Cost

D. Less availability

Question No:47

(Marks:1)

Vu-Topper RM

ATM offers _____ speed and _____ delay

بري صحبت سے تتهائي بهتر ہے اور تتهائي سے نيک صحبت بهتر ہے

For More Help Contact What's app 03224021365

A. High, High

B. High, low

Page 72

C. Low, low

D. Low, high

Question No:48

(Marks:1)

Vu-Topper RM

Thick Ethernet is known as _____

A. 10 Base 2

B. 10 Base 5

Google

C. 10 Base T

D. 10 Base 10

Question No:49

(Marks:1)

Vu-Topper RM

Both interior and exterior switches _____ packets and they also need routing tables.

A. Create

B. Delay

C. Forward

Page 59

ok

D. Start

Question No:50

(Marks:1)

Vu-Topper RM

_____ is the rate at which data can be sent through the network

A. Throughput

Page 79

B. Propagation delay

C. Access delay

D. Switching delay

Question No:51

(Marks:1)

Vu-Topper RM

In a ping command, small –sized information packets of _____ are sent.

A. TCP

B. UDP

C. ICMP

Page 11

D. IGMP

Question No:52

(Marks:1)

Vu-Topper RM

Many WANs use _____ addressing for efficiency.

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

A. Sequence

B. Forward

C. Hierarchical Page 56 ok

D. Sequential

Question No:53

(Marks:1)

Vu-Topper RM

Which of the following is not a function of ping commends?

A. Local computer network issue

B. Congestion in the network

C. Relay nodes Page 11

D. Remote host availability

Question No:54

(Marks:1)

Vu-Topper RM

Packet switched can be linked together to form a _____

A. LAN

B. WAN Page 56

C. Bridge

D. None

Question No:55

(Marks:1)

Vu-Topper RM

Fixed network is a type of networks which is classified with respect to the.....factor

A. Size

B. Connectivity

C. Medium

D. Mobility Page 6

Question No:56

(Marks:1)

Vu-Topper RM

Parity bit can detect _____ error(s)

A. 4

B. 3

C. 2 Page 19

D. 1

Question No:57

(Marks:1)

Vu-Topper RM

When we will try to connect to the internet which of the following

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

protocol will be used?

A. Telnet

B. TCP/IP Page 84

C. ICMP

D. IPx

Question No:58

(Marks:1)

Vu-Topper RM

How many computers are mandatory to form a network?

A. 1

B. 2 Google

C. 4

D. 8

Question No:59

(Marks:1)

Vu-Topper RM

_____ is standard wireless LAN that uses radio signals at 2.4GHz.

A. IEEE 803.16

B. IEEE 802.15

C. IEEE 802.3

D. IEEE 802.11 Page 29

Question No:60

(Marks:1)

Vu-Topper RM

LAN interface hardware obeys _____ access rule.

A. CSMA/CD Page 34

B. Round robin

C. First come first served

D. High priority

Question No:61

(Marks:1)

Vu-Topper RM

The most important task a bridge performs is _____.

A. Packet switching

B. Line controlling

C. Noise controlling

D. Frame filtering Page 50 ok

Question No:62

(Marks:1)

Vu-Topper RM

ATM uses small, fixed-sized packets called cells and each cell has _____ octets.

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

A. 47

B. 52

C. 53 **Page 66** **ok**

D. 55

Question No:63 **(Marks:1)** **Vu-Topper RM**

_____ can't be guaranteed with variable length packets as easily as it can with fixed length cells.

A. Errors

B. Noise

C. Quality of Service **Page 72** **ok**

D. None of the given

Question No:64 **(Marks:1)** **Vu-Topper RM**

Which multiplexing technique transmits digital signals?

A. WDM

B. FDM

C. TDM **Page 15**

D. GSM

Question No:65 **(Marks:1)** **Vu-Topper RM**

Connections in Asynchronous transfer mode are called_____.

A. Virtual channels **Page 67** **ok**

B. Virtual Path Identifier

C. Cells

D. Cell tax

Question No:66 **(Marks:1)** **Vu-Topper RM**

A _____ is a device that combines multiple signals and forwards into a single line.

A. Modem

B. Multiplexer **Page 41**

C. Repeater

D. Layer 3 Switch

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:67

(Marks:1)

Vu-Topper RM

_____ is inflexible.

- A. Routing
- B. Searching
- C. Processing

D. Static routing

Page 62

Question No:68

(Marks:1)

Vu-Topper RM

If a hub is used to connect many computers in a LAN, then only _____ computers can communicate at a given time.

A. Three

B. Two

Page 54

ok

C. Four

D. One

Question No:69

(Marks:1)

Vu-Topper RM

_____ is the term used for variance in transmission delays.

A. Friction

B. Segment

C. Checksum

D. Jitter

Page 66

ok

Question No:70

(Marks:1)

Vu-Topper RM

_____ is also called self healing network.

A. ATM

B. FDDI

C. Token Ring

D. Frame relay

Page 46

Question No:71

(Marks:1)

Vu-Topper RM

_____ are the two frame types.

A. Internal and external

B. Single and dual

C. Implicit and explicit

D. Multicast and broadcast

Page 35

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:72

(Marks:1)

Vu-Topper RM

Bluetooth uses shared medium and _____ instead of coaxial cable.

A. Radio waves

Page 29

B. Infrared waves

C. Micro waves

D. Low frequency waves

Question No:73

(Marks:1)

Vu-Topper RM

A. Which of the following is not a guided medium?

B. Twisted pair cable

C. Fiber-optic cable

D. Atmosphere

Google

E. Coaxial cable

Question No:74

(Marks:1)

Vu-Topper RM

As a result of ARPA research, the first network was established which was named as _____.

A. INTERNETWORKING

B. ARPNET

C. ARPANET

Page 9

D. PACKET NETWORK

Question No:75

(Marks:1)

Vu-Topper RM

Asynchronous transfer mode (ATM) can dynamically establish a_____.

A. Switched virtual circuit

Page 70

B. Virtual connection identifier

C. Virtual path indicator

D. None of the given options

Question No:76

(Marks:1)

Vu-Topper RM

A typical port on an ATM switch operates at _____ or higher.

A. OC-2 speed (155Gbps)

B. OC-2 speed (1000Mbps)

C. OC-3 speed (155Mbps)

Page 72

ok

D. OC-3 speed (100Gbps)

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:77

(Marks:1)

Vu-Topper RM

10Base-T Ethernet is often called a _____.

- A. ring shaped star
- B. ring shaped bus
- C. star shaped bus**
- D. star shaped ring

Page 46

Question No:78

(Marks:1)

Vu-Topper RM

_____ allows automatic updates.

- A. Dynamic routing**
- B. Static routing
- C. Routing
- D. Default routing

Page 62

Question No:79

(Marks:1)

Vu-Topper RM

Handling variable length packets leads to memory _____.

- A. Fragmentation**
- B. Management
- C. Location
- D. Allocation

Page 72

ok

Question No:80

(Marks:1)

Vu-Topper RM

In order to forward a copy of frame, the bridge uses _____ address.

- A. Network
- B. Destination**
- C. IP
- D. Source

Page 51

ok

Question No:81

(Marks:1)

Vu-Topper RM

We may use _____ to extend local area network.

- A. Bridge, Router
- B. Bridge, Hub, Router
- C. Bridge, Hub, Repeater**
- D. Bridge, Hub, Repeater, Router

Page 149

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:82

(Marks:1)

Vu-Topper RM

All of the given options are the types of delay except _____.

- A. Propagation
- B. Access
- C. Throughput**
- D. Queuing

Page 79

Question No:83

(Marks:1)

Vu-Topper RM

While computing shortest path in a graph, next hop information is inserted into_____.

- A. Routing table**
- B. Trailer
- C. Header
- D. Register

Page 62

ok

Question No:84

(Marks:1)

Vu-Topper RM

LAN interface uses _____ to copy frame data directly from main memory.

- A. DMA**
- B. FDDI
- C. Hard disk
- D. Flash

Page 34

Question No:85

(Marks:1)

Vu-Topper RM

The Gigabit Ethernet hardware operates at a rate of _____.

- A. 10 Mbps
- B. 100 Mbps
- C. 1000 Mbps**
- D. 1000 Gbps

Page 263

Question No:86

(Marks:1)

Vu-Topper RM

In the early resource sharing era, which resources were shared among users?

- A. Computation**
- B. Floppy Drives

Page 9

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C. Hard Disk
- D. Printers

Question No:87 (Marks:1) **Vu-Topper RM**

If two buildings are located far from each other then bridge, and ____ can be used to connect two LAN.

A. Optical fiber **Page 51**

- B. Ethernet modem
- C. Switch
- D. NIC

Question No:88 (Marks:1) **Vu-Topper RM**

Which type of network consists of wireless connection of laptops in a university classroom?

- A. WAN
- B. MAN
- C. Fog

D. LAN **Google**

Question No:89 (Marks:1) **Vu-Topper RM**

A typical bridge has _____.

A. One NIC, a CPU a memory and a ROM.

B. Two NICs, a CPU a memory and a ROM. **Page 50 ok**

C. RAM, ROM and CPU.

D. A cache memory, ROM and CPU.

Question No:90 (Marks:1) **Vu-Topper RM**

_____ is used for compressed audio and video, where the data rate depends on the level of compression that can be achieved.

- A. Constant Bit Rate
- B. Stable Bit Rate

C. Variable Bit Rate **Page 71 ok**

D. Available Bit Rate

Question No:91 (Marks:1) **Vu-Topper RM**

There are _____ types of data stuffing.

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

A. 1

B. 2 Page 17

C. 0

D. 5

Question No:92 (Marks:1) Vu-Topper RM
Dijkstra's algorithm can accommodate weights on _____ in graph.

A. Nodes Page 62 ok

B. Edges

C. Path

D. Connections

Question No:93 (Marks:1) Vu-Topper RM
_____ masks your IP address.

A. Firewall

B. Antivirus

C. VPN Conceptual

D. Incognito mode

Question No:94 (Marks:1) Vu-Topper RM
Static routing computes routing table information at _____ time.

A. Load

B. Boot Page 62

C. Execute

D. One

Question No:95 (Marks:1) Vu-Topper RM
_____ was the first automated tool required to see whether the given computer is online or not.

A. Probing program

B. PING program

C. status program

D. None Page 11

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:96

(Marks:1)

Vu-Topper RM

In which type of error detection, the arithmetic sum is calculated before and after the transmission of data at both communication ends?

A. CRC

B. Parity

C. Checksum

Page 19

D. Hash Function

Question No:97

(Marks:1)

Vu-Topper RM

Computer sends a connection request to the _____ to which it is attached while establishing a switched virtual circuit.

A. Bridge

B. Switch

Page 70

ok

C. VPI

D. Virtual circuit

Question No:98

(Marks:1)

Vu-Topper RM

The bridges communicate with each other on the network and use _____ algorithm to decide which bridge will not forward frames if a cycle occurs.

A. Dijkstra

B. Shortest path first

C. Vector distance

D. Distributed Spanning Tree

Page 53

ok

Question No:99

(Marks:1)

Vu-Topper RM

Ethernet uses a _____ bit static addressing scheme in which each device is assigned a unique address by the manufacturer.

A. 64

B. 48

Page 109

C. 32

D. 16

Question No:100

(Marks:1)

Vu-Topper RM

Weights on graph edges reflect cost of _____.

A. Nodes

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

B. Traversing edge

Page 63

ok

C. Trending edge

D. Path

Question No:101

(Marks:1)

Vu-Topper RM

A _____ relies on the hardware manufacturer to assign a unique physical address to each network interface.

A. Static addressing scheme

Page 34

B. Configurable addressing scheme

C. Dynamic addressing scheme

D. None of the given

Question No:102

(Marks:1)

Vu-Topper RM

In _____ topology, if the switch goes down all the computers will be disconnected.

A. Star

Google

B. Ring

C. Bus

D. Mesh

Question No:103

(Marks:1)

Vu-Topper RM

Which type of network consists of wired computers in a university classroom?

A. MAN

B. PAN

C. WAN

D. LAN

Google

Question No:104

(Marks:1)

Vu-Topper RM

If you as a network administrator want to know the traffic flow of your data while communicating with a remote computer which of the following will be used to know about intermediate routers?

A. Ipconfig

B. Ping

Page 11

C. Traceroute

D. Arp

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:105

(Marks:1)

Vu-Topper RM

Hardware address is also called_____.

A. Physical address

Google

B. Logical address

C. IP address

D. Port address

Question No:106

(Marks:1)

Vu-Topper RM

Thick Ethernet also requires _____to avoid signal reflectance.

A. Transceivers

B. AUI cable

C. Drop cable

D. Terminators

Page 41

Question No:107

(Marks:1)

Vu-Topper RM

Which of the following network is using the TCP/IP model globally?

A. PAN

B. SAN

C. LAN

D. The Internet

Google

Question No:108

(Marks:1)

Vu-Topper RM

VPNs connections are sometimes called _____.

A. Tunnels

Page 75

B. Open networking

C. Routing

D. Public network

Question No:109

(Marks:1)

Vu-Topper RM

To reduce_____, computers can be connected and distributed to a number of hubs, then the hubs can be connected to a switch.

A. Costs

Page 54

B. Quality

C. Efficiency

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. Noise

Question No:110

(Marks:1)

Vu-Topper RM

If a _____ is used, the communication between two computers will not affect the other pair of computers and they can communicate at the same time.

A. Hub

B. Switch **Page 54**

C. Repeater

D. Amplifier

Question No:111

(Marks:1)

Vu-Topper RM

The length of hardware address is _____.

A. One to ten bytes

B. One to five bytes

C. One to six bytes **Page 34**

D. One to seven bytes

Question No:112

(Marks:1)

Vu-Topper RM

A network analyzer is also called _____.

A. Network manager

B. Network administrator

C. Network monitor **Page 37**

D. Network

Question No:113

(Marks:1)

Vu-Topper RM

No any error detection scheme is perfect because transmission errors can affect _____.

A. Data

B. Additional Information

C. Additional information & data **Google**

D. Transmission medium

Question No:114

(Marks:1)

Vu-Topper RM

The token ring network topology is a ring but wiring topology is a _____.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

A. Star

Page 44

B. bus

C. tree

D. mesh

Question No:115

(Marks:1)

Vu-Topper RM

_____ addresses are used in an ethernet frame.

A. IP

Page 99

B. Port

C. Logical

D. MAC

Question No:116

(Marks:1)

Vu-Topper RM

AUI cable connects from NIC to_____.

A. BNC Connector

B. RJ-45 Connector

C. Transceiver

Page 41

D. Terminator

Question No:117

(Marks:1)

Vu-Topper RM

Public networks are _____.

A. More secure than LAN

B. Flexible

Page 74

ok

C. Limited in boundary

D. Intranet

Question No:118

(Marks:1)

Vu-Topper RM

The maximum cable length of a LAN is fixed because

_____.

A. Additional hardware are not suitable for the LAN extension.

B. The electrical signal level gets weaker as it travels. Page 48 ok

C. Additional software are not suitable for the LAN extension

D. The electrical signal level gets stronger as it travels.

Question No:119

(Marks:1)

Vu-Topper RM

In _____ network topology is separated from route computation.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

A. Local area

B. Link-state routing Page 64

C. Static routing

D. Dynamic routing

Question No:120

(Marks:1)

Vu-Topper RM

Which layer of the OSI Model directly communicates and controls the transmission medium:

A. Transmission

B. Physical Google

C. Application

D. Network

Question No:121

(Marks:1)

Vu-Topper RM

In _____ technique data is treated as a sequence of integers and their arithmetic sum is computed and the carry bits are added to the final sum.

A. CRC

B. Bit stuffing

C. Checksum Page 19

D. 2D Parity

Question No:122

(Marks:1)

Vu-Topper RM

A network with _____ jitter takes more time to deliver some packets than others.

A. Zero

B. High Page 80

C. Low

D. Moderate

Question No:123

(Marks:1)

Vu-Topper RM

A network uses _____ to arrange computers in a single closed loop.

A. Star Topology

B. Mesh Topology

C. Ring Topology Page 25

D. Bus Topology

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:124

(Marks:1)

Vu-Topper RM

Which of the following tasks is not done by the second layer of the OSI model?

A. Flow control

B. Framing

C. Channel coding

Google

D. Error control

Question No:125

(Marks:1)

Vu-Topper RM

ATM is a single technology designed to meet the goals of both

_____.

A. LAN & PAN

B. LAN & WAN

Page 66

ok

C. LAN & MAN

D. MAN & WAN

Question No:126

(Marks:1)

Vu-Topper RM

LAN and WAN are classified according to their.....

A. Size

Page 4

B. Connectivity

C. Medium

D. Mobility

Question No:127

(Marks:1)

Vu-Topper RM

The identifier that is used for data transfer in the virtual circuit network is called _____.

A. Virtual circuit identifier

Google

B. Global address

C. Network identifier

D. IP identifier

Question No:128

(Marks:1)

Vu-Topper RM

In Direct point to point communication adding the Nth computer requires ----- new connections.

A. N^2

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

B. N-1

C. $(N^2 - N)/2$

Page 23

D. N (N-1)

Question No:129

(Marks:1)

Vu-Topper RM

Which of the following is the correct function of bridge?

A. MTU path discovery

B. Byte stuffing

C. Routing information

D. Filtering and forwarding a frame

Page 50

ok

Question No:130

(Marks:1)

Vu-Topper RM

Point to point topology is-----

A. Size based

B. Mobility based

C. Connectivity based

Page 5

D. Medium based

Question No:131

(Marks:1)

Vu-Topper RM

IEEE LLC / SNAP header is __ which is used to specify the type of data.

A. 8 octets

Google

B. 16 octets

C. 32 octets

D. 64 octets

Question No:132

(Marks:1)

Vu-Topper RM

IEEE LLC / SNAP header is _____ which is used to specify the type of data.

A. CRC

B. Bit stuffing

C. Checksum

Google

D. 2D Parity

Question No:133

(Marks:1)

Vu-Topper RM

What is the largest network in existence?

A. The internet

Google

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. A PAN
- C. A Fog
- D. Edge Network

Question No:134 (Marks:1) **Vu-Topper RM**

The frame format of any LAN technology must consists of _____ and _____.

- A. Payload and CRC
- B. Frame header and CRC
- C. Payload and Frame type

D. Frame header and payload

Page 36

Question No:135 (Marks:1) **Vu-Topper RM**

_____ can occur in LANs when a packet is delayed because the network is busy.

A. Jitter

Page 66

ok

- B. Loop
- C. Deadlock
- D. Variance

Question No:136 (Marks:1) **Vu-Topper RM**

Which of the following cannot be used to extend a LAN?

- A. Repeaters
- B. Switches
- C. Routers

D. Fiber modems

Google

Question No:137 (Marks:1) **Vu-Topper RM**

Links-state algorithm is used in _____

- A. RIP
- B. IGRP
- C. RIPv2

D. OSPF

Page 64

Question No:138 (Marks:1) **Vu-Topper RM**

According to size, there are ___ classifications of networks

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

A. 2

Page 2

B. 3

C. 4

D. 5

Question No:139

(Marks:1)

Vu-Topper RM

In which topology terminators are used at the end of the cable?

A. Star

B. Bus

Google

C. Ring

D. Mesh

Question No:140

(Marks:1)

Vu-Topper RM

Switch simulates a _____ LAN connecting segments

A. Single

B. Single shared

C. Bridged

Page 54

D. Complex

Question No:141

(Marks:1)

Vu-Topper RM

PVS stands for _____

A. Permanent virtual circuit

Page 69

B. Private virtual circuit

C. Public virtual circuit

D. Plastic virtual circuit

Question No:142

(Marks:1)

Vu-Topper RM

Hardware that calculates a CRC used two simple components _____

A. AND unit and XOR Unit

B. Shift register and XOR unit

Page 20

C. Shift register & AND unit

D. Shift register and Shift XCR unit

Question No:143

(Marks:1)

Vu-Topper RM

Thin ethernet is known as _____

A. 10 base 2

Google

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

For More Help Contact What's app 03224021365

- B. 10 base 5
- C. 10 base T
- D. All

Question No:144 (Marks:1) **Vu-Topper RM**

If a sender with a 1 Gigabit NIC and receiver with 100 Megabit NIC wants to communicate with each other than at which speed they can communicate

- A. 11 Megabit
- B. 100 Megabit**
- C. 1 Gigabit
- D. Gigabit

Google

Question No:145 (Marks:1) **Vu-Topper RM**

_____ is used as an alternative of packet for a specific computer network technology

- A. Datum
- B. Token
- C. Ether

D. Frame

Page 14

Question No:146 (Marks:1) **Vu-Topper RM**

The sharing of a medium and its link by two or more devices is called _

- A. Modulation
- B. Encoding
- C. Multiplexing**
- D. Line discipline

Google

Question No:147 (Marks:1) **Vu-Topper RM**

The topology each computer is connected to a central hub is called

- A. Ring topology
- B. Star topology**
- C. Tree topology
- D. Mesh topology

Page 5

Question No:148 (Marks:1) **Vu-Topper RM**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Asynchronous transfer mode (ATM) is designed to work on fiber but can be used with _____.

A. Wireless

B. Twisted pair

Page 72

ok

C. Wifi

D. Bluetooth

Question No:149

(Marks:1)

Vu-Topper RM

The basic responsibility of NIC is _____

A. To access medium network

Google

B. To resource allocation

C. To access memory

D. All of the given option

Question No:150

(Marks:1)

Vu-Topper RM

Frame relay is _____

A. Connection oriented service

Page 64

B. Connectionless service

C. Typically ranges for 5 Mbps to 1000Mbps

D. Call based

Question No:151

(Marks:1)

Vu-Topper RM

The length of time required to send a variable length packet is _____

A. 5 second

B. Variable

Page 72

ok

C. Constant

D. Fix

Question No:152

(Marks:1)

Vu-Topper RM

In Token Ring, if all computers are ready to transmit it enforces _____

_____ access.

A. First come first served

B. Round Robin

Page 30

C. Shorter delay

D. Last come first served

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:153

(Marks:1)

Vu-Topper RM

The Ethernet standard specifies that frames are sent using the___
scheme.

- A. Differential Manchester
- B. Not Return to Zero (NR2)
- C. Manchester Encoding**
- D. Return to Zero (RZ)

Page 27

Question No:154

(Marks:1)

Vu-Topper RM

ATM uses the concept of _____.

- A. Connection-oriented**
- B. Connection-less
- C. Variable packet size
- D. Fixed and variable packet size

Page 66

Question No:155

(Marks:1)

Vu-Topper RM

Which of the following is a benefit of direct point to point
communication?

- A. Quick to configure
- B. Security implementation**
- C. Cost
- D. Less availability

Google

Question No:156

(Marks:1)

Vu-Topper RM

_____is not used to extend LAN.

- A. Hub
- B. Fiber modem**
- C. Repeater
- D. Bridge

Google ok

Question No:157

(Marks:1)

Vu-Topper RM

Which types of VPNs are used for corporate connectivity across
companies residing in different geographical locations?

بري صحبت سے تتهائي بهتر ہے اور تتهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

- A. Remote access VPNs
- B. Peer-to-peer VPNs
- C. Country-to-country VPNs
- D. Site-to-site VPNs**

Google

Question No:158

(Marks:1)

Vu-Topper RM

Star topology is the kind of

A. Tree topology

B. Point-to-point topology

Page 5

C. Broadcast topology

D. Ring topology

Question No:159

(Marks:1)

Vu-Topper RM

In a _____ state, a bridge allows simultaneous use of each segment.

A. Ready

B. Steady

Page 51

ok

C. Final

D. Startup

Question No:160

(Marks:1)

Vu-Topper RM

The network occupies larger areas like cities & countries is called

A. LAN

B. WAN

Google

C. MAN

D. All of the above

Question No:161

(Marks:1)

Vu-Topper RM

In link state routing _____ send link-state information about local connections.

A. Bridge

B. Switches

Page 64

C. Routers

D. Hubs

Question No:162

(Marks:1)

Vu-Topper RM

Transmission media are usually categorized as _____.

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

A. Guided or unguided **Google**

- B. Fixed or unfixd
- C. Determinate or indeterminate
- D. Metallic or non-metallic

Question No:163 (Marks:1) **Vu-Topper RM**

Even parity can be used to check for _____ bit/ bits of errors.

A. Page 18

- B. 2
- C. 3
- D. 0

Question No:164 (Marks:1) **Vu-Topper RM**

Routing table entries can be _____ with a default route.

A. Collapsed **Page 60** **ok**

- B. Redirected
- C. Emerged
- D. Guaranteed

Question No:165 (Marks:1) **Vu-Topper RM**

The system administrator must coordinate to avoid the conflict in _____ hardware addressing scheme.

- A. Static
- B. Dynamic

C. Configurable **Google**

- D. Fixed

Question No:166 (Marks:1) **Vu-Topper RM**

_____ network does not depend on CSMA/CD.

- A. Fast Ethernet

B. Ethernet **Google**

- C. Gigabit Ethernet
- D. Wireless

Question No:167 (Marks:1) **Vu-Topper RM**

Which of the following technologies can extend the diameter of LAN

بري صحبت سے تتهائي بهتر ہے اور تتهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

medium?

- A. Fiber optic
- B. Repeater
- C. Diameter of LAN medium is not extendable

D. Fiber optic and Repeaters **Google**

Question No:168 (Marks:1) **Vu-Topper RM**

Connections are formed in Asynchronous transfer mode by starting values in_____ in ATM switches, as opposed to making actual electrical connections.

- A. Heap
- B. Stack
- C. Virtual Circuit

D. Memory locations **Page 67**

Question No:169 (Marks:1) **Vu-Topper RM**

The _____ scheme must be reliable to prevent conflicts.

- A. Static
- B. Dynamic**
- C. Configurable
- D. Fixed

Page 34

Question No:170 (Marks:1) **Vu-Topper RM**

Metropolitan area network is used for _____.

- A. City** **Page 55** **ok**
- B. Building
- C. Country
- D. Continent

Question No:171 (Marks:1) **Vu-Topper RM**

Which addressing can be only used in the local area networks?

- A. IP** **Google**
- B. Physical
- C. Port
- D. Protocol

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:172 (Marks:1) **Vu-Topper RM**

The sharing of a _____ among the workers in an office is a goal of resource sharing.

- A. Mouse
- B. Printer**
- C. Keyboard
- D. Motherboard

Page 9

Question No:173 (Marks:1) **Vu-Topper RM**

ATM uses fixed size, small cells, 48 octet's data and _____.

- A. Octets header
- B. 5 Octets header**
- C. 6 Octets header
- D. 7 Octets header

Page 65 ok

Question No:174 (Marks:1) **Vu-Topper RM**

Which of the followings is not an advantage of framing?

- A. Missing not indicates sending computer crashed.
- B. Missing soh indicates receiving computer missed beginning of message.
- C. Delimiters do not contain any user data**
- D. Bad frame is discarded.

Page 16

Question No:175 (Marks:1) **Vu-Topper RM**

The _____ field of Ethernet frame has the purpose of Frame payload.

- A. Preamble**
- B. Frame Type
- C. Data
- D. CRC

Page 36

Question No:176 (Marks:1) **Vu-Topper RM**

_____ was the first internet available for the first time.

- A. ARPANAT
- B. The ARPNET
- C. The NET
- D. ARPANET**

Page 9

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:177

(Marks:1)

Vu-Topper RM

We need packets rather than bits because.....

- A. To compress the data
- B. Packets move faster

C. Sender and receiver need to coordinate to detect transmission errors. Page 14

- D. Packets can only move between two terminals

Question No:178

(Marks:1)

Vu-Topper RM

When an application _____ any data, it makes a copy of the data available to all other computers on the network.

A. Multicast

Page 143

- B. Broadcast
- C. Anycast
- D. Unicast

Question No:179

(Marks:1)

Vu-Topper RM

Each computer in LAN is identified by a physical address, usually imprinted on the _____.

A. Network interface card (NIC)

Google

- B. Modem
- C. Router
- D. Switch

Question No:180

(Marks:1)

Vu-Topper RM

-----is a hardware device also used to connect two LAN segments to extend a LAN. Unlike a repeater, a bridge uses two NICs to connect two segments.

A. A BRIDGES Page 50

- B. FRAME FILTERING
- C. REPEATERS
- D. LAN EXTENSIONS

Question No:181

(Marks:1)

Vu-Topper RM

The fiber-modem converts digital data into _____ then transmits over

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

the optical fiber.

A. Pulses of light **Page 48** **ok**

- B. Kilometers
- C. Bandwidth
- D. Electrical signal

Question No:182 **(Marks:1)** **Vu-Topper RM**

The switch that has computers attached with it, is called _____ switch.

A. Exterior **Page 59** **ok**

- B. Interior
- C. Packet
- D. Front

Question No:183 **(Marks:1)** **Vu-Topper RM**

_____ standard includes logical link control (LLC) sub network attachment point (SNAP) header.

A. IEEE 802.2 **Page 37**

- B. IEEE 804.4
- C. IEEE 806.2
- D. IEEE 808.6

Question No:184 **(Marks:1)** **Vu-Topper RM**

Ethernet standard specifies that any two stations cannot be separated by more than _____ Repeaters.

A. Two

B. Four **Page 49** **ok**

- C. Six
- D. Eight

Question No:185 **(Marks:1)** **Vu-Topper RM**

The basic idea behind the operation of network analyzer is a computer with a network interface that receives all frames, which is called _____.

A. Land mode

B. Promiscuous mode **Page 38**

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

- C. Filter specifications
- D. Logical code

Question No:186 (Marks:1) **Vu-Topper RM**

_____ is a method for computing routing table information.

A. Manual entry

B. Static routing Page 62 ok

C. Boot time routing

D. None of the above

Question No:187 (Marks:1) **Vu-Topper RM**

ATM header is about _____ of the cell.

A. 5%

B. 10% Page 66 ok

C. 15%

D. 20%

Question No:188 (Marks:1) **Vu-Topper RM**

To model a WAN, we use a graph in which the nodes model switches and the edges model direct connection between_____.

A. Switches Page 59 ok

B. Interior

C. Packet

D. Front

Question No:189 (Marks:1) **Vu-Topper RM**

Most LANs that employ ring topology use an access mechanism known as-----

A. CSMA/CD

B. CSMA/CA

C. CSMA

D. TOKEN PASSING Google

Question No:190 (Marks:1) **Vu-Topper RM**

An -----method, the network hardware designers specify how type

بري صحبت سے تتهائي بهتر ہے اور تتهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

information is included in the frame and the value use to identify various frame types.

A. Explicit frame type **Google**

- B. Ideal frame type
- C. Implicit frame type
- D. None of the given

Question No:191 **(Marks:1)** **Vu-Topper RM**

Hardware that calculates a CRC uses two simple components _____

A. Shift register and XOR unit **Google**

- B. AND unit and XOR unit
- C. Shift register & AND unit
- D. Shift register and shift XOR unit

Question No:192 **(Marks:1)** **Vu-Topper RM**

In FDDI, in case of a station failure, remaining stations loop back and _____.

- A. Collision will occur
- B. Data frames are discarded
- C. Re-route data through spare ring**
- D. Re-transmit data through the same ring

Page 31

Question No:193 **(Marks:1)** **Vu-Topper RM**

_____ is a tool that sends a message to a remote computer and reports whether the computer responds.

- A. TCP
- B. Ping** **Google**
- C. Flag
- D. Fragment offset

Question No:194 **(Marks:1)** **Vu-Topper RM**

The Fast Ethernet hardware operates at a rate of _____.

- A. 10Mbps
- B. 1000bps
- C. 100Mbps** **Page27**

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيک صحبت بهتر ہے

For More Help Contact What's app 03224021365

D. 1000Mbps

Question No:195 (Marks:1) **Vu-Topper RM**

In a ping command result, time denotes the _____.

A. RTT **Google**

B. BRT

C. TLT

D. TTL

Question No:196 (Marks:1) **Vu-Topper RM**

The number of connections needed for 8 computers in direct point to point communication is equal to_____.

A. 28 **Google**

B. 20

C. 14

Question No:197 (Marks:1) **Vu-Topper RM**

If a computer on the network shares resources for others to use, it is called _____

A. Server **Google**

B. Client

C. Mainframe

Question No:198 (Marks:1) **Vu-Topper RM**

ISO stands for

A. International Standard Organization **Google**

B. International Student Organization

C. Integrated Services Organization

Question No:199 (Marks:1) **Vu-Topper RM**

ISO OSI model is used in

A. Standalone PC

B. Network environment **Google**

Question No:200 (Marks:1) **Vu-Topper RM**

Network cable lies on _____ layer

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- A. Application
- B. Network
- C. Physical**

Question No:201 (Marks:1) **Vu-Topper RM**

ISDN is an example of _____ network

- A. Circuit switched**
- B. Packet switched

Question No:202 (Marks:1) **Vu-Topper RM**

X.25 is an example of _____ network

- A. Circuit switched
- B. Packet switched**

Question No:203 (Marks:1) **Vu-Topper RM**

_____ allows LAN users to share computer programs and data.

Communication server

- A. Print server
- B. File server**

Google

Question No:204 (Marks:1) **Vu-Topper RM**

Print server uses _____ which is a buffer that holds data before it is send to the printer.

- A. Queue
- B. Spool**
- C. Node

Question No:205 (Marks:1) **Vu-Topper RM**

A standalone program that has been modified to work on a LAN by including concurrency controls such as file and record locking is an example of _____

- A. LAN intrinsic software**
- B. LAN aware software
- C. Groupware

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

D. LAN ignorant software

Question No:206 (Marks:1) **Vu-Topper RM**

The _____ portion of LAN management software restricts access, records user activities and audit data etc.

- A. Configuration management
- B. Security management**
- C. Performance management

Question No:207 (Marks:1) **Vu-Topper RM**

What is the max cable length of STP?

- A. 100 ft
- B. 200 ft
- C. 200 m**

Question No:208 (Marks:1) **Vu-Topper RM**

What is the max data capacity of STP?

- A. 10 mbps
- B. 100 mbps**
- C. 1000 mbps
- D. 10000 mbps

Question No:209 (Marks:1) **Vu-Topper RM**

What is the central device in star topology?

- A. STP server
- B. Hub/switch** **Google**
- C. PDC
- D. Router

Question No:210 (Marks:1) **Vu-Topper RM**

PVC stands for _____.

- A. Public virtual circuit
- B. Plastic virtual circuit
- C. Private virtual circuit

D. PERMANENT VIRTUAL CIRCUITS **Page 69** **ok**

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:211

(Marks:1)

Vu-Topper RM

The CSMA/CD mechanism does not work with _____.

A. Long delays.

Page 49

ok

B. Less cable length.

C. High throughput.

D. Two Ethernet segments.

Question No:212

(Marks:1)

Vu-Topper RM

_____ Networks are sometimes called Intranet.

A. LAN

B. Public

C. Virtual

D. Private

Page 73

ok

Question No:213

(Marks:1)

Vu-Topper RM

Which one is a method for building routing tables?

A. Program

B. Manual entry

Page 62

ok

C. Graph algorithm

D. Store and forward

Question No:214

(Marks:1)

Vu-Topper RM

Point-to-point topology is

A. Size Based

B. Connectivity

Page 5

C. Mobility Based

D. Medium Based

Question No:215

(Marks:1)

Vu-Topper RM

Parity check is usually used to detect _____ bit error(s).

A. 1

Page 18

B. 2

C. 3

D. 4

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:216

(Marks:1)

Vu-Topper RM

Star topolgy is the kind of

A. Tree topology **Google**

B. Ring topology

C. Broadcast topology

D. Point-to-point topolgy

**Visit My YouTube Channel
For More Important Notes
Channel Name = #VuTopperRM**

برى صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365