

CS201P Lab Quiz 5 by IQRA AZHAR

CS201P

Lab Quiz 5

Last date

28 Nov 2023

Total marks 5

✿ Solved by Iqra Azhar ✿

Paid assignment quiz lms handling services
available For more info contact

03235429064

CS201P Lab Quiz 5 by IQRA AZHAR

In C++, a one-dimensional array inside a one-dimensional array is called _____.

Select the correct option

One-dimensional array

Multi-casting array

Two-dimensional array

Two-dimensional array.

Which of the following shows the memory address of the first element in an array?

Select the correct option

Array

array(0)

array{0}

array[0]

array

In C++, a sequence of objects having the same type, is called _____.

CS201P Lab Quiz 5 by IQRA AZHAR

Select the correct option

Stack

Array

Operator

Function

Array.

Identify the invalid option.

Select the correct option

`int *pi = 0;`

`char s, *sp = 0;`

`int i;`

`double* dp = &i;`

`int *ip;`

The invalid option is:

`double dp = &i;*`

In C++, the precise way to declare a pointer is.

Select the correct option

`int ptr*;`

CS201P Lab Quiz 5 by IQRA AZHAR

```
int & ptr;i
```

```
nt ptr;int * ptr;
```

So, the correct option is:

```
*int ptr;
```

What will be the output of the following code?

```
int main() {int a[4]={1,2,3,4};
```

```
cout<< a[2];}
```

Select the correct option

4

2

3

1

3

Which of the following option gives the [value] stored at the address pointed to by the pointer "ptr" ?

Select the correct option

```
*ptr
```

CS201P Lab Quiz 5 by IQRA AZHAR

Value(ptr)

ptr

&ptr

***ptr**

Identify the invalid option.

Select the correct option

int i;

double* dp = &i

int *pi = 0;

char s, *sp = 0;

int *ip;

double dp = &i;

What will be the output of the following code?

```
int main(){ char str[] = "Hello World" ;
```

```
cout<<str[4];
```

```
return 0;}
```

Select the correct option

H

CS201P Lab Quiz 5 by IQRA AZHAR

W

L

In C++, pointer can be initialized with

Select the correct option

Null

Semicolon(;

Hash(#)

Dot(.

Null

MATH ZONE FOR VU