

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

VU Stars

اسلام علیکم:

امید کرتا ہوں سب خیریت سے ہوں گئے۔ آنے والے تمام نیو طالب علم کو میں درچونل یونیورسٹی آف پاکستان میں خوش آمدید کرتا ہوں۔
اگر کسی سٹوڈنٹ کو کسی بھی قسم کی ہیلپ چاہے ہو تو ہم سے رابطہ کر سکتا ہے جیسا کہ: پاسٹ پیپرز، کورس سلیکشن، پروجیکٹ سلیکشن، ڈیٹ شیٹ،
فیس پے اور چینج سٹڈی پروگرام وغیرہ۔

Paid

VU LMS

اگر کوئی سٹوڈنٹ کسی مجبوری کی وجہ سے یا جا ب ہو لڈر ہونے کی وجہ سے اپنا ایل ایم ایس خود ہینڈل نہیں کر سکتا تو وہ ہم سے پیڈ سروس حاصل کر
سکتا ہے کوشش کرے کے آپ ہر چیز خود اٹھیمپٹ کریں اگر نہیں کر سکتے تو سروس حاصل کریں۔

Email:

waqasahmeduog@gmail.com

انشاء اللہ آپ ہماری سروس سے مطمئن ہوں گے۔

Whatsapp: 03066295623

مزید اگر کسی رہنمائی کی ضرورت ہو تو وہ رابطہ کر سکتا ہے۔

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

VU

VU Stars

VU

Assalamu Alaikum

LMS Handling Service Available

Price Updated (03 May 2023)

Package 1

Package 2

Package 3

Full Semester

Half Semester (Mid)

One Month

Quiz, Assignment & GDB

Quiz, Assignment & GDB

Quiz, Assignment & GDB

Rs: 9000 (In 2 installment)

Rs: 5500 (In 2 installment)

Rs: 3500 Per Month

May, Jun

May & June

May, Jun, July, Aug

Books: 1 to 6

Books: 1 to 6

Books: 1 to 6

Rs: 10,000 (In 2 installment)

Rs: 6000 (In 2 installment)

Rs: 4000 Per Month

May, Jun

May & June

May, Jun, July, Aug

Books: 1 to 8

Books: 1 to 8

Books: 1 to 8

Jazzcash:

Easypaisa:

Waqas Ahmed

0306-6295623

0343-1042669

Note: Mid Term, Final Term Important File Free of cost

Overall Result: Minimum 70% In Sha Allah.

جس ماہ پیسے سینڈ کرو گے وہ اسی ماہ کی آخری تاریخ تک کے ہوں گے

Note: Per month means 1 April sy 31 MAY tak.

Inbox for Previous Semester Results File

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 1 of 10 (Start time: 01:13:35 PM, 05 June 2023)

Which of the following CSS3 property can be used to add transparency in image?

Select the correct option

opacity

hover

filter

image-sprites

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 1 of 10 (**Start time: 01:13:35 PM, 05 June 2023**)

Which of the following CSS3 property can be used to add transparency in image?

Select the correct option



opacity



hover



filter



image-sprites

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 2 of 10 (Start time: 01:14:26 PM, 05 June 2023)

Which of the following CSS code can be used to remove bullets from an unordered list?

Select the correct option

`li { list-type: remove; }`

`ul li { style-type-list: hide; }`

`li { type: none; }`

`ul { list-style-type: none; }`

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 2 of 10 (Start time: 01:14:26 PM, 05 June 2023)

Which of the following CSS code can be used to remove bullets from an unordered list?

Select the correct option



`li { list-type: remove; }`



`ul li { style-type-list: hide; }`



`li { type: none; }`



`ul { list-style-type: none; }`

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 3 of 10 (Start time: 01:15:59 PM, 05 June 2023)

Choose the false option.

Select the correct option

An element can have a positive or negative stack order.

None of the given options

An element with lower stack order is always in front of an element with a greater stack order.

The z-index property specifies the stack order of an element.

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 3 of 10 (Start time: 01:15:59 PM, 05 June 2023)

Choose the false option.

Select the correct option



An element can have a positive or negative stack order.



None of the given options



An element with lower stack order is always in front of an element with a greater stack order.



The z-index property specifies the stack order of an element.

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 4 of 10 (Start time: 01:17:13 PM, 05 June 2023)

Which of the following properties apply to the: first-line pseudo-element?

Select the correct option



Font properties



Color properties



All of the given



Background properties

Inbox Us For Paid Quiz
03066295623

Click to

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 5 of 10 (Start time: 01:18:02 PM, 05 June 2023)

What will be the sequence of elements in the array "marks" after using sort() function on it?

```
var marks = [52, 67, 47, 78];  
marks.sort();
```

Select the correct option



[78, 47, 67, 52]



[52, 67, 47, 78]



[47, 52, 67, 78]



[78, 67, 52, 47]

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 6 of 10 (Start time: 01:19:24 PM, 05 June 2023)

In CSS, which of the following CSS selector can be used to select all the input elements with text type?

Select the correct option

input [type text]

`.input [type="text"]`

input { type = "text" }

input [type = "text"]

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 7 of 10 (Start time: 01:20:57 PM, 05 June 2023)

What value will be returned by the following JavaScript expression? `isNaN("100")`;

Select the correct option

True

Infinity

NaN

False

Inbox Us For Paid Quiz
03066295623



Click to

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 8 of 10 (Start time: 01:22:29 PM, 05 June 2023)

JavaScript variable names can contain_____.

Select the correct option



All of the given options



Digits



Letters



Underscores

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 9 of 10 (Start time: 01:24:02 PM, 05 June 2023)

----- CSS property specifies the stack order of the overlapping elements that which element will be placed in front of, or behind, the

Select the correct option



Z-index



Visibility



Float



Display

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 10 of 10 (Start time: 01:24:28 PM, 05 June 2023)

Choose the correct syntax to create an array students in JavaScript?

Select the correct option

var students ["Ali", "Ahmed", "Noor"];

var students = {"Ali", "Ahmed", "Noor"},

var students = ["Ali", "Ahmed", "Noor"];

var students[] = {"Ali", "Ahmed", "Noor"};

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 1 of 10 (Start time: 01:26:19 PM, 05 June 2023)

Java Script is designed to _____.

Select the correct option



Execute database queries on webpages



Style HTML pages



To add server side operations



Add interactivity on HTML pages

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 2 of 10 (Start time: 01:27:51 PM, 05 June 2023)

What value will be returned by the following JavaScript function?
`parseInt("30 40 50");`

Select the correct option

40

30

NaN

50

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 3 of 10 (Start time: 01:29:25 PM, 05 June 2023)

What value will be returned by the following JavaScript function? `Math.floor(9.7);`

Select the correct option



10



.7



9.7



9

Inbox Us For Paid Quiz
03066295623

Click to

Question # 4 of 10 (Start time: 01:29:57 PM, 05 June 2023)

----- operator checks equality in both type and value.

Select the correct option



!=



==



===



=

Inbox Us For Paid Quiz
03066295623

Question # 4 of 10 (Start time: 01:29:57 PM, 05 June 2023)

----- operator checks equality in both type and value.

Select the correct option



!=



==



===



=

Inbox Us For Paid Quiz
03066295623

Question # 5 of 10 (Start time: 01:31:47 PM, 05 June 2023)

Which of the following statement is correctly represents the statement $x += 7$; ?

Select the correct option



$x = 7+$;



$x = +7$;



$x = x + 7$;



$x = 7 + 7$;

Inbox Us For Paid Quiz
03066295623

Click to

Question # 5 of 10 (Start time: 01:31:47 PM, 05 June 2023)

Which of the following statement is correctly represents the statement $x += 7$; ?

Select the correct option



$x = 7+$;



$x = +7$;



$x = x + 7$;



$x = 7 + 7$;

Inbox Us For Paid Quiz
03066295623

Click to

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 7 of 10 (Start time: 01:34:03 PM, 05 June 2023)

Which of the following properties apply to the: first-line pseudo-element?

Select the correct option

Color properties

All of the given

Font properties

Background properties

Inbox Us For Paid Quiz
03066295623

Click to

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 7 of 10 (Start time: 01:34:03 PM, 05 June 2023)

Which of the following properties apply to the: first-line pseudo-element?

Select the correct option



Color properties



All of the given



Font properties



Background properties

Inbox Us For Paid Quiz
03066295623

Click to

Question # 8 of 10 (Start time: 01:34:25 PM, 05 June 2023)

For bit wise operations, a numeric operand is converted into _____ binary numbers.

Select the correct option



8-bit



64-bit



16-bit



32-bit

Inbox Us For Paid Quiz
03066295623

Question # 9 of 10 (Start time: 01:34:57 PM, 05 June 2023)

What value will be returned by the following JavaScript function? `Math.max(5.2, -5.2, 6.2, -6.2);`

Select the correct option



6.2



5.2



-6.2



-5.2

Inbox Us For Paid Quiz
03066295623

Click to

Question # 9 of 10 (Start time: 01:34:57 PM, 05 June 2023)

What value will be returned by the following JavaScript function? `Math.max(5.2, -5.2, 6.2, -6.2);`

Select the correct option



6.2



5.2



-6.2



-5.2

Inbox Us For Paid Quiz
03066295623



Click to

Question # 10 of 10 (Start time: 01:35:51 PM, 05 June 2023)

To sort an array in descending order, sort() function can be used with the combination of _____ function.

Select the correct option



Reverse()



Slice()



Shift()



Concat()

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 1 of 10 (Start time: 01:37:18 PM, 05 June 2023)

What value will be in variable "z" after execution of the following code?
var z = 3 + "3";

Select the correct option



6



3



3 + "3"



33

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 2 of 10 (Start time: 01:38:34 PM, 05 June 2023)

Which of the following function is used to remove last element of the array?

Select the correct option

Shift()

Push()

Delete()

Pop()

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 3 of 10 (Start time: 01:38:58 PM, 05 June 2023)

To sort an array in descending order, sort() function can be used with the combination of _____ function.

Select the correct option

Slice()

Shift()

Concat()

Reverse()

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 4 of 10 (Start time: 01:39:25 PM, 05 June 2023)

What will be the value of variable `sln` after execution of the following JavaScript code segment?

```
var txt = "Virtual University";  
var sln = txt.length;
```

Select the correct option



18



19



20



17

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 5 of 10 (Start time: 01:40:57 PM, 05 June 2023)

Which of the following statement is true in context of JavaScript?

Select the correct option

`y = 3 + 7;`

`z = "Hello" + 5;`

`x = 2 + 9;`

All of the above.

Inbox Us For Paid Quiz
03066295623



Click to

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 6 of 10 (Start time: 01:41:50 PM, 05 June 2023)

What value will be returned by the following JavaScript function? `Math.floor(9.7);`

Select the correct option



9.7



9



10



.7

Inbox Us For Paid Quiz
03066295623

Click to

Question # 7 of 10 (Start time: 01:42:10 PM, 05 June 2023)

In CSS, which of the following CSS selector can be used to select all the input elements with text type?

Select the correct option



input { type = "text" }



.input [type="text"]



input [type text]



input [type = "text"]

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 8 of 10 (Start time: 01:42:54 PM, 05 June 2023)

In CSS3, there are _____ different combinators.

Select the correct option

Three

Four

Two

One

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 9 of 10 (Start time: 01:43:12 PM, 05 June 2023)

What value will be returned by the following JavaScript expression?
`isNaN("CS202");`

Select the correct option

NaN

False

True

Infinity

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 9 of 10 (Start time: 01:43:12 PM, 05 June 2023)

What value will be returned by the following JavaScript expression?
`isNaN("CS202");`

Select the correct option

NaN

False

True

Infinity

Inbox Us For Paid Quiz
03066295623

CS202 - Fundamentals of Front End Development (Quiz 2)

Question # 10 of 10 (Start time: 01:44:14 PM, 05 June 2023)

What will be the value in variable x after executing following JavaScript code statement? `var x = "Hello" + 5;`

Select the correct option



Hello5



5 Hello



None of the above.



It will give error.

Inbox Us For Paid Quiz
03066295623



Click to