

Question # 1 of 10 (Start time: 09:55:49 PM, 15 August 2022)

Total Marks: 1

Which of the following is not a naming rule for XML elements?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | It can contain letters, digits, hyphens, underscores, and periods. |
| <input type="radio"/> | It must start with a letter or underscore. |
| <input checked="" type="radio"/> | It can contain spaces. |
| <input type="radio"/> | It cannot start with the letters xml or XML or Xml, etc. |



Question # 3 of 10 (Start time: 09:58:21 PM, 15 August 2022)

Total Marks: 1

Which of the following is the default character encoding for XML documents?

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | UTF-32 |
| <input type="radio"/> | None of the given options |
| <input checked="" type="radio"/> | UTF-8 |
| <input type="radio"/> | UTF-16 |

Question # 4 of 10 (Start time: 09:58:38 PM, 15 August 2022)

Total Marks: 1

Which of the following is a fast, small, and feature-rich JavaScript library?

Select the correct option

| | |
|----------------------------------|---------------------------|
| <input type="radio"/> | SQuery |
| <input type="radio"/> | None of the given options |
| <input checked="" type="radio"/> | jQuery |
| <input type="radio"/> | FQuery |

Question # 5 of 10 (Start time: 09:58:59 PM, 15 August 2022)

Total Marks: 1

What is the function of responseText in AJAX?

Select the correct option

- | | |
|----------------------------------|-------------------------------------|
| <input type="radio"/> | get the response data as XML data |
| <input type="radio"/> | get the response data as a string |
| <input checked="" type="radio"/> | All of the given options |
| <input type="radio"/> | get the response data as an integer |



Question # 5 of 10 (Start time: 09:58:59 PM, 15 August 2022)

Total Marks: 1

What is the function of responseText in AJAX?

Select the correct option

- | | |
|----------------------------------|-------------------------------------|
| <input type="radio"/> | get the response data as XML data |
| <input checked="" type="radio"/> | get the response data as a string |
| <input type="radio"/> | All of the given options |
| <input type="radio"/> | get the response data as an integer |



Question # 6 of 10 (Start time: 10:00:33 PM, 15 August 2022)

Total Marks: 1

All selectors in jQuery start with _____.

Select the correct option

| | |
|----------------------------------|------|
| <input checked="" type="radio"/> | \$() |
| <input type="radio"/> | #() |
| <input type="radio"/> | %() |
| <input type="radio"/> | ~() |

Question # 6 of 10 (Start time: 10:00:33 PM, 15 August 2022)

Total Marks: 1

All selectors in jQuery start with _____.

Select the correct option

| | |
|----------------------------------|------|
| <input checked="" type="radio"/> | \$() |
| <input type="radio"/> | #() |
| <input type="radio"/> | %() |
| <input type="radio"/> | ~() |

Question # 7 of 10 (Start time: 10:01:14 PM, 15 August 2022)

Total Marks: 1

Which of the following feature is not part of the jQuery library?

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | HTML/DOM manipulation |
| <input checked="" type="radio"/> | None of the given options |
| <input type="radio"/> | CSS manipulation |
| <input type="radio"/> | Effects and animations |

Question # 8 of 10 (Start time: 10:01:47 PM, 15 August 2022)

Total Marks: 1

The \$(document).ready() method allows us to execute a function when,

Select the correct option

- | | |
|----------------------------------|------------------------------|
| <input type="radio"/> | None of the given options |
| <input type="radio"/> | Document is about to load |
| <input type="radio"/> | Document is partially loaded |
| <input checked="" type="radio"/> | Document is fully loaded |

Question # 9 of 10 (Start time: 10:02:22 PM, 15 August 2022)

Total Marks: 1

XML is used as a format for document storage and processing, -----.

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | online |
| <input type="radio"/> | offline |
| <input type="radio"/> | None of the given options |
| <input checked="" type="radio"/> | both online and offline |

Question # 10 of 10 (Start time: 10:03:05 PM, 15 August 2022)

Total Marks: 1

AJAX is about:

Select the correct option

- | | |
|----------------------------------|--|
| <input checked="" type="radio"/> | Sending data to server without reloading the whole page |
| <input type="radio"/> | Both Sending and receiving data from server by reloading the whole page |
| <input type="radio"/> | Receiving data from server without reloading the whole page |
| <input type="radio"/> | Both sending and receiving data from server without reloading the whole page |

