



CS202 Grand Quiz 2020 (Covid-19)

100% Correct Solve (Alhamdulillah)

BY Virtual Assistance Sonu Ilyas Mughal



Sindh, Pakistan



03063548328



sonuilyasmughal@gmail.com

Made by Sonu ILYAS Mughal



03063548328 Sonu Ilyas Mughal

Question # 1 of 30 (Start time: 04:19:46 AM, 26 December 2020)

Which of the following is an inline element?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code></code> |
| <input checked="" type="radio"/> | <code><a></code>
<i>Made by Sonu ILYAS Mughal</i> |
| <input type="radio"/> | <code><div></code> |
| <input type="radio"/> | <code><p></code> |



Question # 2 of 30 (Start time: 04:20:32 AM, 26 December 2020)

Which of the following value will JavaScript return if we calculate a number outside the largest possible number?

Select the correct option

- | | |
|----------------------------------|------------|
| <input type="radio"/> | Outofrange |
| <input checked="" type="radio"/> | Invalid |
| <input type="radio"/> | Infinity |
| <input type="radio"/> | Exceeded |
- Made by sonu ILYAS Mughal*

Question # 3 of 30 (Start time: 04:22:20 AM, 26 December 2020)

An element with a _____ position is positioned relative to the browser window, and it will not move even if the window is scrolled.

Select the correct option

- | | |
|----------------------------------|----------|
| <input type="radio"/> | Static |
| <input checked="" type="radio"/> | Fixed |
| <input type="radio"/> | Relative |
| <input type="radio"/> | Absolute |



Question # 4 of 30 (Start time: 04:24:09 AM, 26 December 2020)

_____ CSS property specifies the stack order of the overlapping elements that which element will be placed in front of, or behind, the others.

Select the correct option

- | | |
|----------------------------------|------------|
| <input type="radio"/> | Float |
| <input type="radio"/> | Display |
| <input type="radio"/> | Visibility |
| <input checked="" type="radio"/> | Z-index |



CS202:Grand Quiz

Question # 6 of 30 (Start time: 04:27:39 AM, 26 December 2020)

In HTML page, to add spaces to your text, you can use the _____ character entity.

Select the correct option

- | | |
|----------------------------------|---------|
| <input type="radio"/> | &space; |
| <input checked="" type="radio"/> | |
| <input type="radio"/> | &bsp; |
| <input type="radio"/> | &sp; |

CS202:Grand Quiz

Question # 7 of 30 (Start time: 04:28:27 AM, 26 December 2020)

What value will be returned by the following JavaScript function?
`Math.min(-2.2, 3.2, -1.2, 4.2);`

Select the correct option

- | | |
|----------------------------------|------|
| <input type="radio"/> | 4.2 |
| <input type="radio"/> | -1.2 |
| <input type="radio"/> | 3.2 |
| <input checked="" type="radio"/> | -2.2 |

Question # 8 of 30 (Start time: 04:29:16 AM, 26 December 2020)

In CSS, which of the following CSS selector can be used to select all the input elements with text type?

Select the correct option

- | | |
|----------------------------------|--------------------------------------|
| <input type="radio"/> | <code>.input [type="text"]</code> |
| <input type="radio"/> | <code>input [type text]</code> |
| <input checked="" type="radio"/> | <code>input [type = "text"]</code> |
| <input type="radio"/> | <code>input { type = "text" }</code> |

Made by Sonu ILYAS Mughal

CS202:Grand Quiz

Question # 9 of 30 (Start time: 04:30:02 AM, 26 December 2020)

_____ element is used to highlight the text in HTML.

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | <code><sub></code> |
| <input checked="" type="radio"/> | <code><mark></code> |
| <input type="radio"/> | <code><i></code> |
| <input type="radio"/> | <code></code> |

CS202:Grand Quiz

Question # 10 of 30 (Start time: 04:30:46 AM, 26 December 2020)

Which of the following is a block element?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code></code> |
| <input type="radio"/> | <code><a></code>
<i>Made by sonu ILYAS Mughal</i> |
| <input checked="" type="radio"/> | <code></code> |
| <input type="radio"/> | <code></code> |

Question # 11 of 30 (Start time: 04:31:28 AM, 26 December 2020)

Which of the following tags is used to define image in HTML?

Select the correct option

- | | |
|----------------------------------|----------------------------|
| <input type="radio"/> | <code><image></code> |
| <input type="radio"/> | <code><i></code> |
| <input checked="" type="radio"/> | <code></code> |
| <input type="radio"/> | <code><im></code> |



CS202:Grand Quiz

Question # 12 of 30 (Start time: 04:32:33 AM, 26 December 2020)

Which of the following is not a loop in JavaScript?

Select the correct option

- | | |
|----------------------------------|--------|
| <input type="radio"/> | for/in |
| <input type="radio"/> | for |
| <input type="radio"/> | while |
| <input checked="" type="radio"/> | do in |
- Made by Sonu ILYAS Mughal*

Question # 13 of 30 (Start time: 04:33:27 AM, 26 December 2020)

Which of the following is NOT an example of HTML block element?

Select the correct option

- | | |
|----------------------------------|---------|
| <input type="radio"/> | <h1> |
| <input checked="" type="radio"/> | |
| <input type="radio"/> | <p> |
| <input type="radio"/> | <table> |

CS202:Grand Quiz

Question # 14 of 30 (Start time: 04:34:09 AM, 26 December 2020)

In HTML, the document language can be declared in the _____ tag in _____ attribute.

Select the correct option

- | | |
|----------------------------------|-------------------|
| <input type="radio"/> | <body>, language |
| <input checked="" type="radio"/> | <html>, lang |
| <input type="radio"/> | <title>, language |
| <input type="radio"/> | <language>, lang |

Question # 15 of 30 (Start time: 04:34:59 AM, 26 December 2020)

_____ are defined within the <style> element, inside the head section of an HTML page.

Made by Sonu ILYAS Mughal

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | Inline styles |
| <input checked="" type="radio"/> | Internal styles |
| <input type="radio"/> | External styles |
| <input type="radio"/> | None of the given options |

Question # 16 of 30 (Start time: 04:35:42 AM, 26 December 2020)

FTP stands for _____.

Select the correct option

- | | |
|----------------------------------|-------------------------|
| <input type="radio"/> | File Transmission Path |
| <input checked="" type="radio"/> | File Transfer Protocol |
| <input type="radio"/> | File Test Path |
| <input type="radio"/> | File Transform Protocol |

CS202:Grand Quiz

Question # 17 of 30 (Start time: 04:36:34 AM, 26 December 2020)

Choose the false option.

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | The z-index property specifies the stack order of an element. |
| <input type="radio"/> | An element can have a positive or negative stack order. |
| <input checked="" type="radio"/> | An element with lower stack order is always in front of an element with a greater stack order. |
| <input type="radio"/> | None of the given options |

Question # 18 of 30 (Start time: 04:37:12 AM, 26 December 2020)

 element is used for _____ in HTML.

Select the correct option

- | | |
|----------------------------------|------------------|
| <input type="radio"/> | Min-ordered list |
| <input type="radio"/> | Definition list |
| <input checked="" type="radio"/> | Ordered list |
| <input type="radio"/> | Unordered list |

Question # 19 of 30 (Start time: 04:37:56 AM, 26 December 2020)

For a web page, if you write 10 spaces in your text, the browser will remove _____ of them.

Select the correct option

- | | |
|----------------------------------|------|
| <input type="radio"/> | None |
| <input checked="" type="radio"/> | Nine |
| <input type="radio"/> | All |
| <input type="radio"/> | One |

Made by Sonu ILYAS Mughal

CS202:Grand Quiz

Question # 20 of 30 (Start time: 04:38:47 AM, 26 December 2020)

What value will be returned by the following JavaScript expression?
`1 == "1"`

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False
<input type="radio"/>	NaN
<input type="radio"/>	Infinity

CS202:Grand Quiz

Question # 21 of 30 (Start time: 04:39:38 AM, 26 December 2020)

There are _____ types of levels in style sheets.

Select the correct option

- | | |
|----------------------------------|-------|
| <input type="radio"/> | One |
| <input type="radio"/> | Two |
| <input checked="" type="radio"/> | Three |
| <input type="radio"/> | Four |

CS202:Grand Quiz

Question # 22 of 30 (Start time: 04:40:19 AM, 26 December 2020)

Table borders can be collapsed into one border using CSS _____ property.

Select the correct option

- | | |
|----------------------------------|-----------------|
| <input type="radio"/> | collapse-border |
| <input checked="" type="radio"/> | border-collapse |
| <input type="radio"/> | single-border |
| <input type="radio"/> | border-single |

CS202:Grand Quiz

Question # 23 of 30 (Start time: 04:41:02 AM, 26 December 2020)

Which selector is used to specify a style for a group of elements?

Select the correct option

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | id selector |
| <input checked="" type="radio"/> | class selector |
| <input type="radio"/> | data selector |
| <input type="radio"/> | HTML selector |

CS202:Grand Quiz

Question # 24 of 30 (Start time: 04:41:36 AM, 26 December 2020)

What value will be returned by the following JavaScript expression?
`isNaN("2");`

Select the correct option

<input type="radio"/>	True
<input checked="" type="radio"/>	False
<input type="radio"/>	NaN
<input type="radio"/>	Infinity

CS202:Grand Quiz

Question # 25 of 30 (Start time: 04:42:22 AM, 26 December 2020)

Which of the option(s) given below is correct if we apply CSS property "display: none;" to an element?

Select the correct option

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | It hides an element and it will not be taking the same space as before on the web page. |
| <input type="radio"/> | It hides an element and it will be taking the same space as before on the web page. |
| <input type="radio"/> | It shows an element and it will not be taking the same space as before on the web page. |
| <input type="radio"/> | It shows an element and it will be taking the same space as before on the web page. |

CS202:Grand Quiz

Question # 26 of 30 (Start time: 04:43:17 AM, 26 December 2020)

_____ CSS property controls visibility of the content that an element will be visible or hidden.

Select the correct option

- | | |
|----------------------------------|------------|
| <input checked="" type="radio"/> | Visibility |
| <input type="radio"/> | Show |
| <input type="radio"/> | Hide |
| <input type="radio"/> | Float |

CS202:Grand Quiz

Question # 27 of 30 (Start time: 04:44:09 AM, 26 December 2020)

CSS defines, how to _____ HTML elements.

Select the correct option

- | | |
|----------------------------------|---------|
| <input type="radio"/> | save |
| <input type="radio"/> | send |
| <input type="radio"/> | make |
| <input checked="" type="radio"/> | display |

Question # 28 of 30 (Start time: 04:44:57 AM, 26 December 2020)

In HTML form, _____ statement defines a radio button.

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code><input type="rdbutton"></code> |
| <input checked="" type="radio"/> | <code><input type="radio"></code> |
| <input type="radio"/> | <code><input type="button"></code> |
| <input type="radio"/> | <code><input type="radio button"></code> |

Question # 29 of 30 (Start time: 04:45:39 AM, 26 December 2020)

Java Script is designed to _____.

Select the correct option

- Style HTML pages
- Execute database queries on webpages
- Add interactivity on HTML pages
- To add server side operations



CS202:Grand Quiz

Question # 30 of 30 (Start time: 04:46:26 AM, 26 December 2020)

In HTML, headings are defined with _____ tag(s).

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code><heading></code> |
| <input type="radio"/> | <code><h></code> |
| <input checked="" type="radio"/> | <code><h1></code> to <code><h6></code> |
| <input type="radio"/> | <code><hd></code> |

Question # 1 of 30 (Start time: 05:01:35 AM, 26 December 2020)

_____ CSS property controls visibility of the content that an element will be visible or hidden.

Select the correct option

- | | |
|----------------------------------|------------|
| <input checked="" type="radio"/> | Visibility |
| <input type="radio"/> | Show |
| <input type="radio"/> | Hide |
| <input type="radio"/> | Float |

CS202:Grand Quiz

Question # 2 of 30 (Start time: 05:02:27 AM, 26 December 2020)

Which of the following is NOT an example of HTML block element?

Select the correct option

- | | |
|----------------------------------|----------------------------|
| <input type="radio"/> | <code><h1></code> |
| <input checked="" type="radio"/> | <code></code> |
| <input type="radio"/> | <code><p></code> |
| <input type="radio"/> | <code><table></code> |

CS202:Grand Quiz

Question # 3 of 30 (**Start time: 05:03:12 AM, 26 December 2020**)

_____ are defined within the <style> element, inside the head section of an HTML page.

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | Inline styles |
| <input checked="" type="radio"/> | Internal styles |
| <input type="radio"/> | External styles |
| <input type="radio"/> | None of the given options |

CS202:Grand Quiz

Question # 4 of 30 (Start time: 05:04:11 AM, 26 December 2020)

What value will be returned by the following JavaScript expression?
`isNaN("CS202");`

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False
<input type="radio"/>	NaN
<input type="radio"/>	Infinity

CS202:Grand Quiz

Question # 5 of 30 (Start time: 05:04:55 AM, 26 December 2020)

What value will be returned by the following JavaScript function?
`parseInt("students id 231");`

Select the correct option

- | | |
|----------------------------------|----------|
| <input type="radio"/> | 231 |
| <input type="radio"/> | students |
| <input type="radio"/> | id |
| <input checked="" type="radio"/> | NaN |

CS202:Grand Quiz

Question # 6 of 30 (Start time: 05:05:43 AM, 26 December 2020)

Which of the following is a block element?

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | <code></code> |
| <input type="radio"/> | <code><a></code> |
| <input checked="" type="radio"/> | <code></code> |
| <input type="radio"/> | <code></code> |

CS202:Grand Quiz

Question # 7 of 30 (Start time: 05:06:29 AM, 26 December 2020)

Which of the following is not a loop in JavaScript?

Select the correct option

- | | |
|----------------------------------|--------|
| <input type="radio"/> | for/in |
| <input type="radio"/> | for |
| <input type="radio"/> | while |
| <input checked="" type="radio"/> | do in |

CS202:Grand Quiz

Question # 8 of 30 (**Start time: 05:07:19 AM, 26 December 2020**)

Which of the following list-style-type is supported by in HTML?

Select the correct option

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | roman |
| <input type="radio"/> | upper-alpha |
| <input type="radio"/> | lower-alpha |
| <input checked="" type="radio"/> | circle |

CS202:Grand Quiz

Question # 9 of 30 (Start time: 05:08:34 AM, 26 December 2020)

Which of the following tag defines a description list in HTML?

Select the correct option

- | | |
|----------------------------------|----------------------------|
| <input type="radio"/> | <code>< ></code> |
| <input checked="" type="radio"/> | <code><dl></code> |
| <input type="radio"/> | <code><list></code> |
| <input type="radio"/> | <code><dlist></code> |

CS202:Grand Quiz

Question # 10 of 30 (Start time: 05:09:18 AM, 26 December 2020)

JavaScript variable names can contain _____.

Select the correct option

- | | |
|----------------------------------|--------------------------|
| <input type="radio"/> | Letters |
| <input type="radio"/> | Digits |
| <input type="radio"/> | Underscores |
| <input checked="" type="radio"/> | All of the given options |

CS202:Grand Quiz

Question # 11 of 30 (**Start time: 05:10:08 AM, 26 December 2020**)

In CSS, the class selector uses the HTML class attribute, and is defined with

Select the correct option

- | | |
|----------------------------------|-------------------------------|
| <input type="radio"/> | . |
| <input checked="" type="radio"/> | .* |
| <input type="radio"/> | * |
| <input type="radio"/> | None of the the given options |

CS202:Grand Quiz

Question # 12 of 30 (Start time: 05:10:43 AM, 26 December 2020)

Which of the following is not a valid JavaScript variable?

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input checked="" type="radio"/> | 2number |
| <input type="radio"/> | number |
| <input type="radio"/> | mynumber2 |
| <input type="radio"/> | None of the given options |

Question # 13 of 30 (Start time: 05:11:25 AM, 26 December 2020)

What will be the value in variable x after executing following JavaScript code statement?
var x = -5/0;

Select the correct option

- | | |
|----------------------------------|-----------|
| <input type="radio"/> | Infinity |
| <input checked="" type="radio"/> | -Infinity |
| <input type="radio"/> | -5 |
| <input type="radio"/> | 0 |

Question # 14 of 30 (Start time: 05:12:28 AM, 26 December 2020)

In CSS, which of the following CSS selector can be used to select all the input elements with text type?

Select the correct option

- | | |
|----------------------------------|--------------------------------------|
| <input type="radio"/> | <code>.input [type="text"]</code> |
| <input type="radio"/> | <code>input [type text]</code> |
| <input checked="" type="radio"/> | <code>input [type = "text"]</code> |
| <input type="radio"/> | <code>input { type = "text" }</code> |

CS202:Grand Quiz

Question # 15 of 30 (Start time: 05:13:11 AM, 26 December 2020)

In HTML page, to add spaces to your text, you can use the _____ character entity.

Select the correct option

- | | |
|----------------------------------|---------|
| <input type="radio"/> | &space; |
| <input checked="" type="radio"/> | |
| <input type="radio"/> | &bsp; |
| <input type="radio"/> | &sp; |

Click

CS202:Grand Quiz

Question # 16 of 30 (Start time: 05:13:47 AM, 26 December 2020)

What value will be returned by the following JavaScript function?
`Math.round(9.9);`

Select the correct option

- | | |
|----------------------------------|------|
| <input type="radio"/> | 9 |
| <input type="radio"/> | 9.9 |
| <input checked="" type="radio"/> | 10 |
| <input type="radio"/> | 10.9 |

CS202:Grand Quiz

Question # 17 of 30 (**Start time: 05:14:36 AM, 26 December 2020**)

_____ element is used to define HTML forms.

Select the correct option



<f>



<fr>



<hf>



<form>

CS202:Grand Quiz

Question # 18 of 30 (Start time: 05:15:17 AM, 26 December 2020)

Which of the following is NOT a way to join multiple words into one variable name in JavaScript?

Select the correct option

- | | |
|----------------------------------|------------|
| <input type="radio"/> | Hyphens |
| <input type="radio"/> | Underscore |
| <input checked="" type="radio"/> | Semicolon |
| <input type="radio"/> | Camel Case |

CS202:Grand Quiz

Question # 19 of 30 (Start time: 05:16:01 AM, 26 December 2020)

What will be the value of variable sln after execution of the following JavaScript code segment?
var txt = "Virtual University";
var sln = txt.length;

Select the correct option

- | | |
|----------------------------------|----|
| <input type="radio"/> | 17 |
| <input checked="" type="radio"/> | 18 |
| <input type="radio"/> | 19 |
| <input type="radio"/> | 20 |

CS202:Grand Quiz

Question # 20 of 30 (Start time: 05:16:36 AM, 26 December 2020)

The following CSS code is an example of CSS _____.

```
<h1 style="color:blue;">This is a heading.</h1>
```

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | Internal style |
| <input checked="" type="radio"/> | Inline style |
| <input type="radio"/> | External style |
| <input type="radio"/> | None of the given options |

CS202:Grand Quiz

Question # 21 of 30 (Start time: 05:17:10 AM, 26 December 2020)

Which of the following CSS property is used to change the text color?

Select the correct option

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | Front-color |
| <input type="radio"/> | Text-color |
| <input checked="" type="radio"/> | Color |
| <input type="radio"/> | Font-color |

Question # 22 of 30 (Start time: 05:17:53 AM, 26 December 2020)

Which of the option(s) given below is correct if we apply CSS property "visibility: hidden;" to an element?

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | It hides an element and it will not be taking the same space as before on the web page. |
| <input checked="" type="radio"/> | It hides an element and it will be taking the same space as before on the web page. |
| <input type="radio"/> | It shows an element and it will not be taking the same space as before on the web page. |
| <input type="radio"/> | It shows an element and it will be taking the same space as before on the web page. |

CS202:Grand Quiz

Question # 23 of 30 (Start time: 05:18:30 AM, 26 December 2020)

Which of the following is correct attribute to add border to an HTML table?

Select the correct option

- | | |
|----------------------------------|--------|
| <input type="radio"/> | b |
| <input type="radio"/> | br |
| <input checked="" type="radio"/> | border |
| <input type="radio"/> | tbody |

CS202:Grand Quiz

Question # 24 of 30 (Start time: 05:19:03 AM, 26 December 2020)

Which of the following is/are example(s) of HTML block elements?

Select the correct option

- | | |
|----------------------------------|--------------------------|
| <input type="radio"/> | <code><h1></code> |
| <input type="radio"/> | <code><p></code> |
| <input type="radio"/> | <code></code> |
| <input checked="" type="radio"/> | All of the given options |

Question # 25 of 30 (Start time: 05:19:43 AM, 26 December 2020)

In CSS, _____ and _____ properties can be used to control the visibility of the content that an element will be visible or not.

Select the correct option

- | | |
|----------------------------------|------------------------|
| <input type="radio"/> | Show and Hide |
| <input type="radio"/> | Block and Inline Block |
| <input type="radio"/> | Fade In and fade Out |
| <input checked="" type="radio"/> | Display and Visibility |

[Click to Save](#)

Question # 26 of 30 (Start time: 05:20:25 AM, 26 December 2020)

Total Marks: 1

What value will be returned by the following JavaScript function?
Math.ceil(8.2);

Select the correct option

- | | |
|----------------------------------|-----|
| <input checked="" type="radio"/> | 9 |
| <input type="radio"/> | 8.2 |
| <input type="radio"/> | 8 |
| <input type="radio"/> | .2 |

[Click to Save Answer & Move to Next Question](#)

Question # 27 of 30 (Start time: 05:21:13 AM, 26 December 2020)

Which of the following is/are example(s) of HTML inline elements?

Select the correct option

- ``
- ``
- ``
- All of the given options

Click to

CS202:Grand Quiz

Question # 28 of 30 (Start time: 05:21:51 AM, 26 December 2020)

The Advantage(s) of CSS is/are :

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | Separation of document contents from document properties.
B. Superior Styles to HTML: |
| <input type="radio"/> | Superior Styles to HTML |
| <input type="radio"/> | High Performance |
| <input checked="" type="radio"/> | All of the given options |

CS202:Grand Quiz

Question # 29 of 30 (Start time: 05:22:27 AM, 26 December 2020)

For bit wise operations, a numeric operand is converted into _____ binary numbers.

Select the correct option

- | | |
|----------------------------------|--------|
| <input type="radio"/> | 64-bit |
| <input checked="" type="radio"/> | 32-bit |
| <input type="radio"/> | 16-bit |
| <input type="radio"/> | 8-bit |

Question # 30 of 30 (Start time: 05:23:03 AM, 26 December 2020)

In HTML, headings are defined with _____ tag(s).

Select the correct option

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | <heading> |
| <input type="radio"/> | <h> |
| <input checked="" type="radio"/> | <h1> to <h6> |
| <input type="radio"/> | <hd> |



ONLINE ACADEMY FOR ALL SUBJECTS

and Projects with **Sonu Mughal**

Online Academy For all subjects
and Projects with Sonu Mughal
If you need any assistance

For **Mid Term Quiz, Special Assignment,
Graded Activities, Final Exam Preparation**
100 % MARKS Surety otherwise **REFUND**

First Come First Serve
Reserve your seat before

15 December 2020

First see our previous Result then Enroll with satisfaction
Virtual Assistance Sonu Mughal

CONTACT

WHATSAPP: 03063548328

FB: FB.COM/SUMBALILYASMUGHAL.MUGHAL

EMAIL: SONUILYASMUGHAL@GMAIL.COM.COM

VIRTUAL ASSISTANCE WITH SONU MUGHAL

ONLINE ACADEMY FOR ALL SUBJECTS AND PROJECTS OF VU



0306 3548328

✉ **sonuilyasmughal@gmail.com**

Subjects Enrolment

- 1) Lecture live on Zoom
- 2) Written Lectures (pdf)
- 3) Recorded Videos
- 4) Topic wise Notes
- 5) Short QA Solved
- 6) MCQs Solved
- 7) Solved Past and Current paper
- 8) Solved Graded Activities
(Assignment Quiz GDB)

Activity
Detailed
Information

Project Enrolment Complete training with Live classes on Zoom

- 1) SRS (Software Requirements Specification)
- 2) DD (Design Document)
- 3) Test phase
 - a) Test phase viva (Live Classes for viva preparation)
 - 4) Final Deliverable
 - a) Final coding
 - b) Final presentation
 - c) Final report
 - d) Pre final viva (Coding Viva)
 - e) Final viva (Overall Presentation)

*First See Our Result
Than Join Us!*



03063548328 Sonu Ilyas Mughal