

Question: 1 (Marks: 1)

Which of the following statement is used to execute some code if one of the several conditions is true?

Choices:

if statement

if else statement

if-elseif-else statement

None of the given

[www.ranapk.com](http://www.ranapk.com)

CS310 Midterm Exam 29 05 2016

Question: 2 (Marks: 1)

Which of the following statement is used when we want to perform some action if the condition is true and another action if condition is false?

Choices:

if statement

if else statement

if-elseif-else statement

switch statement

Question: 3 (Marks: 1)

For which value of variable \$a, the condition of following if statement will be true?  
if(\$a > 10)

Choices:

\$a = 0

\$a = 15

\$a = 5

\$a = 10

Question: 4 (Marks: 1)

What will be the output of following code segment?

```
$n = 5 ;  
if($n > 10)  
    echo "Number is greater than 10" ;  
else  
    echo "Number is not greater than 10" ;
```

Choices:

Number is greater than 10

Number is 5

Number is not greater than 10

No output will be displayed

Question: 5 (Marks: 1)

Which of the following is the correct syntax of for loop in PHP?

Choices:

`for($i = 0; $i < 5; $i++)`

`for($i = 0; $i < 5; $i++)`

`for($i = 0, $i < 4, $i++)`

`for($i = 0; $i < 4; $i++)`

Question: 6 (Marks: 1)

Consider the following code given below:

```
for($i = 0; $i < 4; $i++)
```

```
echo "i = $i";
```

How many times the above loop will be executed?

Choices:

2

3

4

5

Question: 7 (Marks: 1)

If the exact iteration of loop is known then which of the following loop should be used?

Choices:

while loop

do while loop

for loop

foreach loop

Question: 8 (Marks: 1)

Which of the following loop should be executed at least one time during the execution of loop?

Choices:

for loop

foreach loop

while loop

do while loop

Question: 9 (Marks: 1)

PHP Stands for \_\_\_\_\_.

Choices:

PHP Hypertext Preprocessor

Personal Hypertext Page

Power Home Page

Personal Hyper Preprocessor

Question: 10 (Marks: 1)

PHP is \_\_\_\_\_ to use.

Choices:

Free

Paid

Adware

None of the given options

Question: 11 (Marks: 1)

With PHP we can \_\_\_\_\_.

Choices:

Generate dynamic page content

Collect form data

Manage cookies

All of the given options

Question: 12 (Marks: 1)

In PHP single line comments can be given using \_\_\_\_\_.

Choices:

//

\*\*

\$

@

Question: 13 (Marks: 1)

In PHP multiline comments can be given using \_\_\_\_\_.

Choices:

/\* \*/

# #

/ /

@ @

Question: 14 (Marks: 1)

A PHP variable can have \_\_\_\_\_ scope.

local

global

static

All of the given options

Question: 15 (Marks: 1)

A variable declared outside a function has \_\_\_\_\_ scope.

Choices:

local

global

static

None of the given options.

Question: 16 (Marks: 1)

In PHP Constants have \_\_\_\_\_ scope.

Choices:

local

global

static

None of the given options.

Question: 17 (Marks: 1)

\_\_\_\_\_ is exponent operator in PHP

Choices:

\*\*

#

\$

^

Question: 18 (Marks: 1)

\_\_\_\_\_ is logical AND operator in PHP.

Choices:

&&

||

&

\*\*

Question: 19 (Marks: 1)

\_\_\_\_\_ is an increment operator in PHP.

Choices:

++

\*\*

||

^^

Question: 20 (Marks: 1)

In PHP, a variable starts with a \_\_\_\_\_ sign followed by the name of variable.

Choices:

#

\$

&

@

Question: 21 (Marks: 2)

Write the name of each type of loop in PHP.

Answer:



There are four types of loops in PHP. Their names are as follows:

1. for Loop
2. while Loop
3. do-while Loop
4. foreach Loop

Question: 22 (Marks: 2)

What will be the output of the following code ?

```
<?php  
echo strev("Pakistan");  
?>
```

Answer:



Question: 23 (Marks: 3)

What will be the output of the following code?

```
for($i = 1; $i<=3; $i++)  
echo $i*2 . "<br>" ;
```

Answer:



The for Loop will execute three times, each time it will multiply value of \$i with 2 and display the result.

The output will be as follows:

2

4

6

Question: 24 (Marks: 3)

Write down a complete PHP code to display your name.

Answer:



Question: 25 (Marks: 5)

Write the code of for loop in PHP which will calculate the sum of all numbers from 1 to 20 and then display its value on the screen.

Answer:



Question: 26 (Marks: 5)

Write PHP code using string functions that will replace word "and" with "AND" in the given below paragraph. After replacing and with AND display the paragraph.

The territory that now constitutes Pakistan was previously home to several ancient cultures, including the Mehrgarh of the Neolithic and the Bronze Age Indus Valley Civilization, and was later home to kingdoms ruled by people of different faiths and cultures.

Answer:

