

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

CS409

Introduction to Database Administration


[Pre&Post Assessments]

[TOPIC 83 TO 250]

Made by Mah jabeen

0321 2711298

[mahjabeen97869@gmail.com]





Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 28 sec(s)

Which of the following data dictionary view is used to display name and data file size in MB?

Select the correct option

Reload Math Equations

- DBA_SEGMENTS
- V\$Tables paces
- DBA_ FILES
- DBA_DATA_FILES

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 74 sec(s)

Which of the following data dictionary view is used to find the Free space of tables spaces?

Select the correct option

Reload Math Equations

- TB_FREE_SPACE
- Table_FREE_SPACE
- DA_FREE_SPACE
- DBA_FREE_SPACE

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 3 of 3

Identify the correct statement about to creates the synonym for User2.

Select the correct option

- Create User2 Synonym;
- Create Synonym User2;

Click to See Answer



Post-Assessment

Question # 2 of 3

Identify the correct statement about to creates the role for User1.

Select the correct option



- Create Role User1;
- Create User1 Role;

Click to Save Answer & Move



Post-Assessment

Question # 1 of 3

Identify the correct statement to drop the synonym for Employee.

Select the correct option



- Drop Employee Synonym;
- Drop Synonym Employee;

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 3 of 3

Given below diagram states the example of _____?

```
CREATE TABLESPACE MCare_indx
DATAFILE 'D:\oracle9i\ora92\oradata\MCare_indx01.dbf' SIZE 100M
MINIMUM EXTENT 64K
DEFAULT STORAGE (INITIAL 64K NEXT 64K);
```

Select the correct option

[Relo](#)

- | | |
|----------------------------------|-----------------------------|
| <input type="radio"/> | Create table for MCare_indx |
| <input type="radio"/> | Drop table for MCare_indx |
| <input type="radio"/> | Alter table for MCare_indx |
| <input checked="" type="radio"/> | Tablespace for Indexes |

[Click to Save Answer & Move to](#)



Post-Assessment

Question # 2 of 3

----- statements are used to create database, schema, constraints, users, tables etc.

Select the correct option



- DDL
- DMP
- XML
- DML

Click to Save Answer & Move



Post-Assessment

Question # 1 of 3

Which SQL statement from the following is used to create a new tablespace?

Select the correct option

<input type="radio"/>	CREATE REDO TABLESPACE
<input type="radio"/>	None of these
<input checked="" type="radio"/>	CREATE TABLESPACE
<input type="radio"/>	CREATE UNDO TABLESPACE

Click to Save Ans



Assessment Quiz

Post-Assessment

Question # 2 of 3

Structure of schema objects can be populated using exported _____ file.

Select the correct option

- DMP
- DML
- XML
- DDL

Click to Save Ansv



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Le

_____ are used to create objects (structures) such as tables, sequences, views and PL/SQL programs.

Select the correct option

Reload Math

- | | |
|----------------------------------|------------|
| <input type="radio"/> | Procedures |
| <input checked="" type="radio"/> | Scripts |
| <input type="radio"/> | Statements |
| <input type="radio"/> | Functions |

Click to Save Answer & Move to Next Qu



Post-Assessment

Question # 3 of 3

Identify the correct statement to drop the item table from database.

Select the correct option

- Drop item table:
- Alter table item;
- Drop table item;
- Drop table item:



Assessment Quiz

Post-Assessment


Question # 2 of 3

Time

Given below diagram states the example of _____?

```
ALTER TABLE hr.admin_emp MOVE
      STORAGE ( INITIAL 20K
                NEXT 40K
                MINEXTENTS 2
                MAXEXTENTS 20
                PCTINCREASE 0 )
      TABLESPACE hr_tbs;
```

Select the correct option

 Reload Mat

- | | |
|----------------------------------|----------------------------------|
| <input type="radio"/> | Drop Table with Move on Storage |
| <input type="radio"/> | Alter Table with Storage |
| <input type="radio"/> | Alter Table |
| <input checked="" type="radio"/> | Alter Table with Move on Storage |

Click to Save Answer & Move to Next Q



assessment quiz

Post-Assessment

Question # 2 of 3

Time Left: 79 sec(s)

To avoid the concurrent update problem when two or more users try to update/delete the same table in the database
----- technique will be used?

Select the correct option

Reload Math Equations

- All of these
- Deadlock prevention
- Deadlock
- Database lock

Click to Save Answer & Move to Next Question



assessment quiz

Post-Assessment

Question # 1 of 3

Time Left: 78 sec(s)

When two sessions or users of database try to update or delete the same data in a table, then there will be a _____ problem.

Select the correct option

Reload Math Equations

- Concurrent delete
- Concurrent update
- None of these
- Concurrent insert

Click to Save Answer & Move to Next Question



assessment quiz

Post-Assessment

Question # 2 of 3

Time Left: 85 sec(s)

In a database _____ is a situation in which two or more transactions are waiting for one another to give up locks.

Select the correct option

Reload Math Equations

- Transaction
- Schedule
- Deadlock
- Database lock

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Tim

Given diagram states the example of _____ problem?

Time	T1	T2
t1	XLock(x)	...
t2	...	XLock(y)
t3	Request y	...
t4	wait	Request x
t5	wait	wait
t6	wait	wait

Select the correct option

Reload M

- Schedule
- Database lock
- Deadlock
- Transaction


Click to Save Answer & Move to Next



Post-Assessment

Question # 3 of 3

Given below diagram states the example of _____?



Select the correct option

Relo

- Conflict serializable
- Serial schedule
- Transaction
- Conflict equivalent


Click to Save Answer & Move to



Post-Assessment

Question # 2 of 3

Given below diagram states the example of _____?



Select the correct option

 Reload

- | | |
|----------------------------------|-----------------------|
| <input checked="" type="radio"/> | Conflict serializable |
| <input type="radio"/> | Transaction |
| <input type="radio"/> | Conflict equivalent |
| <input type="radio"/> | Serial schedule |

Click to Save Answer & Move to



Post-Assessment

Question # 1 of 3

Given below diagram states the example of _____?

Schedule A

T1	T2
read_item(X);	
X:=X-N;	
write_item(X);	
read_item(Y);	
Y:=Y+N;	
write_item(Y);	
	read_item(X);
	X:=X+M;
	write_item(X);

Schedule B

T1	T2
read_item(X);	
X:=X-N;	
write_item(X);	
	read_item(X);
	X:=X+M;
	write_item(X);
read_item(Y);	
Y:=Y+N;	
write_item(Y);	

Select the correct option

Relo

- | | |
|----------------------------------|-----------------------|
| <input type="radio"/> | Transaction |
| <input type="radio"/> | Conflict equivalent |
| <input checked="" type="radio"/> | Conflict serializable |
| <input type="radio"/> | Serial schedule |

Click to Save Answer & Move to

Assessment Quiz

Pre-Assessment

Question # 2 of 2

Ordering of execution of operations from various transactions T_1, T_2, \dots, T_n is called a _____.

Select the correct option

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | Transaction |
| <input type="radio"/> | Output |
| <input type="radio"/> | Throughput |
| <input checked="" type="radio"/> | Schedule |

[Click to Save Answer](#)



Pre-Assessment

Question # 1 of 2

T

----- transactions can be executed concurrently by interleaving their operations.

Select the correct option

Reload

- Multiple
- Some
- Large
- Fewer

Click to Save Answer & Move to N



ost-Assessment

Question # 2 of 2

Time Left: 81 s

A schedule S of n transactions is _____ if it is *equivalent to some serial schedule* of the same n transactions.

Select the correct option

 Reload Math Equatio



Non serial



Serializable



Serial



Conflict

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 1 of 2

Two schedules are called _____ if they produce the same final state of the database.

Select the correct option

[Relo](#)

- | | |
|----------------------------------|-----------------------|
| <input type="radio"/> | Conflict equivalent |
| <input checked="" type="radio"/> | Result equivalent |
| <input type="radio"/> | None of these |
| <input type="radio"/> | Conflict serializable |

[Click to Save Answer & Move to](#)



Post-Assessment

Question # 2 of 2

Which of the following is not a conflict condition for two operations?

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | at least one is a write item() operation |
| <input checked="" type="radio"/> | they belong to same transactions AND |
| <input type="radio"/> | they access the same item AND |
| <input type="radio"/> | they belong to different transactions AND |



Question # 1 of 2

----- operations can creates inconsistency.

Select the correct option

<input checked="" type="radio"/>	Conflict
<input type="radio"/>	Clash
<input type="radio"/>	None of these
<input type="radio"/>	Dispute



Assessment Quiz

Post-Assessment

Question # 2 of 2

Ordering of execution of operations from various transactions T_1, T_2, \dots, T_n is called a _____

Select the correct option

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | Transaction |
| <input type="radio"/> | Throughput |
| <input type="radio"/> | Output |
| <input checked="" type="radio"/> | Schedule |

Click to Save Answer &



Assessment Quiz

Post-Assessment

Question # 1 of 2

_____ transactions can be executed concurrently by interleaving their operations.

Select the correct option

Reload

- Fewer
- Multiple
- Large
- Some

Click to Save Answer & Move to



Assessment Quiz

Post-Assessment

Question # 3 of 3

_____ keeps track of all transaction operations that affect the values of database items.

Select the correct option

- | | |
|----------------------------------|--------|
| <input checked="" type="radio"/> | Log |
| <input type="radio"/> | User |
| <input type="radio"/> | System |
| <input type="radio"/> | DBA |

Click to Save Answer



Post-Assessment

Question # 2 of 3

Log is kept on _____.

Select the correct option

<input checked="" type="radio"/>	Disk
<input type="radio"/>	None of these
<input type="radio"/>	CD
<input type="radio"/>	Floppy



Post-Assessment

Question # 1 of 3

Which of the following is not the use of log files?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | All permanent changes to data are recorded |
| <input checked="" type="radio"/> | All permanent changes to data are not recorded |
| <input type="radio"/> | After crash, search log backwards until find last checkpoint |
| <input type="radio"/> | Need to either <i>redo</i> or <i>undo</i> everything that happened since last checkpoint |

Click to Save Ans



Post-Assessment

Question # 3 of 3

_____problem occurs when system may crash before data is written back to disk.

Select the correct option



- | | |
|----------------------------------|---------------|
| <input checked="" type="radio"/> | Atomicity |
| <input type="radio"/> | Serialization |

Click to Save Answer & Move



Post-Assessment

Question # 2 of 3

Time Left: 82 sec(s)

_____ means that data used during the execution of a transaction cannot be used by a second transaction until the first one is completed.

Select the correct option

Reload Math Equations

- Isolation
- Seperation
- Time stamping
- Atomicity

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 1 of 3

Which of the following is not a system failure problem?

Select the correct option

<input type="radio"/>	Physical failures
<input type="radio"/>	Disk failure
<input type="radio"/>	System crash
<input checked="" type="radio"/>	Logical error





Question # 2 of 2

Given figure states the example of _____ problem?

Client-I

PHARMACY
Street # 87, Islamabad Tel. (051) 37
DSL# 967/

Bill# **11799** 10-Apr-2019 03:31:43
Name:

Med Description	Qty	Price	Amount
PANADOL TAB 200S	10	1.32	13.20
DISPRIN TAB 600S	5	1.60	8.00
Total Qty: 2			Total: 21.2
Salesman: hafiz		Disc.: 0	
Paid: 30		Net Total: 21.2	
Balance: 8.8			

Refrigerator items & cutting strips are not refundable or exchangeable. Disc not applied on non-medicine
Please check all items as prescription. Thank You

Client-II

PHARMACY
Street # 87, Islamabad Tel. (051) 37
DSL# 967/

Bill# **11799** 10-Apr-2019 03:31:53
Name:

Med Description	Qty	Price	Amount
PANADOL SYP NEW	1	78.10	78.10
PANADOL TAB 200S	10	1.32	13.20
DISPRIN TAB 600S	5	1.60	8.00
Total Qty: 3			Total: 99.3
Salesman: hafiz		Disc.: 0	
Paid: 100		Net Total: 99.3	
Balance: 0.7			

Refrigerator items & cutting strips are not refundable or exchangeable. Disc not applied on non-medicine
Please check all items as prescription. Thank You

Select the correct option

Relo

- Transaction Issues
- Data lost

Click to Save Answer & Move to



Post-Assessment

Question # 1 of 2

When two or more users are issuing invoices, there is a chance of _____

Select the correct option

- | | |
|----------------------------------|--------------------|
| <input type="radio"/> | Data failure |
| <input type="radio"/> | Data lost |
| <input checked="" type="radio"/> | Data inconsistency |
| <input type="radio"/> | Data consistency |

Click t



Assessment Quiz

Post-Assessment

Question # 2 of 2

Time Left: 79 sec(s)

_____ is also known as an inconsistent retrieval problem.

Select the correct option

Reload Math Equations

- Nonrepeatable read
- Lost update
- Incorrect Summary
- Dirty Write

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 2

Time Left: 76 sec(s)

If a transaction T1 reads the value of a data item twice and the data item is updated by another transaction T2 in between the two read operations, is referred to as a _____

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|----------------------------|
| <input checked="" type="radio"/> | Incorrect Summary Problem |
| <input type="radio"/> | Dirty Write Problem |
| <input type="radio"/> | Lost update Problem |
| <input type="radio"/> | Nonrepeatable read Problem |

Click to Save Answer & Move to Next Question



Assessment Quiz

re-Assessment

Question # 1 of 2

Time Left: 81 sec(s)

_____ problem arises when one transaction T1 modifies a database data item and then fails for some reason, but the updates are accessible by another transaction.

Select the correct option

Reload Math Equations

- Nonrepeatable read
- Lost update
- Dirty read
- Dirty Write

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 2

In a dirty read problem,_____.

Select the correct option



- one transaction reads the committed value of another transaction
- one transaction commits another transaction
- one transaction reads both committed and uncommitted value of another transaction
- one transaction reads an uncommitted value of another transaction

Click to Save Answer & Move



ment Quiz

Assessment

Question # 2 of 2

Time

_____ problem occurs when two transactions in database access the same data item and have their an interleaved manner.

Select the correct option

Reload M

- Lost Update
- Concurrency
- Unrepeatable
- Temporary

Click to Save Answer & Move to Next



ment Quiz

Assessment

Question # 1 of 2

Time

_____ problem is occurred when concurrent transactions are run in an uncontrolled manner?

Select the correct option

Reload M

- Concurrency
- Temporary
- Unrepeatable
- Lost Update

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question # 1 of 1

Time Left

When a single system allows to execute more than one transactions at the same time, this process is called

Select the correct option

[Reload Math Eq](#)

- Concurrent execution
- Simultaneous execution
- Multiple executions
- Immediate execution

[Click to Save Answer & Move to Next Question](#)



Assessment Quiz

Post-Assessment

Question # 1 of 1

Time Left: 76 sec(s)

Transactions are _____ meaning that the operating system quickly switches CPU services among tasks.

Select the correct option

Reload Math Equations

- Interconnected
- Intermediate
- Interlinked
- Interleaved

Click to Save Answer & Move to Next Question



Pre-Assessment

Question # 1 of 1

Time Left: 83 sec(s)

_____ is initiated at user level (client) with Start-End and it executes on Server (central Database) at a certain distance.

Select the correct option

Reload Math Equations

- Transaction
- SQL
- Table
- View

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 3 of 3

A DBMS is _____if at most one user can use the system at a time.

Select the correct option

Reloc

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | Complex-user |
| <input type="radio"/> | Mutli-user |
| <input checked="" type="radio"/> | Single-user |
| <input type="radio"/> | Simple-user |

Click to Save Answer & Move to



Post-Assessment

Question # 2 of 3

Time Left:

A DBMS is _____if many users can use the system concurrently.

Select the correct option

Reload Math Eq

- Complex-user
- Simple-user
- Single-user
- Mutli-user

Click to Save Answer & Move to Next Quest



Post-Assessment

Question # 1 of 3

Time Left:

A/an _____ is a logical, atomic unit of work (block) that contains one or more SQL statements.

Select the correct option

Reload Math Eq

- Redo log
- Table
- Log file
- Transaction

Click to Save Answer & Move to Next Quest



Assessment Quiz

Post-Assessment

Question # 3 of 3

Which of the following is not a mode **of Data Pump?**

Select the correct option

- | | |
|----------------------------------|------------------|
| <input type="radio"/> | Entire database |
| <input type="radio"/> | Schema level |
| <input checked="" type="radio"/> | File level |
| <input type="radio"/> | Tablespace level |





Course Content

vulms.vu.edu.pk



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 75 sec(s)

_____are backups in which the export utility (for example Exp) uses SQL to read database data and then export it into a binary file at the operating system level.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|------------------|
| <input type="radio"/> | Physical backups |
| <input type="radio"/> | Cold backups |
| <input checked="" type="radio"/> | Logical backups |
| <input type="radio"/> | Hot backups |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Which of the following is not a component of Data Pump?

Select the correct option

<input checked="" type="radio"/>	DBMS_DATA
<input type="radio"/>	DBMS_DATAPUMP PL/SQL package
<input type="radio"/>	Expdp (Data Pump export utility)
<input type="radio"/>	Impdp(Data Pump import utility)

Post-Assessment

Question # 3 of 3

Import the objects from the transport tables to the target portal repository using_____

Select the correct option

- Import Set portlet
- Import Transport portlet Set
- Import Set portlet Transport
- Import Transport Set portlet

Click to Save Ans

Post-Assessment

Question # 2 of 3

Time Left: 83 sec(s)

Transport sets contain the _____ that you want to export to your target portal environment.

Select the correct option

 Reload Math Equations

- Redo objects
- Data objects
- Log objects
- Portal objects

Click to Save Answer & Move to Next Question

Post-Assessment

Question # 1 of 3

Time Left: 81 sec(s)

When tables are manually created before data is imported, the _____ statement in the export dump file will fail because the table already exists.

Select the correct option

 Reload Math Equations

- INSERT TABLE
- CREATE TABLE
- IMPORT TABLE
- MODIFY TABLE

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

Export _____ can only be read by the Oracle Import utility.

Select the correct option

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | Log file |
| <input checked="" type="radio"/> | Dump files |
| <input type="radio"/> | Redo file |
| <input type="radio"/> | Import file |

Click to Save A



ment Quiz

st-Assessment

Question # 2 of 3

Time Left:

An/a _____ is an Oracle binary-format dump file that is typically located on disk or tape.

Select the correct option

Reload Math Eq

- Import file
- Export file
- Log file
- Redo file

Click to Save Answer & Move to Next Ques



Assessment Quiz

Post-Assessment

Question #1 of 3

Time


_____can display the contents of an export file without actually performing an import.

Select the correct option

Reload

- Import Display parameter
- Import Perform parameter
- Import Demonstrate parameter
- Import SHOW parameter

Click to Save Answer & Move to Next



Post-Assessment

Question # 3 of 3

Time Left: '

_____ is sometimes called incomplete recovery because it does not use all of the available redo completely recover all changes to your database

Select the correct option

Reload Math Equ

- Database point-in-time recovery
- Database point recovery
- Database recovery
- Point-in-time recovery

Click to Save Answer & Move to Next Quest



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left:

_____recovery applies all redo changes contained in the archived and online logs to a backup.

Select the correct option

Reload Math E

- Partial
- Complete
- Incomplete
- Semi-full

Click to Save Answer & Move to Next Question



ment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 80 sec(s)

_____recovery, also called database point-in-time recovery, results in a noncurrent version of the database.

Select the correct option

Reload Math Equations

- Concurrent
- Incomplete
- Complete
- Noncurrent

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time L

The target SCN can be specified using a date and time, in which case the operation is sometimes called _____.

Select the correct option

Reload Math

- Time-based recovery
- Target-based recovery
- SCN-based recovery
- Date-based recovery

Click to Save Answer & Move to Next Q




Post-Assessment

Question # 3 of 3

Time Left: 82 sec(s)

During _____, before the oracle database is shutdown, **all user sessions will be terminated immediately** and uncommitted transactions will not be rolled back.

Select the correct option

 Reload Math Equations

- Abort
- Exit
- Shutdown abort
- Terminate

Click to Save Answer & Move to Next Question

Assessment Quiz

Post-Assessment

Question # 2 of 3

Time L

Tablespace backups, whether consistent or inconsistent, are valid only if the database is operating in _____mode.

Select the correct option

[Reload Math](#)

- FULL ARCHIVELOG
- ARCHIVELOG
- NON ARCHIVELOG
- SUB ARCHIVELOG

[Click to Save Answer & Move to Next Q](#)

Post-Assessment

Question #1 of 3

A partial database backup includes a subset of the database: individual _____.

Select the correct option

[Relo](#)

Log file or data files

Transaction log and back up log

Redo log and log file

Tablespaces or data files

[Click to Save Answer & Move to](#)



Post-Assessment

Question # 3 of 3

Time Left: 82 sec(s)

An online backup can only be done when the database is running in _____ mode and the database is open.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|-----------------|
| <input checked="" type="radio"/> | ARCHIVELOG |
| <input type="radio"/> | NON ARCHIVELOG |
| <input type="radio"/> | FULL ARCHIVELOG |
| <input type="radio"/> | SUB ARCHIVELOG |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

An online backup or hot backup is also referred to as _____ backup.

Select the correct option

- | | |
|----------------------------------|-----------------|
| <input type="radio"/> | Cold backup |
| <input checked="" type="radio"/> | ARCHIVE LOG |
| <input type="radio"/> | NON-ARCHIVE LOG |
| <input type="radio"/> | Redo backup |

Click to Save Answer &



ment Quiz

ost-Assessment

Question # 1 of 3

A _____ backup is taken when the database needs to run all the time.

Select the correct option

- Cold
- Hot
- Active
- Offline

Click to Save A



Question # 3 of 3

Ti

Offline or cold backups are performed when the database is completely_____.

Select the correct option

Reload

- Start
- Shutdown
- Sleep
- Restart

Click to Save Answer & Move to N



Question # 2 of 3

T

If you make a cold backup in ARCHIVELOG mode, then do not backup_____

Select the correct option

Reload

- Redo log files
- Back up log
- Log files
- Transaction log

Click to Save Answer & Move to N



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left: 72 sec(s)

You can only recover the database up to the point when the last backup was made unless the database is running in _____ mode.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|------------|
| <input type="radio"/> | UNDOLOG |
| <input type="radio"/> | BACKUPLOG |
| <input type="radio"/> | REDOLOG |
| <input checked="" type="radio"/> | ARCHIVELOG |

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 82 sec(s)

_____ logical export backups are recommended in case physical backups fail or the database machine becomes unavailable.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|-----------|
| <input type="radio"/> | Repeating |
| <input checked="" type="radio"/> | Periodic |
| <input type="radio"/> | Irregular |
| <input type="radio"/> | Constant |

Click to Save Answer & Move to Next Question



Assessment Quiz ✕

Post-Assessment

Question # 2 of 3

Time Left: 83 sec(s)

Logical export backup generates necessary Structured Query Language (SQL) statements to obtain all table data that is written to a _____.

Select the correct option

Reload Math Equations

- Text file
- Binary file
- String file
- Byte file

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Le

A logical export backup does not contain database instance-related information, such as the _____ so you can restore the same data on another database machine.

Select the correct option

Reload Math

- Backup file
- Redo file
- Physical disk location
- Data file

Click to Save Answer & Move to Next Qu



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 85 sec(s)

A _____ is the failure of a read or write of a disk file required to run the database, due to a physical problem with the disk such as a head crash.

Select the correct option

Reload Math Equations

- Media failure
- Logfile failure
- User Error
- Logical Failure

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left: 78 sec(s)

_____ occur when, either due to an error in application logic or a manual mis-step, data in your database is changed or deleted incorrectly.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|-----------------|
| <input checked="" type="radio"/> | User Error |
| <input type="radio"/> | Logical Failure |
| <input type="radio"/> | Logfile failure |
| <input type="radio"/> | Media failure |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Any database file can be vulnerable to a _____

Select the correct option

<input type="radio"/>	Logfile failure
<input type="radio"/>	User Error
<input checked="" type="radio"/>	Media failure
<input type="radio"/>	Logical Failure



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time L

----- are the foundation of any sound backup and recovery strategy.

Select the correct option

Reload Mat

- Physical backups
- Logfile backups
- Logical backups
- Redo backups

Click to Save Answer & Move to Next Q



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 78 sec(s)

Logical backups contain logical data (for example, tables or stored procedures) exported from a database with an Oracle export utility and stored in a _____.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|-------------|
| <input checked="" type="radio"/> | Binary file |
| <input type="radio"/> | Text file |
| <input type="radio"/> | Byte file |
| <input type="radio"/> | String file |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

_____ are a useful supplement to physical backups.

Select the correct option

- Backup logs
- Physical files
- Redo logs
- Logical backups

Click to Save Ans



Assessment Quiz

Post-Assessment

Question #1 of 1

Spool file contains _____ rows.

Select the correct option

- Dot-taged
- XML-taged

Click to Save Answer

Assessment Quiz

Post-Assessment

Question # 1 of 1

Data can be inserted from_____ into Oracle schema scott.

Select the correct option

- MS Word
- MS Access

Click to Save Answer &



Post-Assessment

Question # 3 of 3

In oracle, Files can be _____ delaminated.

Select the correct option

- | | |
|----------------------------------|-----------|
| <input checked="" type="radio"/> | Comma |
| <input type="radio"/> | Star |
| <input type="radio"/> | Hyphen |
| <input type="radio"/> | Full stop |

Click to Save A



Post-Assessment

Question # 2 of 3

Which of the following is correct SQL statement to select all the fields from a table?

Select the correct option

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | <code>SELECT * FROM <i>table_name</i>;</code> |
| <input type="radio"/> | <code>SELECT * <i>table_name</i>;</code> |
| <input type="radio"/> | <code>SELECT * FROM <i>table_name</i></code> |
| <input type="radio"/> | <code>SELECT *;</code> |

Click to Save A



Post-Assessment

Question # 1 of 3

In oracle, files can be in _____ format.

Select the correct option

- HTML
- DOC
- XML
- CSS

Click to Save



Post-Assessment

Question # 3 of 3

If row or record is rejected, SQL*Loader puts it in the _____

Select the correct option

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | Discard file |
| <input checked="" type="radio"/> | Bad file |
| <input type="radio"/> | Parameter file |
| <input type="radio"/> | Log file |





Post-Assessment

Question # 2 of 3

----- file can only be used if it is enabled.

Select the correct option

- | | |
|----------------------------------|----------------|
| <input checked="" type="radio"/> | Discard file |
| <input type="radio"/> | Parameter file |
| <input type="radio"/> | Log file |
| <input type="radio"/> | Bad file |





Post-Assessment

Question # 1 of 3

Which of the following is not a content of log file?

Select the correct option

<input checked="" type="radio"/>	Local Information
<input type="radio"/>	Table Information
<input type="radio"/>	Data File Information
<input type="radio"/>	Header Information



Post-Assessment

Question # 3 of 3

_____ generates redo entries just as any DML statement.

Select the correct option

- | | |
|----------------------------------|---------------------------|
| <input type="radio"/> | Direct path load |
| <input type="radio"/> | Undirect path load |
| <input type="radio"/> | Indirect path load |
| <input checked="" type="radio"/> | Conventional path loading |

Click to Save



Assessment Quiz

Post-Assessment

Question # 2 of 3

Conventional path loads use SQL processing and database _____

Select the correct option

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | ADD |
| <input type="radio"/> | CONCATENATE |
| <input checked="" type="radio"/> | COMMIT |
| <input type="radio"/> | INSERT |

Click



Assessment QUIZ

Post-Assessment

Question # 1 of 3

Multiple SQL*Loader sessions improve the performance of a_____

Select the correct option

- Direct path load
- Undirect path load
- Indirect path load
- Conventional path loading

Click



Assessment Quiz

Question # 3 of 3

Time Le

_____ can combine fixed number of physical records to form each logical record.

Select the correct option

Reload Math

- Direct Loader insert
- SQL*Loader
- Direct Load insert
- Indirect Load insert

Click to Save Answer & Move to Next Qu



Assessment Quiz

Question # 2 of 3

_____ is used when SQL*Loader should always add the same number of physical records record.

Select the correct option

Relo

- SELECT
- CONCATENATE
- INSERT
- ADD

Click to Save Answer & Move to



Assessment Quiz

Question #1 of 3

_____ must be used if the number of physical records to be continued varies.

Select the correct option

Relo

- ADD
- SELECT
- CONTINUEIF
- INSERT

Click to Save Answer & Move to



Post-Assessment

Question # 3 of 3

Which of the following is not a data file format?

Select the correct option

- | | |
|----------------------------------|------------------------|
| <input type="radio"/> | Stream-record format |
| <input checked="" type="radio"/> | String-record format |
| <input type="radio"/> | Variable-record format |
| <input type="radio"/> | Fixed-record format |



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 82 sec(s)

A file is in variable format when the length of each record in a _____ field is included at the beginning of each record in the data file.

select the correct option

Reload Math Equations

- | | |
|----------------------------------|-----------|
| <input type="radio"/> | Float |
| <input type="radio"/> | Int |
| <input type="radio"/> | Long |
| <input checked="" type="radio"/> | Character |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

A file is in _____ when records are not specified by size.

Select the correct option

- Stream-record format
- Fixed-record format
- Variable-record format
- String-record format

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 2 of 2

Time Left: 81 sec(s)

The _____ keyword is one of the options you can use when loading data into a table that is not empty.

Select the correct option

Reload Math Equations

- SELECT
- APPEND
- ADD
- INSERT

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 2

Time Left: 8

The _____ keyword specifies the name of a data file containing data that you want to load.

Select the correct option

[Reload Math Equ](#)

- INFILE
- SELECT
- ADD
- INSERT

[Click to Save Answer & Move to Next Quest](#)



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 54 sec(s)

_____ is a file that can be created, if necessary, to store all records that did not satisfy the selection criteria.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|----------------|
| <input checked="" type="radio"/> | Discard file |
| <input type="radio"/> | Bad file |
| <input type="radio"/> | Parameter file |
| <input type="radio"/> | Log file |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

The SQL*Loader control file is a text file that contains _____instructions.

Select the correct option



- DCL
- DLM
- DDL
- DML

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 3 of 3

----- is created by SQL*Loader and contains a record of the load.

Select the correct option



- Parameter file
- Log file
- Discard file
- Bad file

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 1 of 3

_____ is used by the utility to write the records that are rejected during the load.

Select the correct option



- Log file
- Bad file
- Parameter file
- Discard file

Click to Save Answer & Move



Post-Assessment

Question # 3 of 3

Time Left: 88 sec(s)

The _____ is the level at which blocks have never been formatted to receive data.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|-----------------|
| <input type="radio"/> | Low-water mark |
| <input checked="" type="radio"/> | High-water mark |

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 2 of 3

Time Left: 78 sec(s)

Each parallel execution server allocates a new temporary segment and inserts data into the _____ segment.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|-----------|
| <input checked="" type="radio"/> | Temporary |
| <input type="radio"/> | New |
| <input type="radio"/> | Private |
| <input type="radio"/> | Local |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

The ALTER SESSION ENABLE PARALLEL DML command must be executed at the _____

Select the correct option

- Half
- End
- Center
- Beginning

Click to Save Ans



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 86 sec(s)

_____speeds up the insert operation, bypassing the database buffer cache and writing data directly into the data files.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|----------------------|
| <input type="radio"/> | SQL*Loader |
| <input type="radio"/> | Direct Loader insert |
| <input checked="" type="radio"/> | Direct Load insert |
| <input type="radio"/> | Indirect Load insert |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 85 sec(s)

-----can be used to copy data from one table to another table within the same database.

Select the correct option

Reload Math Equations

- indirect Load insert
- SQL*Loader
- indirect Load insert
- Direct Load insert

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left: 80 sec(s)

-----loads data from external files into tables of an Oracle database.

Select the correct option

Reload Math Equations

- Direct Load insert
- SQL*Loader
- Direct Loader insert
- Indirect Load insert

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 82 sec


_____ is the process of transferring data from one storage system or computing environment to another.

Select the correct option

Reload Math Equation

- Data Transferring
- Data Exploration
- Data migration
- Data Exchange

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 2 of 3

Time Left: 73 sec

A database's schema is like a _____ for how it is organized, controlling its logical architecture and structure.

Select the correct option

Reload Math Equation

- Blueprint
- Database

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 1 of 3

Non integrated/distributed data can be integrated through_____

Select the correct option

- Data Transferring
- Data Exchange
- Data Exploration
- Data migration

Click to S



Course Content

vulms.vu.edu.pk



Question # 3 of 3

Which of the following is correct dictionary view to list all roles that are enabled for the current user?

Select the correct option

Reload

- ROLE_TAB_PRIVS
- SESSION_PRIVS
- DBA_ROLE_PRIVS
- SESSION_ROLES

Click to Save Answer & Move to



Course Content

vulms.vu.edu.pk



Question # 2 of 3

Which of the following is correct SQL statement to obtain Information about roles?

Select the correct option

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | Select table_name, comments
from DICT
where table_name like '%ROLE%'; |
| <input type="radio"/> | Select table_name, comments
where table_name like '%ROLE%'; |
| <input type="radio"/> | Select table_name, comments
from DICT
where table_name like 'ROLE'; |
| <input type="radio"/> | Select table_name
from DICT
where table_name like '%ROLE%'; |

Click to Save Answer



Course Content

vulms.vu.edu.pk



Question #1 of 3

Time Left: 81 sec(s)

Which of the following is correct dictionary view to lists all roles that exist in the database, including secure application roles?

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|----------------|
| <input checked="" type="radio"/> | DBA_ROLES |
| <input type="radio"/> | SESSION_PRIVS |
| <input type="radio"/> | ROLE_TAB_PRIVS |
| <input type="radio"/> | DBA_ROLE_PRIVS |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

_____ privileges can also be used to revoke any role from a user.

Select the correct option

- | | |
|----------------------------------|-----------------|
| <input checked="" type="radio"/> | GRANT ANY ROLE |
| <input type="radio"/> | NONE OF THESE |
| <input type="radio"/> | ALTER ANY ROLE |
| <input type="radio"/> | CREATE ANY ROLE |

Click to Save A



Post-Assessment

Question # 2 of 3

Which of the following SQL statement is used to revoke a role from a user?

Select the correct option

- | | |
|----------------------------------|--------------|
| <input checked="" type="radio"/> | Revoke |
| <input type="radio"/> | Create |
| <input type="radio"/> | Alter |
| <input type="radio"/> | All of these |

Click to S



Post-Assessment

Question # 3 of 3

Which SQL statement is used to remove a role from the database?

Select the correct option

- | | |
|----------------------------------|-------------------|
| <input checked="" type="radio"/> | DROP ROLE role; |
| <input type="radio"/> | DELETE ROLE role; |
| <input type="radio"/> | ALTER ROLE role; |
| <input type="radio"/> | REMOVE ROLE role; |

Click to S



Post-Assessment

Question # 1 of 3

_____ provide an additional level of security when enabling a role.

Select the correct option

- Username
- PIN code
- None of these
- Passwords

Click to S



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time

_____ command is used to indicate which roles will be enabled for a user at login.

Select the correct option

Reload M

- MODIFY USER-DEFAULT ROLE
- CREATE USER-DEFAULT ROLE
- ALL OF THESE
- ALTER USER-DEFAULT ROLE

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question # 3 of 3

Application roles can be enabled only by _____ PL/SQL packages.

Select the correct option

- Authorized
- Unauthorized

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 2 of 3

_____ command enables and disables roles.

Select the correct option

- UPDATE ROLE
- CREATE ROLE
- SET ROLE
- MODIFY ROLE

Click to Save Answer



Post-Assessment

Question # 2 of 3

_____ clause is used to create an application role.

Select the correct option

- | | |
|----------------------------------|------------|
| <input type="radio"/> | Globally |
| <input type="radio"/> | Externally |
| <input checked="" type="radio"/> | Using |
| <input type="radio"/> | Delete |

Click to S



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 83 sec(s)

_____ clause Indicates that a user must be authorized to use the role by the enterprise directory service before the role is enabled with the SET ROLE statement, or at login.

Select the correct option

Reload Math Equations

- IDENTIFIED
- GLOBALLY
- EXTERNALLY
- NOT IDENTIFIED

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

_____ command is used to limit the default roles for a user.

Select the correct option

- CREATE ROLE
- ALTER USER
- DEFAULT ROLE
- ALTER ROLE

Click to Save



Assessment Quiz

Post-Assessment

Question # 2 of 3

_____ role modifies the authentication method.

Select the correct option

- | | |
|----------------------------------|---------|
| <input type="radio"/> | EXCEPT |
| <input checked="" type="radio"/> | ALTER |
| <input type="radio"/> | CREATE |
| <input type="radio"/> | DEFAULT |

Click



Assessment Quiz

Post-Assessment

Question # 2 of 3

Identify the correct syntax for altering role to the HR manager.

Select the correct option

- | | |
|----------------------------------|---------------------------------------|
| <input type="radio"/> | ALTER hr_manager ROLE NOT IDENTIFIED; |
| <input type="radio"/> | ALTER ROLE hr_manager NOT IDENTIFIED; |
| <input type="radio"/> | All of these |
| <input checked="" type="radio"/> | ALTER ROLE hr_manager NOT IDENTIFIED; |

Click to



Assessment Quiz

Pre-Assessment

Question # 2 of 2

_____ pre-define role is used to export the database in oracle.

Select the correct option



- | | |
|----------------------------------|-------------------|
| <input type="radio"/> | IMP_FULL_DATABASE |
| <input checked="" type="radio"/> | EXP_FULL_DATABASE |

Click to Save Answer & Mo



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 83 sec(s)

_____ clause Indicates that a user must be authorized by an external service (such as the operating system or a third-party service) before enabling the role.

select the correct option

Reload Math Equations

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | GLOBALLY |
| <input type="radio"/> | NOT IDENTIFIED |
| <input type="radio"/> | IDENTIFIED |
| <input checked="" type="radio"/> | EXTERNALLY |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time

Which SQL statement is used to create role in oracle?

Select the correct option

Reload

- | | |
|----------------------------------|-------------|
| <input checked="" type="radio"/> | CREATE ROLE |
| <input type="radio"/> | MODIFY ROLE |
| <input type="radio"/> | DELETE ROLE |
| <input type="radio"/> | UPDATE ROLE |

Click to Save Answer & Move to Next



Test-Assessment

Question #1 of 3

Time

_____ clause Indicates that verification is required when enabling the role.

Select the correct option

Reload Ma

- BY password
- IDENTIFIED
- NOT IDENTIFIED
- GLOBALLY

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question # 4 of 4

_____ extends the privileges of a user beyond those granted by the CONNECT role.

Select the correct option

- CONNECT
- RESOURCE
- None of these
- DBA

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 3 of 4

Which of the following options does not fall within the category of role benefits?

Select the correct option

- Easier privilege management
- Resource Privileges
- Dynamic privilege management
- Selective availability of privileges

Click to Save Ans



Assessment Quiz

Post-Assessment

Question # 2 of 4

Roles can be granted to _____ user.

Select the correct option

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | Specific |
| <input type="radio"/> | All of these |
| <input checked="" type="radio"/> | Any |
| <input type="radio"/> | Special |

Click



Assessment Quiz

Post-Assessment

Question # 1 of 4

A role can be required a _____ to be enabled.

Select the correct option

- | | |
|----------------------------------|----------|
| <input type="radio"/> | Username |
| <input checked="" type="radio"/> | Password |

Click



Assessment Quiz

Post-Assessment

Question # 3 of 3

_____ are named groups of related privileges or rights.

Select the correct option



- Roles
- Object Privileges
- System Privileges
- User Privileges

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 2 of 3

_____ is a system defined privilege that control access to a specific object.

Select the correct option



- Roles
- System Privilege
- User Privilege
- Object Privilege

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 1 of 3

----- privileges allow users to perform specific database operations.

Select the correct option

- None of these
- System
- User
- Object

Click to Save A



Post-Assessment

Question # 2 of 3

Which of the following command is used to give the privileges to users?

Select the correct option



- Grant
- Revoke
- Delete
- Create

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 1 of 3

In Oracle, which string search is used to display the possible data dictionary views?

Select the correct option



- | | |
|----------------------------------|------|
| <input checked="" type="radio"/> | PRIV |
| <input type="radio"/> | DICT |

Click to Save Answer & Move



Assessment Quiz



Post-Assessment

Question # 1 of 1

Time Left: 83 sec(s)

Which privileges is used to run a particular type of SQL statement, or the right to access an object that belongs to another user?

select the correct option

Reload Math Equations

- Object Privileges
- User Privileges
- None of these
- System Privileges

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

----- privileges enable users to access and manipulate a specific object.

Select the correct option

- Object
- System

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 2 of 3

----- privileges enable users to perform particular actions in the database.

Select the correct option

- | | |
|----------------------------------|--------|
| <input checked="" type="radio"/> | System |
| <input type="radio"/> | Object |

Click to Save Answer



Assessment Quiz

Post-Assessment

Question #1 of 3

Which of the following command is used to delete the system privileges from oracle?

Select the correct option

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | Delete |
| <input checked="" type="radio"/> | Revoke |
| <input type="radio"/> | Grant |
| <input type="radio"/> | None of these |

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 1 of 2

Time Left: 78 sec

Which of the following SQL statement is used to display all the tablespace quotas from oracle database?

Select the correct option

Reload Math Equations

- Select * from TS_QUOTAS;
- Select * from DBA_QUOTAS;
- Select * from DBA_TableSpace_QUOTAS;
- Select * from DBA_TS_QUOTAS;

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 2

Time

Which of the following SQL statement is used to display all the profile from oracle database?

Select the correct option

Reload

- Select * from DBA_PROFILES ORDER BY PROFILE;
- Select * from PROFILES;
- Select * from DBA_TS_QUOTAS;
- Select * DBA_PROFILES from ORDER BY PROFILE;

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question # 2 of 2

Time

Which of the following attribute tells Oracle if the user can access his account or not?

Select the correct option

Reload

- identified by
- profile
- default tablespace
- account lock/unlock

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question #1 of 2

Time

Which of the following attribute is used to specifies a temporary tablespace segment for the user?

Select the correct option

Reload

- default tablespace
- identified by
- profile
- Temporary tablespace

Click to Save Answer & Move to Next



Post-Assessment

Question # 3 of 3

The names of the users who are allowed to access a database are defined by the _____.

Select the correct option

- | | |
|----------------------------------|------------------------|
| <input type="radio"/> | System administrator |
| <input type="radio"/> | User |
| <input type="radio"/> | None of these |
| <input checked="" type="radio"/> | Database administrator |

Click to Save Answer



Post-Assessment

Question # 2 of 3

Schema is a collection of _____.

Select the correct option

- | | |
|----------------------------------|------------|
| <input checked="" type="radio"/> | Objects |
| <input type="radio"/> | Procedures |
| <input type="radio"/> | Synonyms |
| <input type="radio"/> | Functions |

Click to Save Answer



Post-Assessment

Question # 1 of 3

Which of the following option is not related to database security types and its issues?

Select the correct option

- | | |
|----------------------------------|------------------------------|
| <input type="radio"/> | Needs of Enterprises |
| <input type="radio"/> | Policy Issues in Enterprises |
| <input type="radio"/> | Legal & Ethical Issues |
| <input checked="" type="radio"/> | Loss of integrity |

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 3 of 3

_____ files can be useful for tuning applications or instances.

Select the correct option



- None of these
- Log files
- Redo log files
- Trace files

Click to Save Answer & Mo



Assessment Quiz

Post-Assessment

Question # 2 of 3

_____ is a special type of trace file.

Select the correct option



- Alert
- None of these
- Dump
- Incident

Click to Save Answer & Mo



Assessment Quiz

Post-Assessment

Question # 1 of 3

A _____ is an administrative file that contain diagnostic data used to investigate problems.

Select the correct option



- Trace file
- None of these
- Log file
- Redo log file

Click to Save Answer & Mo



Assessment Quiz

Post-Assessment

Question # 3 of 3

_____ file constantly be monitored to detect unexpected messages and corruptions in database.

Select the correct option

Relo

- Undo log
- Alert log
- Redo log
- None of these

Click to Save Answer & Move to



Assessment Quiz

Post-Assessment

Question # 2 of 3

_____ is an XML file containing a chronological log of database messages and errors.

Select the correct option

- Redo log
- Alert log
- Undo log
- None of these

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 1 of 3

Which of the following is not a content of alert log file?

Select the correct option

- Block corruption error
- internal errors
- Default initialization parameter used at startup
- Non default initialization parameter used at startup

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 3 of 3

Which of the following is the ADR root directory?

Select the correct option

- ADR home
- None of these
- ADR base
- ADR dump

Click to Save Answer &



Assessment Quiz

Post-Assessment

Question # 2 of 3

ADR is the abbreviation of?

Select the correct option

- Automatic Diagnostic Repository
- Alternative Dispute Resolution
- Alternative Diagnostic Repository
- Automated Diagnostic Repository

Click to Save Answer &



Assessment Quiz

Post-Assessment

Question #1 of 3

Which of the following is not a goals of the advanced fault diagnosability infrastructure?

Select the correct option

- Simplifying customer interaction with Oracle Support
- Limiting damage and interruptions after a problem is detected
- Increasing problem diagnostic and resolution time
- Detecting problems proactively

Click to Save Answer &



Assessment Quiz

Post-Assessment

Question # 3 of 3

A server parameter file is a repository for initialization parameters that is managed by_____.

Select the correct option

- System user
- Oracle Database
- Database user
- DBA

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 2 of 3

MEMORY_TARGET is an example of _____.

Select the correct option

- Session level parameters
- System-level parameters

Click to Save A



Assessment Quiz

Post-Assessment

Question # 1 of 3

_____ is a text file that contains a list of initialization parameters.

Select the correct option

- Text initialization parameter file
- Server parameter file

Click to Save A



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 86 s

Purpose of variable parameters is to _____ database performance.

Select the correct option

Reload Math Equation

- Decrease
- Grow
- Improve
- None of these

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 85 s

Which of the following is not a basic variable parameter characteristic?

Select the correct option

Reload Math Equation

- Redo table space
- Locations of the control files
- Database block size
- Database name

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left: 84 s

Oracle Database provides many initialization parameters to _____ its operation in diverse environments.

Select the correct option

Reload Math Equation

- Grow
- Multiple
- Double
- Optimize

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

An alternate name of cache recovery is _____.

Select the correct option

- None of these
- Rolling forward
- Segments
- Rollback

Click to Save Ans



Assessment Quiz

Post-Assessment

Question # 2 of 3

Oracle Database can roll back _____ transactions simultaneously as needed.

Select the correct option

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | None of these |
| <input checked="" type="radio"/> | Multiple |
| <input type="radio"/> | Fewer |
| <input type="radio"/> | Some |

Click to Save Ans



Assessment Quiz

Post-Assessment

Question # 1 of 3

The first phase of instance recovery is called _____.

Select the correct option

- Redo file
- Undo file
- Cache recovery
- None of these

Click to Save



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 82 sec(s)

A _____ in SQL Server is the process of restoring data from one or more backups and then recovering the database.

Select the correct option

Reload Math Equations

- Undo Phase
- None of these
- Restore Scenario
- Redo Phase

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Which of the following does not represent a database restore process?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | Creates the database and transaction log files if they do not already exist. |
| <input type="radio"/> | Applies the transaction log in what is known as the recovery process. |
| <input checked="" type="radio"/> | Copies the data from the backup devices to the database file(s). |
| <input type="radio"/> | Copies all the data, log, and index pages from the backup media of a database to |

Click to Save Answer



Post-Assessment

Question # 1 of 3

ADR stand for_____.

Select the correct option

<input type="radio"/>	Accelerated Recovery
<input type="radio"/>	None of these
<input type="radio"/>	Accelerated Data Recovery
<input checked="" type="radio"/>	Accelerated Database Recovery



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time

Whether instance recovery is required depends on the _____ threads.

Select the correct option

Reload M

- | | |
|----------------------------------|------|
| <input type="radio"/> | Undo |
| <input checked="" type="radio"/> | Redo |

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time

A redo thread is marked open in the control file when a database instance _____ in read/write mode.

Select the correct option

Reload M

- None of these
- Opens
- Closed
- Shutdown

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question # 1 of 3

A redo thread is marked _____ when the instance is shut down consistently.

Select the correct option

- Closed
- Shutdown
- None of these
- Opens

Click to Save Answer



Post-Assessment

Question # 3 of 3

Time Left: 87 sec(s)

Instance recovery ensures that the database is in a _____ state after an instance failure.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | Inconsistent |
| <input checked="" type="radio"/> | Consistent |

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 2 of 3

Time Left: 87 sec(s)

When an instance of an ORACLE database fails then the changes made by transaction is written _____

Select the correct option

Reload Math Equations

- Only in control file
- Only in data file
- In redo log and data files
- Only in redo log file

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 1 of 3

Time Left: 80 sec(s)

Instance recovery occurs _____ when an administrator attempts to open a database that was previously shut down inconsistently.

Select the correct option

Reload Math Equations

- Mechanically
- Manually
- None of these
- Automatically

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 3 of 3

At each switch of the redo log files _____ command will occur.

Select the correct option

- | | |
|----------------------------------|-------------------|
| <input type="radio"/> | System privileges |
| <input type="radio"/> | Update |
| <input type="radio"/> | Alter |
| <input checked="" type="radio"/> | Checkpoint |

Click to Save Answer



Post-Assessment

Question # 2 of 3

Which option is true about the following statement?

Alter system checkpoint;

Select the correct option

- Checkpoint Updating Command
- Checkpoint Deleting Command
- Checkpoint Occurring Command
- Checkpoint Altering Command

Click to Save Answer



Post-Assessment

Question # 1 of 3

Checkpoint command will run through _____.

Select the correct option

- | | |
|----------------------------------|-----------|
| <input type="radio"/> | User |
| <input checked="" type="radio"/> | Sys user |
| <input type="radio"/> | DBA |
| <input type="radio"/> | User name |

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 3 of 3

An incremental checkpoint is a type of _____ checkpoint.

Select the correct option

- | | |
|----------------------------------|---------|
| <input type="radio"/> | Online |
| <input checked="" type="radio"/> | Thread |
| <input type="radio"/> | Offline |
| <input type="radio"/> | Subject |

Click to



Assessment Quiz

Post-Assessment

Question # 2 of 3

Which of the following is not a checkpoint situation when it occurs?

Select the correct option

<input checked="" type="radio"/>	Offline redo log switch
<input type="radio"/>	ALTER SYSTEM CHECKPOINT statement
<input type="radio"/>	ALTER DATABASE BEGIN BACKUP statement
<input type="radio"/>	Consistent database shutdown

Click to



Assessment Quiz

Post-Assessment

Question # 1 of 3

Shortest form of the Checkpoint Process is _____

Select the correct option



- CKPT
- CHPT
- CHPS
- CKPS

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 83 se

Checkpoint is a mechanism in which all the previous logs are removed from the system and are stored permanently in the _____.

Select the correct option

Reload Math Equation

- Cache
- Storage disk
- Buffer
- None of these

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Which of the following is not the goal of Oracle Database when uses checkpoints :

Select the correct option



- Ensure that all committed data is written to disk during a consistent shutdown
- Establish data consistency
- Ensure that dirty buffers in the buffer cache are written to disk regularly
- Increase the time required for recovery incase of an instance or media failure

Click to Save Answer & Move to Next



ment Quiz

ost-Assessment

Question # 1 of 3

Time Left: 78 sec(s)

The checkpoint position acts as a _____ to the redo stream and is stored in the control file and in each data file header.

Select the correct option

Reload Math Equations

- Stack
- Heap
- Array
- Pointer

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 3 of 3

Time Left: 83 sec(s)

Active transactions are terminated and uncommitted changes are rolled back in _____

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--------------------|
| <input type="radio"/> | Start |
| <input type="radio"/> | Restart |
| <input type="radio"/> | Shutdown |
| <input checked="" type="radio"/> | Immediate Shutdown |

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 2 of 3

Time Left: 86 sec(s)

Which of the following command is used to shut down the database, making it unavailable for users while you perform maintenance or other administrative tasks?

Select the correct option

Reload Math Equations

- All of these
- SQL*Plus SHUTDOWN
- mySQL*MuI SHUTDOWN
- SQL*Div SHUTDOWN

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 1 of 3

Time Left: 75 sec(s)

_____ mode prevents users from starting new transactions but waits for all current transactions to complete before shutting down.

Select the correct option

Reload Math Equations

- Shutdown Transactional
- Immediate Shutdown
- Restart
- Shutdown

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 2 of 2

_____ users do not have control over the current status of an Oracle database.

Select the correct option

<input type="radio"/>	All
<input type="radio"/>	Privilege
<input type="radio"/>	Special
<input checked="" type="radio"/>	Normal

Click to Save Answer



Post-Assessment

Question # 1 of 2

Temporary tablespaces created with the _____.

Select the correct option

- INSERT TEMPORARY TABLESPACE
- CREATE TEMPORARY TABLESPACE
- NEW TEMPORARY TABLESPACE
- ADD TEMPORARY TABLESPACE

Click to



ment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 82 sec(s)

In a typical use case, which command can be used to start an instance and then mount and open the database, making it available for users.

Select the correct option

Reload Math Equations

- CREATE
- STARTUP
- START
- BEGIN

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 2 of 3

A database _____ provides user access to a database.

Select the correct option

- Row
- Instance
- Table
- None of these

Click to Save Answer & M



Post-Assessment

Question #1 of 3

The data contained in the data files is accessible to _____

Select the correct option

- Authorized Users
- Unauthorized Users
- Authorized and Unauthorized Users
- None of these

Click to Save Answer & M



Assessment Quiz

Post-Assessment

Question # 1 of 3

The system identifier is used by default to locate the_____.

Select the correct option

Reload

- File directory
- Program file
- None of these
- Parameter file

Click to Save Answer & Move to next



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time

An instance begins when it is created with the _____ command and ends when it is terminated.

Select the correct option

Reload

- START
- CREATE
- STARTUP
- BEGIN

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question # 2 of 3

The instance can mount a database only _____, close it only once, and open it only once.

Select the correct option

Reload

- Twice
- Once

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 86 sec(s)

We can start a database instance and mount (associate the instance with) one database, but not mount _____ databases simultaneously with the same instance.

Select the correct option

Reload Math Equations

- Three
- Two
- Four
- Five

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 85 sec(s)

In Oracle Real Application Clusters (Oracle RAC) configuration, A _____ relationship exists between the database and instances.

Select the correct option

Reload Math Equations

- one-to-one
- many-to-one
- many-to-many
- one-to-many

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left: 84 sec(s)

In a Single-instance configuration, A _____ relationship exists between the database and an instance.

Select the correct option

Reload Math Equations

- many-to-many
- many-to-one
- one-to-one
- one-to-many

Click to Save Answer & Move to Next Question

Post-Assessment

Question # 3 of 3

Time Left: 82 sec

Every running Oracle database is associated with at least _____ Oracle database instance.

Select the correct option

[Reload Math Equations](#)

- Three
- Two
- One
- Five

[Click to Save Answer & Move to Next Question](#)

Post-Assessment

Question # 2 of 3

Time Left: 75 sec

A Database is a set of physical files on disk created by the _____ statement.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|-------------------|
| <input type="radio"/> | INSERT DATABASE |
| <input type="radio"/> | GENERATE DATABASE |
| <input type="radio"/> | ADD DATABASE |
| <input checked="" type="radio"/> | CREATE DATABASE |

[Click to Save Answer & Move to Next Question](#)

Post-Assessment

Question # 1 of 3

Time Left: 83 sec

The system global area is shared by the Oracle processes, which include server processes and background processes, running on a _____ computer.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | Various |
| <input type="radio"/> | Different |
| <input checked="" type="radio"/> | Single |
| <input type="radio"/> | None of these |

[Click to Save Answer & Move to Next Question](#)



Post-Assessment

Question # 3 of 3

Time

Dynamic SQL is a programming methodology for generating and running SQL statements at _____.

Select the correct option

Reload M

- Run time
- Run and compile time
- None of these
- Compile time

Click to Save Answer & Move to Next



Post-Assessment

Question # 2 of 3

Time

Which of the following statement is not true about Dynamic SQL?

Select the correct option

 Reload M

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | It is useful when you know at compilation time the full text of a SQL statement. |
| <input type="radio"/> | It is useful when writing general-purpose and flexible programs like ad hoc query systems. |
| <input type="radio"/> | It is useful when the number or data types of its input and output variables are known. |
| <input type="radio"/> | It is useful when writing programs that must run database definition language (DDL) statements. |

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time l

_____ is a programming methodology for generating and running SQL statements at run time.

Select the correct option

Reload Mat

- Light SQL
- Static SQL
- Static and Dynamic SQL
- Dynamic SQL

Click to Save Answer & Move to Next Q



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left

The key in Associative Array can be either an integer or a_____.

Select the correct option

Reload Math E

- Float
- Boolean
- String
- Double

Click to Save Answer & Move to Next Que



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left

The lowest address corresponds to the _____ element and the highest address to the _____ element.

Select the correct option

Reload Math E

- First, Second
- Last, Second Last
- First, last
- last, First

Click to Save Answer & Move to Next Que



Assessment Quiz

Post-Assessment

Question # 1 of 3

We must specify the _____ and the type of elements stored in the varray.

Select the correct option



- Type of arguments
- Number of arguments
- Datatype
- Maximum size

Click to Save Answer & Move



Question # 3 of 3

We may use cursor with_____.

Select the correct option

- | | |
|----------------------------------|-------------------|
| <input type="radio"/> | Pointers |
| <input type="radio"/> | Transition Graphs |
| <input type="radio"/> | Behavior |
| <input checked="" type="radio"/> | Parameters |



Question # 2 of 3

Which option is true about the following Code?

```
CURSOR c_emp IS  
SELECT empno, ename, job  
FROM emp  
WHERE deptno=20;
```

Select the correct option

<input type="radio"/>	Cursor Deletion
<input type="radio"/>	Cursor Updation
<input checked="" type="radio"/>	Cursor Declaration
<input type="radio"/>	Cursor Retrieval



Question # 1 of 3

Which option is true about the following Code?

```
DECLARE
```

```
CURSOR c_emp (p_job IN EMP.job%TYPE) IS
```

```
SELECT *
```

```
FROM EMP WHERE job =p_job;
```

```
BEGIN
```

```
FOR r_amp IN c_emP('CLERK')
```

```
LOOP
```

```
DBMS_OUTPUT.PUT_LINE(r_emp.ename||'--'||r_emp.job);
```

```
END LOOP;
```

```
END;
```

Select the correct option

<input checked="" type="radio"/>	Cursor with Parameters
<input type="radio"/>	Cursor with Behavior
<input type="radio"/>	Cursor with Pointers
<input type="radio"/>	Cursor with Transition Graphs



assessment que

Post-Assessment

Question # 3 of 3

Time Left: 80 sec(s)

An explicit cursor is an _____ statement declared explicitly in the declaration section of the current block or a package specification.

Select the correct option

[Reload Math Equations](#)

- REPLACE
- INSERT
- SELECT
- REPLY

[Click to Save Answer & Move to Next Question](#)



Post-Assessment

Question # 2 of 3

_____ is mainly used with tables which return more than one row.

Select the correct option

<input type="radio"/>	Column
<input type="radio"/>	Index
<input checked="" type="radio"/>	Cursor
<input type="radio"/>	Table

Click to S



Assessment Quiz

Post-Assessment

Question # 1 of 3

Which of the following is not an attribute of Explicit Cursor?

Select the correct option



- %NOTFOUND
- %CLOSE
- %NOTFOUND
- %FOUND

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 1 of 1

Which of the following is correct statement to disable a trigger in PL/SQL?

Select the correct option

- ALTER TRIGGER trigger_name DISABLE;
- TRIGGER DISABLE;
- ALTER TRIGGER DISABLE;
- TRIGGER trigger_name DISABLE;

Click to Save Answer & M



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 8

The act of executing a trigger is also known as _____.

Select the correct option

Reload Math Equ

- Initiate a trigger
- Finding a trigger
- Generate a trigger
- Firing a trigger

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 7

A/an _____ is a named PL/SQL block stored in the Oracle Database and executed automatically when a triggering event takes place.

Select the correct option

Reload Math Equ

- Index block
- Control block
- Trigger
- Event

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question #1 of 3

The_____ keyword specifies that you are creating a new trigger.

Select the correct option

- | | |
|----------------------------------|----------|
| <input type="radio"/> | CAUSE |
| <input type="radio"/> | GENERATE |
| <input checked="" type="radio"/> | CREATE |
| <input type="radio"/> | INITIATE |

Click to Save



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 87 sec

A package body can have an _____ part whose statements initialize variables or perform other one-time setups for the whole package.

Select the correct option

[Reload Math Equations](#)

- Begin
- Initialization
- Declare
- Declaration

[Click to Save Answer & Move to Next Question](#)



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 85 sec

A/an _____ includes variables, constants, cursors, exceptions, procedures, functions, and subprograms.

Select the correct option

[Reload Math Equations](#)

- Index
- Package
- Procedures
- Domain

[Click to Save Answer & Move to Next Question](#)



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left

The package specification declares the _____ objects that are accessible from outside the package.

Select the correct option

 Reload Math E

- Null
- Public
- Local
- Private

Click to Save Answer & Move to Next Que



Post-Assessment

Question # 3 of 3

Time Left: 85 sec

What will be the final output for the following PL/SQL code?

```
CREATE OR REPLACE FUNCTION fact(x number)
RETURN number IS
  f number;
BEGIN
  IF x=0 THEN
    f := 1;
  ELSE
    f := x * fact(x-1);
  END IF;
RETURN f;
END;
/

DECLARE
  num number;
  factorial number;
BEGIN
  num:= 6;
  factorial := fact(num);
  dbms_output.put_line(' Factorial ' || num || ' is ' || factorial);
END;
/
```

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|------------------------|
| <input type="radio"/> | 720 |
| <input type="radio"/> | Factorial num 6 is 720 |
| <input type="radio"/> | Factorial is 720 |
| <input checked="" type="radio"/> | Factorial 6 is 720 |

[Click to Save Answer & Move to Next Question](#)



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 84 sec

Which of the following keyword is used to modify an existing PL/SQL function?

Select the correct option

Reload Math Equations

- ALTER
- CHANGE
- REPLACE
- MODIFY

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left: 84 sec

In PL/SQL function, the _____ keyword is used instead of the IS keyword for creating a standalone function.

Select the correct option

Reload Math Equations

- ARE
- WAS
- WERE
- AS

Click to Save Answer & Move to Next Question

Post-Assessment

Question # 2 of 2

Time Left:

_____ can be called after compilation in some other function, procedure, block or package.

Select the correct option

[Reload Math Eq](#)

- | | |
|----------------------------------|-----------|
| <input type="radio"/> | Index |
| <input type="radio"/> | Table |
| <input checked="" type="radio"/> | Procedure |
| <input type="radio"/> | Function |

[Click to Save Answer & Move to Next Question](#)

Post-Assessment

Question # 1 of 2

Time Left: 83 sec(s)

_____ can be called after compilation in some other function, procedure, block or package by assigning it to variable.

Select the correct option

[Reload Math Equations](#)

- Index
- Table
- Procedure
- Function

[Click to Save Answer & Move to Next Question](#)



Assessment Quiz

Post-Assessment

Question # 3 of 3

In PL/SQL function, _____ keyword is not used.

Select the correct option

- END
- ADD
- DELETE
- DECLARE

Click to Save An



Assessment Quiz

Post-Assessment

Question # 2 of 3

_____ returns one value only.

Select the correct option

- PL/SQL Control block
- PL/SQL Block
- PL/SQL Function
- PL/SQL Procedure

Click to Save An



Assessment Quiz

Post-Assessment

Question # 1 of 3

Which of the following is only parameter for the PL/SQL Function?

Select the correct option

- OUT IN
- OUT
- IN
- IN OUT

Click to Save An



Assessment Quiz

Post-Assessment

Question # 3 of 3

_____ is a block with a name in PL/SQL.

Select the correct option

- Control file
- Exception
- Procedure
- Index

Click to Save Answer & M



Assessment Quiz

Post-Assessment

Question # 2 of 3

In PL/SQL procedure, _____ keyword is not used.

Select the correct option

- | | |
|----------------------------------|---------|
| <input type="radio"/> | END |
| <input type="radio"/> | ADD |
| <input type="radio"/> | DELETE |
| <input checked="" type="radio"/> | DECLARE |

Click to Save Answer & M



Assessment Quiz

Post-Assessment

Question # 1 of 3

Which of the following is not a parameter for the PL/SQL procedure?

Select the correct option

- IN OUT
- IN
- OUT
- OUT IN

Click to Save Answer & M



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left:

PL/SQL treats all errors that occur in an anonymous block, procedure, or function as _____.

Select the correct option

Reload Math Equ

- Exceptions
- Mistakes
- Exclusion
- Fault

Click to Save Answer & Move to Next Quest



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left: i

The code that you write to handle exceptions is called an/a _____

Select the correct option

Reload Math Equ

- Exception expert
- Exception Handler
- Exception code
- Exception Administrator

Click to Save Answer & Move to Next Quest



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left:

A _____ can have an exception-handling section, which can have one or more exception handlers.

Select the correct option

Reload Math Equ

- Exception block
- Control block
- PL/SQL block
- Index block

Click to Save Answer & Move to Next Quest



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time L

Which of the following is correct Syntax of For LOOP?

Select the correct option

Reload Mat

- FOR index IN lower_bound .. upper_bound LOOP
statements;
LOOP;
- FOR index lower_bound .. upper_bound LOOP
statements;
END LOOP;
- FOR index IN lower_bound .. upper_bound LOOP
statements;
END LOOP;
- FOR index IN lower_bound .. upper_bound
statements;
END LOOP;

Click to Save Answer & Move to Next Q



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time L

Which of the following is not a syntax for while loop in PL/SQL?

Select the correct option

Reload Matt

- LOOP – EXIT WHEN – END LOOP
- WHILE –END LOOP
- FOR – LOOP – END LOOP
- WHILE – LOOP – END LOOP

Click to Save Answer & Move to Next Q



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time L

A _____ statement allows us to execute a statement or group of statements multiple times.

Select the correct option

Reload Mat

- Loop
- Procedure
- Condition
- Array

Click to Save Answer & Move to Next Q



Post-Assessment

Question # 3 of 3

Which of the following is not a way to write IF condition in PL/SQL?

Select the correct option

- | | |
|----------------------------------|----------------------------|
| <input type="radio"/> | IF – ELSIF – ELSE – END IF |
| <input checked="" type="radio"/> | IF – ELSE – END |
| <input type="radio"/> | IF – END IF |
| <input type="radio"/> | IF – ELSE – END IF |

Click to Save Answer & Move



Post-Assessment

Question # 2 of 3

Which of the following is correct structure **of IF THEN ELSIF Condition?**

Select the correct option



<input type="radio"/>	<pre>statements; THEN statements; ELSE statements; END IF;</pre>
<input type="radio"/>	<pre>statements; ELSE statements; END;</pre>
<input checked="" type="radio"/>	<pre>statements; ELSIF statements; ELSE statements; END IF;</pre>
<input type="radio"/>	<pre>statements; ELSIF statements; ELSE statements; END;</pre>



Post-Assessment

Question # 1 of 3

If v_sal is equal to 3000, what will be the final output for the following PL/SQL code?

```
IF v_sal > 2000 Then  
    total_sal := v_sal + 5000;  
END IF;
```

Select the correct option



- | | |
|----------------------------------|------|
| <input type="radio"/> | 5000 |
| <input type="radio"/> | 3000 |
| <input type="radio"/> | 7000 |
| <input checked="" type="radio"/> | 8000 |

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 3 of 3

The PLS_INTEGER datatype is specific to PL/SQL. It represents signed _____ bits int.

Select the correct option

- 30
- 32
- 08
- 34

Click to Save Answer &



Assessment Quiz

Post-Assessment

Question # 2 of 3

TableName.Column%TYPE is a_____ data type.

Select the correct option

- Complex
- Simple
- Scalar
- Composite

Click to Save Answer &



Assessment Quiz

Post-Assessment

Question # 1 of 3

Which of the following data type does not belong to scalar Data Types Families?

Select the correct option

- Character
- Boolean
- Composite
- Number

Click to Save Answer &

Assessment Quiz

Post-Assessment

Question # 3 of 3

We can also compile Program using_____.

Select the correct option

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | SQL Prompt |
| <input type="radio"/> | SQL Instance |
| <input checked="" type="radio"/> | SQL Developer |
| <input type="radio"/> | SQL Notepad |

Click to Save

Assessment Quiz

Post-Assessment

Question # 3 of 3

Which of the following program compile and executes on SQL prompt?

Select the correct option

<input checked="" type="radio"/>	DECLARE BEGIN EXCEPTION END; /
<input type="radio"/>	DECLARE BEGIN EXCEPTION END /
<input type="radio"/>	DECLARE BEGIN EXCEPTION END; .
<input type="radio"/>	DECLARE EXCEPTION END; /

Assessment Quiz

Post-Assessment

Question #1 of 3

Which of the following program run without compiling and execution on SQL prompt?

Select the correct option

<input type="radio"/>	DECLARE BEGIN EXCEPTION END; /
<input type="radio"/>	DECLARE EXCEPTION END; /
<input type="radio"/>	DECLARE BEGIN EXCEPTION END /
<input checked="" type="radio"/>	DECLARE BEGIN EXCEPTION END; .



Post-Assessment

Question # 3 of 3

Which of the following is correct syntax to print the output in PL/SQL?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code>dbms_output_line(t.table_name);</code> |
| <input type="radio"/> | <code>dbms_output.put_(t.table_name);</code> |
| <input type="radio"/> | <code>db_output.put_line(t.table_name);</code> |
| <input checked="" type="radio"/> | <code>dbms_output.put_line(t.table_name);</code> |

Click to S



Post-Assessment

Question # 2 of 3

Which of the following is correct output for the following PL/SQL program?

```
DECLARE
```

```
    msg varchar2(40) := 'I love Oracle Programing';
```

```
BEGIN
```

```
    dbms_output.put_line(msg);
```

```
END;
```

```
/
```

Select the correct option

<input type="radio"/>	Msg
<input type="radio"/>	(msg)
<input checked="" type="radio"/>	I love Oracle Programing
<input type="radio"/>	'I love Oracle Programing';

Click to S



Post-Assessment

Question # 1 of 3

Which of the following is correct syntax for assigning value 10 to a variable X?

Select the correct option

- | | |
|----------------------------------|-------|
| <input type="radio"/> | X=10 |
| <input checked="" type="radio"/> | X:=10 |
| <input type="radio"/> | X=:10 |
| <input type="radio"/> | X==10 |

Click to S



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left:

In basic structure of PL/SQL, execution section starts with _____ keyword.

Select the correct option

Reload Math E

- | | |
|----------------------------------|------------|
| <input type="radio"/> | EXCEPTIONS |
| <input checked="" type="radio"/> | BEGIN |
| <input type="radio"/> | DECLARE |
| <input type="radio"/> | END |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left:

In basic structure of PL/SQL, execution section end with _____ keyword.

Select the correct option

Reload Math Ea

- EXCEPTIONS
- DECLARE
- BEGIN
- END

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left:

In basic structure of PL/SQL, exception section starts with _____ keyword.

Select the correct option

Reload Math Ea

- END
- BEGIN
- DECLARE
- EXCEPTIONS

Click to Save Answer & Move to Next Ques



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time

A _____ statement allows us to execute a statement or group of statements multiple times.

Select the correct option

Reload

- Selection
- None of these
- Loop
- If else

Click to Save Answer & Move to Next



Assessment Quiz

Post-Assessment

Question # 2 of 3

PL/SQL is more powerful than pure.....

Select the correct option



- Python
- Database
- C#
- SQL

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 1 of 3

A cursor is a _____ to this context area.

Select the correct option



- Integer
- Variable
- Pointer
- Function

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time

PL/SQL can execute a number of queries in _____ block using single command.

Select the correct option

Reload Mat

- Three
- Four
- Two
- One

Click to Save Answer & Move to Next Q



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time

PL/SQL is executed on _____ without any network overhead.

Select the correct option

Reload Mat

- Front end
- Client Side
- Server side
- Back end

Click to Save Answer & Move to Next Q



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time

PL/SQL is a _____ structured programming.

Select the correct option

Reload Mat

- Inherited
- Embedded
- None of these
- Encapsulated

Click to Save Answer & Move to Next Q



Assessment Quiz



Pre-Assessment

Question # 2 of 3

Time Left: 83 sec(s)

_____ data dictionary view is restricted to views accessible to the current user.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | None of these |
| <input checked="" type="radio"/> | ALL |
| <input type="radio"/> | DBA |
| <input type="radio"/> | USER |

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

----- data dictionary view describes all views in the database.

Select the correct option

- USER
- ALL
- DBA
- None of these

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 1 of 3

----- data dictionary view is restricted to views owned by the current user.

Select the correct option

- ALL
- USER
- None of these
- DBA

Click to Save Answer



Post-Assessment

Question # 3 of 3

Tit

You cannot specify a schema for the synonym if you have specified_____ in command.

Select the correct option

Reload

- Protected
- Public
- Private
- None of these

Click to Save Answer & Move to Ne



Post-Assessment

Question # 2 of 3

Which of the following command is used to drop the private synonyms?

Select the correct option



- DROP PRIVATE SYNONYM
- DROP PUBLIC SYNONYM
- DELETE PRIVATE SYNONYM
- DROP SYNONYM

Click to Save Answer & Move



Post-Assessment

Question # 1 of 3

Which of the following command is used to drop the public synonyms?

Select the correct option



- DELETE SYNONYM
- DELETE PUBLIC SYNONYM
- DROP SYNONYM
- DROP PUBLIC SYNONYM

Click to Save Answer & Move



Assessment Quiz

Post-Assessment

Question # 3 of 3

A _____ is an alias for a schema object.

Select the correct option

- Synonym
- Cluster
- Procedure
- Function

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 2 of 3

How many types of synonyms are there in oracle database?

Select the correct option

- 4
- 2
- 3
- 1

Click to Save Answer



Assessment Quiz

Post-Assessment

Question #1 of 3

Which DDL command is required to create public synonyms?

Select the correct option

- DROP SYNONYM
- CREATE PUBLIC SYNONYM
- CREATE SYNONYM
- DROP PUBLIC SYNONYM

Click to Save Answer



Post-Assessment

Question # 3 of 3

To drop a sequence in another schema, you must have the _____ system privilege.

Select the correct option

- | | |
|----------------------------------|-------------------|
| <input checked="" type="radio"/> | DROP ANY SEQUENCE |
| <input type="radio"/> | DROP SEQUENCE |
| <input type="radio"/> | DROP CLUSTER |
| <input type="radio"/> | DROP ANY CLUSTER |

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 2 of 3

Identify the incorrect statement about where CURRVAL and NEXTVAL cannot be used?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | A subquery |
| <input type="radio"/> | The WHERE clause of a SELECT statement |
| <input type="radio"/> | The condition of a CHECK constraint |
| <input checked="" type="radio"/> | The SET clause of an UPDATE statement |

Click to Save Answer



Course Content

vulms.vu.edu.pk



Question # 1 of 3

Identify the correct statement about where CURRVAL and NEXTVAL cannot be used?

Select the correct option

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | A SELECT statement with a GROUP BY or ORDER BY clause |
| <input type="radio"/> | The SELECT list of a SELECT statement |
| <input type="radio"/> | The SET clause of an UPDATE statement |
| <input type="radio"/> | VALUES clause of INSERT statements |

Click to Save Answer



Assessment Quiz

Post-Assessment

Question # 3 of 3

Which of the following option is not available while creating sequence?

Select the correct option



- End
- Maxvalue
- Minvalue
- Start

Click to Save Answer & Mo



Assessment Quiz

Post-Assessment

Question # 2 of 3

Which column is used to get the next value of the sequence?

Select the correct option



- | | |
|----------------------------------|-----------|
| <input type="radio"/> | NEXTVALUE |
| <input checked="" type="radio"/> | NEXTVAL |
| <input type="radio"/> | NEXT |
| <input type="radio"/> | NXTVL |

Click to Save Answer & Mo



Assessment Quiz

Post-Assessment

Question # 1 of 3

_____ are database objects from which multiple users can generate unique integers.

Select the correct option



- Function
- Synonyms
- Data Dictionary
- Sequences

Click to Save Answer & Mo



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 87 sec(s)

Which of the following is not a rule name for updating a join view in oracle?

Select the correct option

Reload Math Equations

- Update
- Remove
- Insert
- Delete

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 85 sec(s)

"Any INSERT, UPDATE, or DELETE operation on a join view can modify only one underlying base table at a time" is the description of _____.

Select the correct option

[Reload Math Equations](#)

- | | |
|----------------------------------|--------------|
| <input type="radio"/> | Insert Rule |
| <input checked="" type="radio"/> | General Rule |
| <input type="radio"/> | Update Rule |
| <input type="radio"/> | Delete Rule |

[Click to Save Answer & Move to Next Question](#)



Assessment Quiz

Post-Assessment

Question #1 of 3

How many rules are there in oracle for updating a join view?

Select the correct option

- 2
- 5
- 3
- 4

Click to Save Answer



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 88 sec(s)

A view derives its data from the tables on which it is based is called _____.

Select the correct option

Reload Math Equations

- Temporary Table
- Relational Table
- Permanent Table
- Base Table

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 88 sec(s)

How many types of views are there in oracle database?

Select the correct option

🔄 Reload Math Equations

- 2
- 3
- 4
- 5

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 81 sec

_____ data dictionary view describes all clusters (including hash clusters) in the database.

Select the correct option

Reload Math Equation

- USER
- DBA
- None of these
- ALL

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 83 sec

_____ show information about schema objects that are accessible to you at different level of privilege.

Select the correct option

Reload Math Equation

- Procedures
- Data Dictionary Views
- Tablespaces
- Hash Function

Click to Save Answer & Move to Next Question



Course Content

vulms.vu.edu.pk



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left: 88 sec

_____ data dictionary view describes all clusters accessible to the user.

Select the correct option

 Reload Math Equation

- ALL
- None of these
- DBA
- USER

Click to Save Answer & Move to Next Question



Assessment Quiz ×

Post-Assessment

Question # 3 of 3

Time Left 86 sec(s)

You can drop a hash cluster using the _____ statement.

Select the correct option

Reload Math Equations

- Delete Cluster
- Drop Cluster
- Alter Cluster
- Remove Cluster

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 84 sec(s)

Identify the correct statement of altering the cluster of employee department.

Select the correct option

Reload Math Equations

- ALTER CLUSTER emp_dep;
- ALTER emp_dep CLUSTER;
- None of these
- Emp_dep ALTER CLUSTER;

Click to Save Answer & Move to Next Question



Post-Assessment

Question # 1 of 3

Time Left: 84 sec(s)

You create a hash cluster using a CREATE CLUSTER statement, but you have to specify a _____ clause while creating the cluster.

Select the correct option

Reload Math Equations

- TABLESPACE
- HASHFUNCTION
- HASHKEYS
- HASH

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 86 sec

Storing a table in a hash cluster is an optional way to improve the _____ of data retrieval.

Select the correct option

Reload Math Equations

- Achievement
- Output
- Performance
- Behavior

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 84 sec


The database physically stores the rows of a table in a hash cluster and retrieves them according to the results of a

Select the correct option

[Reload Math Equations](#)

- Built-in Function
- None of these
- Hash Function
- User-define Function

[Click to Save Answer & Move to Next Question](#)



Post-Assessment

Question # 1 of 3

Time 1

Identify the condition where hashing is useful.

Select the correct option

Reload Mat

- You cannot afford to preallocate the space that the hash cluster will eventually need.
- Most queries are equality queries on the cluster key
- Most queries on the table retrieve rows over a range of cluster key values.
- The table is not static, but instead is continually growing.

Click to Save Answer & Move to Next C



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 83

When we want to drop a table from the database, which clause should we use with the drop cluster statement?

Select the correct option

Reload Math Equa

- Excluding Tables
- Remove Tables
- Update Tables
- Including Tables

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time

You can alter an existing cluster to change which of the following settings?

Select the correct option

🔄 Reload Mat

- Physical attributes (INTRANS and storage characteristics)
- The average amount of space is not required to store all the rows for a cluster key value (SIZE)
- There is no default degree of parallelism
- None of these

Click to Save Answer & Move to Next Q



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 86 sec(s)

Which command is used to drop cluster?

Select the correct option

Reload Math Equations

- Flashback
- Drop
- Delete
- Remove

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

Which of following statement is true about choosing appropriate table for cluster?

Select the correct option



- Estimating the number of cluster keys (and associated rows) that can fit in a clustered data b
- Records from the tables are frequently queried together or joined.
- You can use the estimated size of an individual cluster to better manage the disk space that t
- SIZE does not limit the space that can be used by a given cluster key.

Click to Save Answer & Move t



Assessment Quiz

Post-Assessment

Question # 2 of 3

_____ is the column, or group of columns, that the clustered tables have in common.

Select the correct option



- Cluster Index
- Cluster Key
- Cluster Column
- Cluster Table

Click to Save Answer & Move to



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left: 88 sec

A _____ is a schema object that contains data from one or more tables.

Select the correct option

Reload Math Equations

- Data blocks
- Table
- Tablespace
- Cluster

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left:

----- data dictionary view is restricted to indexes owned by the user.

Select the correct option

Reload Math Equ

- USER
- None
- ALL
- DBA

Click to Save Answer & Move to Next Quest



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left:

_____ data dictionary view describes indexes on all tables accessible to the user.

Select the correct option

Reload Math Equ

- None
- USER
- ALL
- DBA

Click to Save Answer & Move to Next Quest



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left:

_____ data dictionary view describes indexes on all tables in the database.

Select the correct option

Reload Math Equ

- | | |
|----------------------------------|------|
| <input type="radio"/> | None |
| <input type="radio"/> | ALL |
| <input type="radio"/> | USER |
| <input checked="" type="radio"/> | DBA |

Click to Save Answer & Move to Next Quest



Assessment Quiz

Post-Assessment

Question # 3 of 3

Which of the following is not a reason of dropping index?

Select the correct option

Relo

- | | |
|----------------------------------|--|
| <input checked="" type="radio"/> | If a table is dropped, all associated indexes are dropped automatically. |
| <input type="radio"/> | The index has become invalid and must be dropped before being rebuilt. |
| <input type="radio"/> | Applications do not use the index to query the data. |
| <input type="radio"/> | The index is no longer required. |

Click to Save Answer & Move t



Assessment Quiz

Post-Assessment

Question # 2 of 3

Which of the following is correct syntax for dropping employee name index from employee table?

Select the correct option



- DROP INDEX emp_ename;
- INDEX DROP emp_ename;
- DROP emp_ename INDEX;
- ALTER INDEX emp_ename;

Click to Save Answer & Move to



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 87 sec(s)

_____ statement is used to remove an index from database.

Select the correct option

Reload Math Equations

- Drop
- Delete
- Flashback
- Remove

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

Which command is used to restore the table from recycle bin?

Select the correct option

- Flashback
- Delete
- Rename
- Purge

Click to Save



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 77 sec(s)

When the recycle bin is _____ dropped tables and their dependent objects are placed in the recycle bin.

Select the correct option

Reload Math Equations

- Disable
- Empty
- Full
- Enable

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 83 sec(s)

Which statement is used to permanently delete the table from recycle bin?

Select the correct option

Reload Math Equations

- Remove
- Drop
- Purge
- Delete

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

Instead of making an index unusable or dropping it, you may make it_____.

Select the correct option

Re

- Initialize
- Rebuild
- Invisible
- Visible

Click to Save Answer & Move



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 87 sec(s)

Which option is true about the following code?

```
ALTER INDEX emp_name REBUILD ONLINE;
```

Select the correct option

Reload Math Equations

- Create index
- Update index
- Rebuild index
- Delete index

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 87 sec(s)

ALTER ANY INDEX is a _____ privilege.

Select the correct option

Reload Math Equations

- System
- Complex
- Organization
- Domain

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 82 sec(s)

Which option is true about the following code?

```
Select Table_name From Dict Where Table_name like %TAB%;
```

Select the correct option

Reload Math Equations

- Displaying synonyms for Table
- Displaying Sequence for Table
- Selecting Views for Table
- Displaying Views for Table

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 87 sec(s)

Which option is true about the following code?

```
select sum(bytes)/1024/1024 SizeMB from dba_segments where segment_name = 'EMP';
```

Select the correct option

Reload Math Equations

- find size of table in GB
- find size of table in TB
- find size of table in MB
- find size of table in KB

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 88 sec(s)

How many types of Views to manage Tables related information in oracle databases?

Select the correct option

Reload Math Equations

- 5
- 3
- 4
- 2

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 88 sec(s)

Which option is true about the following code?

```
ALTER INDEX emp_ename STORAGE (NEXT 40);
```

Select the correct option

Reload Math Equations

- Create index on employee name
- Delete index of employee name
- Alter index of employee name
- Update index of employee name

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 86 sec(s)

Which option is true about the following code?

```
CREATE INDEX emp_ename ON emp(ename);
```

Select the correct option

Reload Math Equations

- Update index of employee name
- Create index on employee name
- Delete index of employee name
- Alter index of employee name

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 88 sec(s)

Which of the following conditions is not true when you create an index in your own schema?

Select the correct option

Reload Math Equations

- The table or cluster to be indexed is in your own schema.
- You have INDEX privilege on the table to be indexed.
- When a column is updated, all indexes that contain the column must be updated.
- You have CREATE ANY INDEX system privilege.

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 87 sec(s)

The drop table statement is used when you want to:

Select the correct option

🔄 Reload Math Equations

- Delete the table structure along with data
- Delete the record from the table
- Delete a row from the table
- Delete the column from the table

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 87 sec(s)

Which system privileges are required when you want to drop a table from the database?

Select the correct option

Reload Math Equations

- None of these
- Drop Table
- Drop any table
- Drop

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 87 sec(s)

_____ is a data dictionary table containing information about dropped objects.

Select the correct option

Reload Math Equations

- None of these
- Trash
- Garbage
- Recycle bin

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 87 sec(s)

Which option is true about the following code?

```
FORALL i IN l.numrecords  
INSERT /*+ APPEND VALUES */ INTO orderdata  
VALUES(ordernum(i), custid(i), orderdate(i), shipmode(i), paymentid(i));  
COMMIT;
```

Select the correct option

Reload Math Equations

- Delete null values
- None of them
- Insert null values
- Bulk data load

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 79 sec(s)

Which option is true about the following code?

```
CREATE GLOBAL TEMPORARY TABLE admin_work_area( startdate DATE, enddate DATE, class CHAR(20) ) ON COMMIT DELETE ROWS;
```

Select the correct option

Reload Math Equations

- Deleting temporary table
- Creating temporary table
- None of them
- Updating temporary table

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left: 81 sec(s)

Identify the correct syntax to drop the employee table from the database.

Select the correct option

Reload Math Equations

- Drop employee table;
- Drop table employee;
- Employee table drop;
- Table drop employee;

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 84 sec(s)

_____ tables enable your data to be broken down into smaller, more manageable pieces.

Select the correct option

Reload Math Equations

- Partitioned
- None of them
- Centralized
- Clustered

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 87 sec(s)

_____ are the basic unit of data storage in an Oracle Database.

Select the correct option

 Reload Math Equations

- Sequences
- Tables
- Store procedures
- Constraints

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 1 of 3

Time Left: 84 sec(s)

_____ constraint forces the column to contain a value in every row.

Select the correct option

 Reload Math Equations

- Unique key
- Check
- Not Null
- Primary key

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 3 of 3

Time Left: 82 sec(s)

A view that derives its data from the tables on which it is based is called _____

Select the correct option

Reload Math Equations

- Store Procedure
- Object
- Schema
- Base Table

Click to Save Answer & Move to Next Question



Assessment Quiz

Post-Assessment

Question # 2 of 3

Time Left: 81 sec(s)

_____ is a logical representation of a table or combination of tables.

select the correct option

Reload Math Equations

- Constraints
- View
- Procedures
- Table

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 83 sec(s)

A table that resides in the application database is called _____

Select the correct option

Reload Math Equations

- Object
- Store Procedure
- Schema
- Base Table

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 86 sec(s)

A _____ constraint requires that a column of a table contains no null values.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | Foreign Key |
| <input type="radio"/> | Unique Key |
| <input checked="" type="radio"/> | Not Null |
| <input type="radio"/> | Secondary Key |

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 86 sec(s)

_____ constraints require a database value to obey a specified condition.

Select the correct option

Reload Math Equations

- Check
- Unique Key
- Foreign Key
- Primary Key

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 86 sec(s)

A _____ constraint requires that every value in a column or set of columns must be unique.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|-------------|
| <input checked="" type="radio"/> | Unique Key |
| <input type="radio"/> | Foreign Key |
| <input type="radio"/> | Primary Key |
| <input type="radio"/> | Not Null |

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 86 sec(s)

Which of the following is not a advantage of data integrity constraints?

Select the correct option

Reload Math Equations

- Declarative ease
- Flexibility when loading data
- Decentralized rules
- Centralized rules

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 83 sec(s)

A constraint specified as part of the definition of a column or attribute is called an _____ specification.

Select the correct option

Reload Math Equations

- Outline
- Out-of-line
- Null
- Inline

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 85 sec(s)

Which of the following is not a technique of data integrity?

Select the correct option

Reload Math Equations

- Enforcing business rules in the code of a database application
- Enforcing business rules with triggered stored database procedures
- Using stored procedures to completely control access to data
- Enforcing business rules without using code of a database application

Click to Save Answer & Move to Next Question



Course Content

vulms.vu.edu.pk



Assessment Quiz



Question # 2 of 3

Time Left: 82 sec(s)

Concatenated index is an alternative name of _____?

select the correct option

 Reload Math Equations

- Composite index
- Alter index
- Rebuild index
- None of these

Click to Save Answer & Move to Next Question

Assessment Quiz ✕

Question # 2 of 3

Time Left: 86 sec(s)

Which option is true about the following code?
`CREATE INDEX employees_ix
ON employees (last_name, job_id, salary);`

Select the correct option

 Reload Math Equations

- Rebuild index
- None of these
- Composite index
- Alter index

Click to Save Answer & Move to Next Question

Assessment Quiz



Question #1 of 3

Time Left: 86 sec(s)

The cluster index is an _____ index on the cluster key.

select the correct option

🔄 Reload Math Equations

- Rebuild
- Composite
- B-tree
- None of these

Click to Save Answer & Move to Next Question



Assessment Quiz ✕

Post-Assessment

Question # 3 of 3

Time Left: 86 sec(s)

A/an _____ is a user-created object that can be shared by multiple users to generate integers.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------|
| <input type="radio"/> | Segment |
| <input type="radio"/> | Table |
| <input type="radio"/> | Extent |
| <input checked="" type="radio"/> | Sequence |

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 76 sec(s)

A/an _____ is a logical representation of one or more tables.

Select the correct option

Reload Math Equations

- Tablespace
- View
- Segments
- Extent

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 85 sec(s)

A/an _____ derives its data from the tables on which it is based.

Select the correct option

Reload Math Equations

- View
- Segments
- Tablespace
- Extent

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 84 sec(s)

Collection of segments is called _____

Select the correct option

Reload Math Equations

- Data file
- Data block
- Tablespace
- Data extent

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 85 sec(s)

_____are database objects, such as tables and indexes, that consume storage space.

Select the correct option

Reload Math Equations

- Table space
- Data block
- Extent
- Segments

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 82 sec(s)

Collection of extents, may be from multiple data files is called_____

Select the correct option

Reload Math Equations

- Table space
- Data block
- Table
- Segments

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 84 sec(s)

In Oracle Database 11g Release 2, you can also drop the segment using the _____ package.

Select the correct option

 Reload Math Equations

- DBMS_SPACE_ADMIN
- DBMS_ADMIN
- DBA_SPACE_ADMIN
- DB_SPACE_ADMIN

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 84 sec(s)

By default, the database allocates an initial _____ for a data segment when the segment is created.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|--------------|
| <input checked="" type="radio"/> | Extent |
| <input type="radio"/> | Data file |
| <input type="radio"/> | Data block |
| <input type="radio"/> | Memory space |

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 87 sec(s)

An extent is always contained in one.....

Select the correct option

Reload Math Equations

- Data block
- Data file
- Data segment
- Data memory

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 87 sec(s)

The _____ storage parameter is essential to how the database manages free space.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|---------|
| <input type="radio"/> | PFREE |
| <input type="radio"/> | CTFREE |
| <input checked="" type="radio"/> | PCTFREE |
| <input type="radio"/> | PTFREE |

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 88 sec(s)

The database can reuse space within an/a _____ block.

Select the correct option

Reload Math Equations

- Data
- Index
- Control
- File

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question #1 of 3

Time Left: 84 sec(s)

PCTFREE is important for preventing _____and avoiding wasted space.

Select the correct option

Reload Math Equations

- Data redundancy
- Data anomaly
- Row migration
- Data Inconsistency

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 82 sec(s)

An/a _____ is a logical storage structure whose size and structure are not known to the operating system.

Select the correct option

Reload Math Equations

- Block file
- Oracle block
- Data file
- Control file

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 86 sec(s)

Oracle Database manages the logical storage space in the data files of a database known as _____

Select the correct option

Reload Math Equations

- Oracle pages
- Block file
- Control file
- Data file

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 64 sec(s)

If _____ is not set, then the default data block size is operating system-specific.

Select the correct option

Reload Math Equations

- DATA_BLOCK_SIZE
- DB_BLOCK_SIZE
- BLOCK_SIZE
- BLOCK-SIZE

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 80 sec(s)

Logical minimum storage unit is called_____.

Select the correct option

🔄 Reload Math Equations

- Database block
- Data block
- Logical block
- Control block

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 76 sec(s)

An/a _____ is a set of logically contiguous data blocks allocated for storing a specific type of information.

Select the correct option

Reload Math Equations

- Extent
- Block
- Data file
- Control file

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 2 of 3

Time Left: 47 sec(s)

A/an _____ is a set of extents allocated for a specific database object, such as a table.

Select the correct option

Reload Math Equations

- | | |
|----------------------------------|--------------|
| <input checked="" type="radio"/> | Segment |
| <input type="radio"/> | Block |
| <input type="radio"/> | Control file |
| <input type="radio"/> | Data file |

Click to Save Answer & Move to Next Question



Assessment Quiz



Pre-Assessment

Question # 2 of 2

Time Left: 56 sec(s)

Which of the following data dictionary view is used to display name and data file size in MB?

Select the correct option

🔄 Reload Math Equations

- DBA_DATA_FILES
- DBA_FILES
- DBA_SEGMENTS
- V\$Tablespaces

Click to Save Answer & Move to Next Question



Assessment Quiz



Pre-Assessment

Question #1 of 2

Time Left: 51 sec(s)

Which of the following data dictionary view is used to find used Data Size of Tables spaces?

Select the correct option

🔄 Reload Math Equations

- DBA_DATA_FILES
- V\$ Tables spaces
- DBA_TEMP_FILES
- DBA_SEGMENTS

Click to Save Answer & Move to Next Question



Assessment Quiz



Pre-Assessment

Question # 1 of 2

Time Left: 77 sec(s)

A _____ is assigned to a group of temp tablespace instead of a single temporary tablespace.

Select the correct option

Reload Math Equations

- Control file
- Data
- Log file
- User

Click to Save Answer & Move to Next Question



Assessment Quiz



Pre-Assessment

Question # 2 of 2

Time Left: 81 sec(s)

Temporary Tablespace Group allows a single _____ operation to use _____ temporary Tablespace for sorting.

Select the correct option

Reload Math Equations

- SQL, single
- SQL, multiple
- SQL, double
- SQL, group

Click to Save Answer & Move to Next Question



Assessment Quiz



Post-Assessment

Question # 3 of 3

Time Left: 75 sec(s)

Which of the following data dictionary view is used to find used Data Size of Tablespace?

Select the correct option

Reload Math Equations

- DBA_TEMP_FILES
- V\$Tablespaces
- DBA_SEGMENTS
- DBA_DATA_FILES

Click to Save Answer & Move to Next Question