

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506 - Web Design and Development

Quiz No. 02 100% Correct Solve (Alhamdulillah)

BY Virtual Assistance Sonu Ilyas Mughal & Sadiq Ahmed



Sindh, Pakistan



03063548328



sonuilyasmughal@gmail.com



https://www.youtube.com/channel/UCjboEX65C_yN7as5di10uIQ/playlists Sadiq Ahmed



03063548328 Sonu Ilyas Mughal

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَي كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 1 of 10 (Start time: 10:27:10 PM, 11 February 2021)

Is it true that a JavaBean class can have any public instance variables/attributes?

Select the correct option

<input type="radio"/>	Yes
<input checked="" type="radio"/>	No

Click t



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَي كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 2 of 10 (Start time: 10:27:43 PM, 11 February 2021)

A JavaBean class must have a zero argument constructor.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قُلِ اللَّهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَىٰ كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 3 of 10 (Start time: 10:28:04 PM, 11 February 2021)

The correct way to call an error page in JSP is:

Select the correct option

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | <code><%@page ... errorPage = "error.jsp"%></code> |
| <input type="radio"/> | <code><%@page ... isErrorPage = "error.jsp"%></code> |
| <input type="radio"/> | <code><%@page ... setErrorPage = "error.jsp"%></code> |
| <input type="radio"/> | <code><%@page ... getErrorPage = "error.jsp"%></code> |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 4 of 10 (Start time: 10:28:22 PM, 11 February 2021)

JSP forward action element is used to forward request to another resource.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 5 of 10 (Start time: 10:28:43 PM, 11 February 2021)

In context of JSP custom tags, a simple tag also has a body.

Select the correct option

<input type="radio"/>	True
<input checked="" type="radio"/>	False



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قُلِ اللَّهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّنْ تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَىٰ كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 6 of 10 (Start time: 10:29:01 PM, 11 February 2021)

There is NO equivalent tag for comments while writing JSP scripting elements in XML.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 7 of 10 (Start time: 10:29:21 PM, 11 February 2021)

Which of the following is the correct format of writing a taglib directive in JSP?

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | <code><%! taglib {attribute="val"} %></code> |
| <input checked="" type="radio"/> | <code><%@ taglib {attribute="val"} %></code> |
| <input type="radio"/> | <code><%# taglib {attribute="val"} %></code> |
| <input type="radio"/> | <code><%\$ taglib {attribute="val"} %></code> |

Click



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 8 of 10 (Start time: 10:29:43 PM, 11 February 2021)

An error JSP is called by the web server when an uncaught exception gets occurred.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قُلِ اللَّهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَىٰ كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 9 of 10 (Start time: 10:30:02 PM, 11 February 2021)

The correct way to define a JSP forward action element is:

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code><jsp:forward page @ "one.jsp" /></code> |
| <input checked="" type="radio"/> | <code><jsp:forward page = "one.jsp" /></code> |
| <input type="radio"/> | <code><jsp:forward page # "one.jsp" /></code> |
| <input type="radio"/> | <code><jsp:forward page \$ "one.jsp" /></code> |



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قُلِ اللَّهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَىٰ كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 10 of 10 (Start time: 10:30:22 PM, 11 February 2021)

Is it true that a JavaBean class CAN NOT be easily reused and composed together in an application?

Select the correct option

<input type="radio"/>	Yes
<input checked="" type="radio"/>	No



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 1 of 10 (Start time: 11:02:07 PM, 11 February 2021)

The correct format of writing a declaration tag in JSP is;

Select the correct option

- | | |
|----------------------------------|-------------------|
| <input type="radio"/> | <%@ Java code %> |
| <input checked="" type="radio"/> | <%! Java code %> |
| <input type="radio"/> | <%\$ Java code %> |
| <input type="radio"/> | <%# Java code %> |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 2 of 10 (Start time: 11:02:27 PM, 11 February 2021)

The correct way to declare a page as an error page in JSP is:

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code><%@page ... errorPage = "true"%></code> |
| <input checked="" type="radio"/> | <code><%@page ... isErrorPage = "true"%></code> |
| <input type="radio"/> | <code><%@page ... setErrorPage = "true"%></code> |
| <input type="radio"/> | <code><%@page ... getErrorPage = "true"%></code> |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 3 of 10 (Start time: 11:02:46 PM, 11 February 2021)

JSP directives are used to convey special processing information about the page to JSP container.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 4 of 10 (Start time: 11:03:07 PM, 11 February 2021)

JSP forward action element is used to forward request to another resource.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 5 of 10 (Start time: 11:03:25 PM, 11 February 2021)

Tag Library Descriptor (.tld) file is a simple text base document.

Select the correct option

True

False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 6 of 10 (Start time: 11:03:44 PM, 11 February 2021)

In JSP scripting elements, it is NOT necessary that every opening tag also have a closing tag.

Select the correct option

<input type="radio"/>	True
<input checked="" type="radio"/>	False

Cl



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكِ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّنْ تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَي كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 7 of 10 (Start time: 11:04:04 PM, 11 February 2021)

In the context of JSP expressions and scriptlets, pageDirective is NOT an implicit object.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Quiz !

Question # 8 of 10 (Start time: 11:04:23 PM, 11 February 2021)

In JSP, _____ is an implicit object, which belongs to ServletConfig class and represents the JSP configuration options.

Select the correct option

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | Session |
| <input type="radio"/> | Application |
| <input checked="" type="radio"/> | Config |
| <input type="radio"/> | PageContext |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 9 of 10 (Start time: 11:04:41 PM, 11 February 2021)

A Java class that follows certain design conventions is called _____

Select the correct option

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | ServletBean |
| <input type="radio"/> | JSPBean |
| <input type="radio"/> | SwingBean |
| <input checked="" type="radio"/> | JavaBean |

Click



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 10 of 10 (Start time: 11:05:02 PM, 11 February 2021)

A JavaBean class must have a zero argument constructor.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 1 of 10 (Start time: 11:10:15 PM, 11 February 2021)

Is it true that a JavaBean class can have any public instance variables/attributes?

Select the correct option

<input type="radio"/>	Yes
<input checked="" type="radio"/>	No



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 2 of 10 (Start time: 11:10:38 PM, 11 February 2021)

In context of JSP custom tags, a simple tag also has a body.

Select the correct option

<input type="radio"/>	True
<input checked="" type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 3 of 10 (Start time: 11:10:58 PM, 11 February 2021)

In a JavaBean class, private values should be accessed through setters/getters.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَي كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 4 of 10 (Start time: 11:11:17 PM, 11 February 2021)

In JSP scripting elements, it is NOT necessary that every opening tag also have a closing tag.

Select the correct option

<input type="radio"/>	True
<input checked="" type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Quiz 5

Question # 5 of 10 (Start time: 11:11:36 PM, 11 February 2021)

By means of Page Directive, a JSP can be given the responsibility of an Error page.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False

Click to Save

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلَىٰ كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Quiz

Question # 6 of 10 (Start time: 11:11:56 PM, 11 February 2021)

Which of the following is the correct format of writing an include directive in JSP?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code><%! include {attribute="val"} %></code> |
| <input checked="" type="radio"/> | <code><%@ include {attribute="val"} %></code> |
| <input type="radio"/> | <code><%# include {attribute="val"} %></code> |
| <input type="radio"/> | <code><%\$ include {attribute="val"} %></code> |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 7 of 10 (Start time: 11:12:15 PM, 11 February 2021)

Which of the following is the correct format of writing a page directive in JSP?

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | <code><%! page {attribute="val"} %></code> |
| <input checked="" type="radio"/> | <code><%@ page {attribute="val"} %></code> |
| <input type="radio"/> | <code><%# page {attribute="val"} %></code> |
| <input type="radio"/> | <code><%\$ page {attribute="val"} %></code> |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 8 of 10 (Start time: 11:12:42 PM, 11 February 2021)

The correct way to declare a page as an error page in JSP is:

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code><%@page ... errorPage = "true"%></code> |
| <input checked="" type="radio"/> | <code><%@page ... isErrorPage = "true"%></code> |
| <input type="radio"/> | <code><%@page ... setErrorPage = "true"%></code> |
| <input type="radio"/> | <code><%@page ... getErrorPage = "true"%></code> |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 9 of 10 (Start time: 11:13:02 PM, 11 February 2021)

A Java class that follows certain design conventions is called _____.

Select the correct option

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | ServletBean |
| <input type="radio"/> | JSPBean |
| <input type="radio"/> | SwingBean |
| <input checked="" type="radio"/> | JavaBean |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَي كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 9 of 10 (Start time: 11:13:02 PM, 11 February 2021)

A Java class that follows certain design conventions is called _____.

Select the correct option

- | | |
|----------------------------------|-------------|
| <input type="radio"/> | ServletBean |
| <input type="radio"/> | JSPBean |
| <input type="radio"/> | SwingBean |
| <input checked="" type="radio"/> | JavaBean |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 10 of 10 (Start time: 11:13:27 PM, 11 February 2021)

HTML comments are _____ in browser and JSP comments are _____ in browser.

Select the correct option

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | shown, shown |
| <input checked="" type="radio"/> | shown, hidden |
| <input type="radio"/> | hidden, shown |
| <input type="radio"/> | hidden, hidden |

Click t



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



Sonu Ilyas Mughal



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS304:Quiz 2

Question # 1 of 10 (Start time: 06:57:24 PM, 12 February 2021)

Which of the following is the correct syntax for passing two type arguments to a template?

Select the correct option

- | | |
|----------------------------------|------------------------------------|
| <input type="radio"/> | template< type T, type U > |
| <input checked="" type="radio"/> | template< typename T, typename U > |
| <input type="radio"/> | template< type T, U > |
| <input type="radio"/> | template Typename< T, U > |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS304:Quiz 2

Question # 2 of 10 (Start time: 06:57:57 PM, 12 February 2021)

A class template _____

Select the correct option

- | | |
|----------------------------------|------------------------------------|
| <input checked="" type="radio"/> | Facilitates reuse of class |
| <input type="radio"/> | Does not facilitate reuse of class |
| <input type="radio"/> | Does not support generic methods |
| <input type="radio"/> | Does not support static members |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS304:Quiz 2

Question # 4 of 10 (Start time: 06:58:41 PM, 12 February 2021)

Which of the following statement is true about partial specialization?

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | Function templates cannot have partial specialization. |
| <input type="radio"/> | Class templates cannot have partial specialization. |
| <input checked="" type="radio"/> | Both Class templates and function templates can have partial specialization. |
| <input type="radio"/> | None of the given options |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS304:Quiz 2

Question # 3 of 10 (Start time: 06:58:21 PM, 12 February 2021)

Each _____ of a template class by default becomes function template.

Select the correct option

<input type="radio"/>	Data member
<input checked="" type="radio"/>	Member function
<input type="radio"/>	Type parameter
<input type="radio"/>	Object



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَي كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS304:Quiz 2

Question # 6 of 10 (Start time: 06:59:33 PM, 12 February 2021)

Which of the following is known as Dereference operator in C++?

Select the correct option

- | | |
|----------------------------------|----|
| <input type="radio"/> | + |
| <input checked="" type="radio"/> | * |
| <input type="radio"/> | & |
| <input type="radio"/> | :: |

Click



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS304:Quiz 2

Question # 7 of 10 (Start time: 07:00:02 PM, 12 February 2021)

We can change behavior of a template using _____.

Select the correct option

<input checked="" type="radio"/>	Template Parameters
<input type="radio"/>	Function Templates
<input type="radio"/>	Class Templates
<input type="radio"/>	None of the given options



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS304:Quiz 2

Question # 5 of 10 (Start time: 06:59:11 PM, 12 February 2021)

In resolution order compiler search firstly _____.

Select the correct option

<input type="radio"/>	Generic Template
<input type="radio"/>	Partial Specialization
<input type="radio"/>	Complete Specialization
<input checked="" type="radio"/>	Ordinary function



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS304:Quiz 2

Question # 9 of 10 (Start time: 07:00:45 PM, 12 February 2021)

It is a good practice to avoid objects to treat Polymorphically.

Select the correct option

<input type="radio"/>	Public
<input checked="" type="radio"/>	Array
<input type="radio"/>	Private
<input type="radio"/>	Protected



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS304:Quiz 2

Question # 8 of 10 (Start time: 07:00:25 PM, 12 February 2021)

Which will be the Primary task or tasks of generic programming?

Select the correct option

<input type="radio"/>	Categorize the abstractions in a domain into concepts
<input type="radio"/>	Implement generic algorithms based on the concepts
<input type="radio"/>	Build concrete models of the concepts
<input checked="" type="radio"/>	All of given



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS304:Quiz 2

Question # 10 of 10 (Start time: 07:01:04 PM, 12 February 2021)

In C++ generic programming is done using_____

Select the correct option

- | | |
|----------------------------------|---------------|
| <input type="radio"/> | Procedures |
| <input type="radio"/> | Packages |
| <input checked="" type="radio"/> | Templates |
| <input type="radio"/> | None of given |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلَىٰ كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 1 of 10 (Start time: 07:07:25 PM, 12 February 2021)

The correct way to declare a page as an error page in JSP is:

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code><%@page ... errorPage = "true"%></code> |
| <input checked="" type="radio"/> | <code><%@page ... isErrorPage = "true"%></code> |
| <input type="radio"/> | <code><%@page ... setErrorPage = "true"%></code> |
| <input type="radio"/> | <code><%@page ... getErrorPage = "true"%></code> |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 3 of 10 (Start time: 07:08:17 PM, 12 February 2021)

Is it true that a JavaBean class CAN NOT be easily reused and composed together in an application?

Select the correct option

<input type="radio"/>	Yes
<input checked="" type="radio"/>	No



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 2 of 10 (Start time: 07:07:48 PM, 12 February 2021)

The correct way to define a JSP include action element is:

Select the correct option

- | | |
|----------------------------------|--|
| <input type="radio"/> | <code><jsp:include page @ "one.jsp" /></code> |
| <input checked="" type="radio"/> | <code><jsp:include page = "one.jsp" /></code> |
| <input type="radio"/> | <code><jsp:include page # "one.jsp" /></code> |
| <input type="radio"/> | <code><jsp:include page \$ "one.jsp" /></code> |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Quiz St

Question # 5 of 10 (Start time: 07:08:56 PM, 12 February 2021)

HTML comments are _____ in browser and JSP comments are _____ in browser.

Select the correct option

- | | |
|----------------------------------|----------------|
| <input type="radio"/> | shown, shown |
| <input checked="" type="radio"/> | shown, hidden |
| <input type="radio"/> | hidden, shown |
| <input type="radio"/> | hidden, hidden |

Click to Save A



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 6 of 10 (Start time: 07:09:19 PM, 12 February 2021)

A Java class that follows certain design conventions is called _____.

Select the correct option

<input type="radio"/>	ServletBean
<input type="radio"/>	JSPBean
<input type="radio"/>	SwingBean
<input checked="" type="radio"/>	JavaBean



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 4 of 10 (Start time: 07:08:37 PM, 12 February 2021)

Which of the following is the correct format of writing a taglib directive in JSP?

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | <code><%! taglib {attribute="val"} %></code> |
| <input checked="" type="radio"/> | <code><%@ taglib {attribute="val"} %></code> |
| <input type="radio"/> | <code><%# taglib {attribute="val"} %></code> |
| <input type="radio"/> | <code><%\$ taglib {attribute="val"} %></code> |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 8 of 10 (Start time: 07:10:08 PM, 12 February 2021)

An error JSP is called by the web server when an uncaught exception gets occurred.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 7 of 10 (Start time: 07:09:43 PM, 12 February 2021)

JSP directives are used to convey special processing information about the page to JSP container.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False

CI



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 10 of 10 (Start time: 07:10:52 PM, 12 February 2021)

JSP forward action element is used to include files at request time.

Select the correct option

<input type="radio"/>	True
<input type="radio"/>	False

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 9 of 10 (Start time: 07:10:31 PM, 12 February 2021)

A JavaBean class must have a zero argument constructor.

Select the correct option

True

False

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 2 of 10 (Start time: 07:14:05 PM, 12 February 2021)

By means of Page Directive, a JSP can be given the responsibility of an Error page.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False

Click t



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 3 of 10 (Start time: 07:14:25 PM, 12 February 2021)

In JSP scripting elements, it is NOT necessary that every opening tag also have a closing tag.

Select the correct option

True

False

Click



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 1 of 10 (Start time: 07:13:30 PM, 12 February 2021)

Is it true that a JavaBean class CAN NOT be easily reused and composed together in an application?

Select the correct option

<input type="radio"/>	Yes
<input type="radio"/>	No



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Quiz Start

Question # 5 of 10 (Start time: 07:15:04 PM, 12 February 2021)

Is it true that Enterprise Applications need to support multiple types of users with multiple types of interfaces?

Select the correct option

<input checked="" type="radio"/>	Yes
<input type="radio"/>	No

Click to Save Ans



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَي كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 4 of 10 (Start time: 07:14:44 PM, 12 February 2021)

With Custom tags, it is possible for web page designers to use complex functionality without knowing any Java.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 7 of 10 (Start time: 07:15:43 PM, 12 February 2021)

Is it true that a JavaBean class can have any public instance variables/attributes?

Select the correct option

<input type="radio"/>	Yes
<input checked="" type="radio"/>	No

Click to



بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

قُلِ اللَّهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَىٰ كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 6 of 10 (Start time: 07:15:22 PM, 12 February 2021)

JSP forward action element is used to include files at request time.

Select the correct option

<input type="radio"/>	True
<input checked="" type="radio"/>	False



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 9 of 10 (Start time: 07:16:34 PM, 12 February 2021)

The correct way to call an error page in JSP is:

Select the correct option

- | | |
|----------------------------------|---|
| <input checked="" type="radio"/> | <code><%@page ... errorPage = "error.jsp"%></code> |
| <input type="radio"/> | <code><%@page ... isErrorPage = "error.jsp"%></code> |
| <input type="radio"/> | <code><%@page ... setErrorPage = "error.jsp"%></code> |
| <input type="radio"/> | <code><%@page ... getErrorPage = "error.jsp"%></code> |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Question # 8 of 10 (Start time: 07:16:04 PM, 12 February 2021)

Which of the following is the correct format of writing a taglib directive in JSP?

Select the correct option

- | | |
|----------------------------------|---|
| <input type="radio"/> | <code><%! taglib {attribute="val"} %></code> |
| <input checked="" type="radio"/> | <code><%@ taglib {attribute="val"} %></code> |
| <input type="radio"/> | <code><%# taglib {attribute="val"} %></code> |
| <input type="radio"/> | <code><%\$ taglib {attribute="val"} %></code> |



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ بِيَدِكَ الْخَيْرُ إِنَّكَ عَلَي كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



CS506:Quiz # 2

Qu

Question # 10 of 10 (Start time: 07:16:57 PM, 12 February 2021)

JSP directives are used to convey special processing information about the page to JSP container.

Select the correct option

<input checked="" type="radio"/>	True
<input type="radio"/>	False

Click to Sa



بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ اِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيْرٌ



CS506 - Web Design and Development



Subscribed MY YOUTUBE channel by Tutor Sadiq Ahmed

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ ۗ بِيَدِكَ الْخَيْرُ ۗ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



Virtual Academy For all Subjects and Projects

https://www.youtube.com/channel/UCjboEX65C_yN7as5di1OuIQ/playlists



03063548328 Sonu Ilyas Mughal

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِیْمِ

قُلِ اللّٰهُمَّ مَالِكَ الْمُلْكِ تُؤْتِي الْمُلْكَ مَنْ تَشَاءُ وَتَنْزِعُ الْمُلْكَ مِمَّن تَشَاءُ وَتُعِزُّ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ إِنَّكَ عَلٰى كُلِّ شَيْءٍ قَدِيرٌ



CS506 - Web Design and Development



VIRTUAL ASSISTANCE
WITH SONU MUGHAL

ONLINE ACADEMY FOR ALL SUBJECTS AND PROJECTS OF VU

0306 3548328

sonuilyasmughal@gmail.com

VIRTUAL ASSISTANCE
WITH SONU MUGHAL

ONLINE ACADEMY FOR ALL SUBJECTS AND PROJECTS OF VU

0306 3548328

sonuilyasmughal@gmail.com

Subjects Enrolment

- 1) Lecture live on Zoom
- 2) Written Lectures (pdf)
- 3) Recorded Videos
- 4) Topic wise Notes
- 5) Short QA Solved
- 6) MCQs Solved
- 7) Solved Past and Current paper
- 8) Solved Graded Activities (Assignment Quiz GDB)

Activity
Detailed
Information

Project Enrolment Complete training with Live classes on Zoom

- 1) SRS (Software Requirements Specification)
- 2) DD (Design Document)
- 3) Test phase
 - a) Test phase viva (Live Classes for viva preparation)
- 4) Final Deliverable
 - a) Final coding
 - b) Final presentation
 - c) Final report
 - d) Pre final viva (Coding Viva)
 - e) Final viva (Overall Presentation)

*First See Our Result
Than Join Us!*

Subjects Enrolment

- 1) Lecture live on Zoom
- 2) Written Lectures (pdf)
- 3) Recorded Videos
- 4) Topic wise Notes
- 5) Short QA Solved
- 6) MCQs Solved
- 7) Solved Past and Current paper
- 8) Solved Graded Activities (Assignment Quiz GDB)

Activity
Detailed
Information

Project Enrolment Complete training with Live classes on Zoom

- 1) SRS (Software Requirements Specification)
- 2) DD (Design Document)
- 3) Test phase
 - a) Test phase viva (Live Classes for viva preparation)
- 4) Final Deliverable
 - a) Final coding
 - b) Final presentation
 - c) Final report
 - d) Pre final viva (Coding Viva)
 - e) Final viva (Overall Presentation)

*First See Our Result
Than Join Us!*

