



03063548328 Sonu Ilyas Mughal

CS506-Web Design and Development



Grand Quiz 2020 (Covid-19)

100% Correct Solve (Alhamdulillah)

---

BY Virtual Assistance Sonu Ilyas Mughal

Sonu Ilyas Mughal



Sindh, Pakistan



03063548328



[sonuilyasmughal@gmail.com](mailto:sonuilyasmughal@gmail.com)



03063548328 Sonu Ilyas Mughal

Sonu Ilyas Mughal



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 1 of 30 ( Start time: 06:07:34 PM, 27 December 2020 )

What will happen if static modifier is removed from the signature of main method?

Select the correct option

Sonu Ilyas Mughal

- |                                  |   |
|----------------------------------|---|
| <input type="radio"/>            | The program will not compile                  |
| <input type="radio"/>            | The program will compile and run successfully |
| <input checked="" type="radio"/> | The program will compile but not run          |
| <input type="radio"/>            | None of given options                         |

SONU



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz S

Question # 2 of 30 ( Start time: 06:08:19 PM, 27 December 2020 )

Which of the following is NOT true for java inner classes?

Select the correct option

<input type="radio"/>	Can have constructors	Sonu Ilyas Mughal
<input type="radio"/>	Can have instance variables	
<input type="radio"/>	Can have Methods	
<input checked="" type="radio"/>	Generally used as public utility classes	

SONU



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start Time: 06:

Question # 3 of 30 ( Start time: 06:08:51 PM, 27 December 2020 )

A hash map object is to create, to store Teacher objects as values and their CNIC in the form of strings as keys. Which syntax is correct for this requirement?

Select the correct option

<input type="radio"/>	<code>HashMap &lt;String&gt; h =new HashMap&lt;String&gt;();</code>	Sonu Ilyas Mughal
<input checked="" type="radio"/>	<code>HashMap &lt;String,Teacher&gt; h =new HashMap&lt;String, Teacher&gt;();</code>	
<input type="radio"/>	<code>HashMap &lt;Teacher&gt; h =new HashMap&lt;String,Teacher&gt;();</code>	
<input type="radio"/>	<code>HashMap &lt;Teacher&gt; h =new HashMap&lt;Teacher&gt;();</code>	



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Question # 4 of 30 ( Start time: 06:09:24 PM, 27 December 2020 )

A scrollable and updatable ResultSet object has the following capabilities except \_\_\_\_\_

Select the correct option

- |                                  |                    |
|----------------------------------|--------------------|
| <input type="radio"/>            | insert new rows    |
| <input checked="" type="radio"/> | insert new columns |
| <input type="radio"/>            | delete rows        |
| <input type="radio"/>            | update rows        |

Sonu Ilyas Mughal



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 5 of 30 ( Start time: 06:09:49 PM, 27 December 2020 )

Which of the following classes is capable to instantiate?

Select the correct option

Sonu Ilyas Mughal

- |                                  |                   |
|----------------------------------|-------------------|
| <input type="radio"/>            | Abstract class    |
| <input checked="" type="radio"/> | Concrete class    |
| <input type="radio"/>            | Interface class   |
| <input type="radio"/>            | None of the given |



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 6 of 30 ( Start time: 06:10:25 PM, 27 December 2020 )

Exception handling code is written in \_\_\_\_\_

Select the correct option

- |                                  |               |                   |
|----------------------------------|---------------|-------------------|
| <input type="radio"/>            | try block     | Sonu Ilyas Mughal |
| <input checked="" type="radio"/> | catch block   | SONU              |
| <input type="radio"/>            | finally block |                   |
| <input type="radio"/>            | throws clause |                   |



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz

Question # 7 of 30 ( Start time: 06:10:55 PM, 27 December 2020 )

Which of the following objects is passed as an argument to paintComponent() method?

Select the correct option

- |                                  |                 |                   |
|----------------------------------|-----------------|-------------------|
| <input type="radio"/>            | Image object    | Sonu Ilyas Mughal |
| <input type="radio"/>            | JPanel object   |                   |
| <input type="radio"/>            | JFrame object   |                   |
| <input checked="" type="radio"/> | Graphics object | SONU              |



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start Time

Question # 8 of 30 ( Start time: 06:11:25 PM, 27 December 2020 )

It is verified by \_\_\_\_\_ that not all bytecodes violate java security restrictions.

Select the correct option

- |                                  |                   |      |
|----------------------------------|-------------------|------|
| <input type="radio"/>            | editor            |      |
| <input type="radio"/>            | compiler          |      |
| <input type="radio"/>            | class loader      |      |
| <input checked="" type="radio"/> | bytecode verifier | SONU |

Sonu Ilyas Mughal

Click to Save Answer



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 9 of 30 ( Start time: 06:12:03 PM, 27 December 2020 )

An event in java is represented as \_\_\_\_\_

Select the correct option

- |                                  |                     |                   |
|----------------------------------|---------------------|-------------------|
| <input type="radio"/>            | Operator            | Sonu Ilyas Mughal |
| <input type="radio"/>            | Function            |                   |
| <input checked="" type="radio"/> | Object              | SONU              |
| <input type="radio"/>            | Primitive data type |                   |



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Sta

Question # 10 of 30 ( Start time: 06:12:32 PM, 27 December 2020 )

Which of the following functions is declared in MouseMotionListener interface?

Select the correct option

- |                                  |   |                   |
|----------------------------------|---|-------------------|
| <input type="radio"/>            | public void mousePressed (MouseEvent me); | Sonu Ilyas Mughal |
| <input checked="" type="radio"/> | public void mouseDragged (MouseEvent me); | SONU              |
| <input type="radio"/>            | public void mouseClicked (MouseEvent me); |                   |
| <input type="radio"/>            | public void mouseEntered (MouseEvent me); |                   |



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz

Question # 11 of 30 ( Start time: 06:13:01 PM, 27 December 2020 )

In given lines of code , \_\_\_\_\_ is applying.  
double a = 9.5;  
int b = (int) a;

Select the correct option

<input type="radio"/>	upcasting a to b type	Sonu Ilyas Mughal
<input type="radio"/>	upcasting b to a type	
<input checked="" type="radio"/>	downcasting a to b type	SONU
<input type="radio"/>	downcasting b to a type	



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 12 of 30 ( Start time: 06:13:28 PM, 27 December 2020 )

Which of the given will clear all the previous painting?

Select the correct option

<input checked="" type="radio"/>	<code>super.paintComponent()</code>	SONU	Sonu Ilyas Mughal
<input type="radio"/>	<code>super.paint()</code>		
<input type="radio"/>	<code>super.repaint()</code>		
<input type="radio"/>	<code>super.redraw()</code>		



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Star

Question # 13 of 30 ( Start time: 06:13:58 PM, 27 December 2020 )

Interface imposes \_\_\_\_\_ structure on any class that uses interface.

Select the correct option

<input type="radio"/>	code	Sonu Ilyas Mughal
<input checked="" type="radio"/>	design	
<input type="radio"/>	implementation	
<input type="radio"/>	inheritance	



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 14 of 30 ( Start time: 06:14:29 PM, 27 December 2020 )

The following is an example of \_\_\_\_\_.  
`FileReader fr = new FileReader("input.txt");`

Select the correct option

- |                                  |                      |                   |
|----------------------------------|----------------------|-------------------|
| <input type="radio"/>            | Byte oriented stream | Sonu Ilyas Mughal |
| <input checked="" type="radio"/> | Node stream          | SONU              |
| <input type="radio"/>            | Filter stream        |                   |
| <input type="radio"/>            | File stream          |                   |



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start Tim

Question # 15 of 30 ( Start time: 06:15:10 PM, 27 December 2020 )

Strings in java are represented as \_\_\_\_\_

Select the correct option

<input type="radio"/>	Primitive data types	Sonu Ilyas Mughal
<input checked="" type="radio"/>	Reference data types	sonu hun my okh
<input type="radio"/>	Native data types	
<input type="radio"/>	Operators	



03063548328 Sonu Ilyas Mughal

Question # 16 of 30 ( Start time: 06:15:55 PM, 27 December 2020 )

AWT is also called \_\_\_\_\_.

Select the correct option

- |                                  |   |                   |
|----------------------------------|---|-------------------|
| <input checked="" type="radio"/> | Heavy weight components                       | sonuuuuuuuuuu     |
| <input type="radio"/>            | Light weight components                       | Sonu Ilyas Mughal |
| <input type="radio"/>            | Both Light weight and heavy weight components |                   |
| <input type="radio"/>            | Neither Light weight nor heavy weight         |                   |

Click to Save Answer &



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Qui:

Question # 17 of 30 ( Start time: 06:16:28 PM, 27 December 2020 )

Choose the correct syntax to define an interface named as "Speaker" in java language.

Select the correct option

- |                                  |  |                   |
|----------------------------------|--|-------------------|
| <input type="radio"/>            | <code>public class Speaker{</code>           | Sonu Ilyas Mughal |
| <input type="radio"/>            | <code>public interface class Speaker{</code> |                   |
| <input checked="" type="radio"/> | <code>public interface Speaker{</code>       | Sonu              |
| <input type="radio"/>            | <code>public Speaker class interface{</code> |                   |



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 18 of 30 ( Start time: 06:17:24 PM, 27 December 2020 )

In Java, if a super class method is protected then overriding method \_\_\_\_\_.

Select the correct option

Sonu Ilyas Mughal

- |                                  |                                   |
|----------------------------------|-----------------------------------|
| <input type="radio"/>            | must be protected                 |
| <input type="radio"/>            | must be public                    |
| <input type="radio"/>            | must be private                   |
| <input checked="" type="radio"/> | may be either protected or public |

SONU



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 19 of 30 ( Start time: 06:18:08 PM, 27 December 2020 )

Timer class constructor requires time in \_\_\_\_\_.

Select the correct option

<input type="radio"/>	seconds	Sonu Ilyas Mughal
<input checked="" type="radio"/>	milli seconds	SONU
<input type="radio"/>	micro seconds	
<input type="radio"/>	nano seconds	



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 20 of 30 ( **Start time: 06:18:34 PM, 27 December 2020** )

The \_\_\_\_\_ is directly connected with keyboard.

Select the correct option

<input type="radio"/>	File stream	Sonu Ilyas Mughal
<input type="radio"/>	Character oriented stream	
<input checked="" type="radio"/>	Node stream	SONU
<input type="radio"/>	Filter stream	



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start Time:

Question # 21 of 30 ( Start time: 06:19:08 PM, 27 December 2020 )

For each class contained in java source file, compiler generates \_\_\_\_\_ class file/s.

Select the correct option

- |                                  |       |      |                   |
|----------------------------------|-------|------|-------------------|
| <input checked="" type="radio"/> | one   | SONU | Sonu Ilyas Mughal |
| <input type="radio"/>            | two   |      |                   |
| <input type="radio"/>            | three |      |                   |
| <input type="radio"/>            | four  |      |                   |

Click to Save Answer



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 22 of 30 ( Start time: 06:19:39 PM, 27 December 2020 )

In given lines of code, \_\_\_\_\_ is applying .  
int a = 20;  
double b = a;

Select the correct option

<input checked="" type="radio"/>	upcasting a to b type	SONU	Sonu Ilyas Mughal
<input type="radio"/>	upcasting b to a type		
<input type="radio"/>	downcasting a to b type		
<input type="radio"/>	downcasting b to a type		



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Question # 23 of 30 ( Start time: 06:20:16 PM, 27 December 2020 )

Which of the following methods is called only once during the life cycle of an Applet?

Select the correct option

- |                                  |           |
|----------------------------------|-----------|
| <input type="radio"/>            | start( )  |
| <input type="radio"/>            | paint()   |
| <input type="radio"/>            | stop()    |
| <input checked="" type="radio"/> | destroy() |

Sonu Ilyas Mughal

Click



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Qui:

Question # 24 of 30 ( Start time: 06:20:47 PM, 27 December 2020 )

Which statement from the following statements is true about a java Anonymous Inner Class?

Select the correct option

<input type="radio"/>	It is difficult to understand	Sonu Ilyas Mughal
<input type="radio"/>	It has no name	
<input type="radio"/>	It is much shorter	
<input checked="" type="radio"/>	All of the given options	SONU

Click to Sa



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 25 of 30 ( Start time: 06:21:21 PM, 27 December 2020 )

If there is a class "Student", then the java file must be saved with \_\_\_\_\_ name.

Select the correct option

<input type="radio"/>	Student_File.java	Sonu Ilyas Mughal
<input type="radio"/>	student.java	
<input type="radio"/>	Any name	
<input checked="" type="radio"/>	Student.java	SONU



03063548328 Sonu Ilyas Mughal

BC170401287: MUHAMMAD ALI HAMZA HANJRA

CS506:Grand Quiz

Question # 26 of 30 ( Start time: 06:22:03 PM, 27 December 2020 )

Which of the following statement object is used to execute simple SQL statement?

Select the correct option

Sonu Ilyas Mughal

<input checked="" type="radio"/>	Statement
<input type="radio"/>	PreparedStatement
<input type="radio"/>	CallableStatement
<input type="radio"/>	None of given

Click to



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz S

Question # 27 of 30 ( Start time: 06:22:40 PM, 27 December 2020 )

Which feature of the following features is not included in Java language?

Select the correct option

<input type="radio"/>	Inheritance	Sonu Ilyas Mughal
<input type="radio"/>	Polymorphism	
<input checked="" type="radio"/>	Pointer manipulation	SONU
<input type="radio"/>	Data encapsulation	



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz St

Question # 28 of 30 ( Start time: 06:23:09 PM, 27 December 2020 )

Which of the following methods is used to convert a string into an int value?

Select the correct option

- |                                  |                |      |
|----------------------------------|----------------|------|
| <input type="radio"/>            | intValue()     |      |
| <input checked="" type="radio"/> | parseInt()     | SONU |
| <input type="radio"/>            | ParseInt()     |      |
| <input type="radio"/>            | parseInteger() |      |

Sonu Ilyas Mughal

Click to Save



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 29 of 30 ( **Start time: 06:23:42 PM, 27 December 2020** )

Which of the following is a valid variable name in Java?

Select the correct option

Sonu Ilyas Mughal

<input type="radio"/>	1xu
<input type="radio"/>	vu.506
<input checked="" type="radio"/>	NumberOfStudent SONU
<input type="radio"/>	long



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 30 of 30 ( **Start time: 06:24:09 PM, 27 December 2020** )

Which of the following features is available in java?

Select the correct option

<input type="radio"/>	Pointers	Sonu Ilyas Mughal
<input type="radio"/>	Operator overloading	
<input type="radio"/>	Global variables	
<input checked="" type="radio"/>	Primitive data types	SONU MUGHALLLLLLLLL



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 1 of 30 ( **Start time: 07:18:25 PM, 27 December 2020** )

A port is a \_\_\_\_\_ to which processes can listen for connections request.

Select the correct option

<input type="radio"/>	Local Address	Sonu Ilyas Mughal
<input type="radio"/>	Server Address	
<input type="radio"/>	Client Address	
<input checked="" type="radio"/>	Transport Address	



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 2 of 30 ( **Start time: 07:19:06 PM, 27 December 2020** )

Which of the following is called "pure abstract class"?

Select the correct option

- |                                  |  |
|----------------------------------|--|
| <input type="radio"/>            | Concrete class                         |
| <input type="radio"/>            | Wrapper class                          |
| <input checked="" type="radio"/> | Interface                              |
| <input type="radio"/>            | Abstract class with no abstract method |

Sonu Ilyas Mughal



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start T

Question # 3 of 30 ( Start time: 07:19:32 PM, 27 December 2020 )

Which of the following packages needs to import while handling files?

Select the correct option

<input type="radio"/>	java.util	Sonu Ilyas Mughal
<input checked="" type="radio"/>	java.io	SONU
<input type="radio"/>	java.awt	
<input type="radio"/>	javax.swing	



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Question # 4 of 30 ( Start time: 07:20:02 PM, 27 December 2020 )

How many simultaneous connections can be opened using TCP and UDP ports?

Select the correct option

<input type="radio"/>	64	Sonu Ilyas Mughal
<input type="radio"/>	128	
<input type="radio"/>	64k	
<input checked="" type="radio"/>	128k	



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Qu

Question # 5 of 30 ( Start time: 07:20:46 PM, 27 December 2020 )

Which of the following is a valid variable name in Java?

Select the correct option

- |                                  |                 |                   |
|----------------------------------|-----------------|-------------------|
| <input type="radio"/>            | 1xu             | Sonu Ilyas Mughal |
| <input type="radio"/>            | vu.506          |                   |
| <input checked="" type="radio"/> | NumberOfStudent | SONU              |
| <input type="radio"/>            | long            |                   |

Click to S



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Sta

Question # 6 of 30 ( Start time: 07:21:17 PM, 27 December 2020 )

Which of the following statements is a correct statement for "mouse release" event in "MouseListener" interface?

Select the correct option

- |                                  |  |
|----------------------------------|--|
| <input type="radio"/>            | public void mouseRelease(MouseEvent me)  |
| <input type="radio"/>            | Public void mouseRelease(MouseEvent me)  |
| <input checked="" type="radio"/> | public void mouseReleased(MouseEvent me) |
| <input type="radio"/>            | Public void mouseReleased(MouseEvent me) |
- Sonu Ilyas Mughal



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 7 of 30 ( Start time: 07:21:46 PM, 27 December 2020 )

Which of the given will clear all the previous painting?

Select the correct option

- |                                  |                                     |                   |
|----------------------------------|-------------------------------------|-------------------|
| <input checked="" type="radio"/> | <code>super.paintComponent()</code> | Sonu Ilyas Mughal |
| <input type="radio"/>            | <code>super.paint()</code>          |                   |
| <input type="radio"/>            | <code>super.repaint()</code>        |                   |
| <input type="radio"/>            | <code>super.redraw()</code>         |                   |



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 8 of 30 ( Start time: 07:22:17 PM, 27 December 2020 )

\_\_\_\_\_ is/are not part of java core language.

Select the correct option

- |                                  |                 |                   |
|----------------------------------|-----------------|-------------------|
| <input checked="" type="radio"/> | ArrayList class | Sonu Ilyas Mughal |
| <input type="radio"/>            | Variables       |                   |
| <input type="radio"/>            | Arrays          |                   |
| <input type="radio"/>            | Objects         |                   |



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 9 of 30 ( **Start time: 07:22:40 PM, 27 December 2020** )

Strings in java are represented as \_\_\_\_\_

Select the correct option

<input type="radio"/>	Primitive data types	Sonu Ilyas Mughal
<input checked="" type="radio"/>	Reference data types	
<input type="radio"/>	Native data types	
<input type="radio"/>	Operators	



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 10 of 30 ( **Start time: 07:23:12 PM, 27 December 2020** )

\_\_\_\_\_ in a collection class creates a collection with no elements.

Select the correct option

Sonu Ilyas Mughal

<input checked="" type="radio"/>	Constructor
<input type="radio"/>	Class
<input type="radio"/>	Function
<input type="radio"/>	Array



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Question # 11 of 30 ( Start time: 07:23:41 PM, 27 December 2020 )

== operator compares \_\_\_\_\_ of strings whereas equals() method compares \_\_\_\_\_ of strings.

Select the correct option

<input type="radio"/>	Values, addresses
<input checked="" type="radio"/>	Addresses, values
<input type="radio"/>	Size, addresses
<input type="radio"/>	Addresses, size

Sonu Ilyas Mughal



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Qui

Question # 12 of 30 ( Start time: 07:24:03 PM, 27 December 2020 )

Assume that we do not want to serialize phoneNum attribute of PersonInfo class, this can be done by;

Select the correct option

- |                                  |                               |                   |
|----------------------------------|-------------------------------|-------------------|
| <input type="radio"/>            | server String phoneNum;       | Sonu Ilyas Mughal |
| <input type="radio"/>            | client String phoneNum;       |                   |
| <input checked="" type="radio"/> | transient String phoneNum;    |                   |
| <input type="radio"/>            | serializable String phoneNum; |                   |



03063548328 Sonu Ilyas Mughal

Quiz Start

Question # 13 of 30 ( Start time: 07:24:51 PM, 27 December 2020 )

AWT is also called \_\_\_\_\_.

Select the correct option

- |                                  |   |
|----------------------------------|---|
| <input checked="" type="radio"/> | Heavy weight components                       |
| <input type="radio"/>            | Light weight components                       |
| <input type="radio"/>            | Both Light weight and heavy weight components |
| <input type="radio"/>            | Neither Light weight nor heavy weight         |

Sonu Ilyas Mughal



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 14 of 30 ( Start time: 07:25:19 PM, 27 December 2020 )

Java program's code is compiled into a form called

-----.

Select the correct option

Sonu Ilyas Mughal

- |                                  |              |
|----------------------------------|--------------|
| <input type="radio"/>            | Machine code |
| <input checked="" type="radio"/> | Byte code    |
| <input type="radio"/>            | Native code  |
| <input type="radio"/>            | Source code  |



03063548328 Sonu Ilyas Mughal

MC190204454: RUBINA KAMIZAN

CS506:Grand Quiz

Quiz Start Time: 07:

Question # 15 of 30 ( Start time: 07:25:43 PM, 27 December 2020 )

An object of Student.java class is creating and setting its value in Test.java class. \_\_\_\_\_ error is there in given code.

```
public class Test{
    public static void main (String args[]){
        Student s2 = new Student();
        s2->setName("Aslam");
    }
}
```

Select the correct option

<input type="radio"/>	Class name is in wrong format	Sonu Ilyas Mughal
<input type="radio"/>	s2 is not valid name of object of Student class	
<input checked="" type="radio"/>	setName method should not be accessed by arrow operator	
<input type="radio"/>	no syntax error	



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 16 of 30 ( Start time: 07:26:10 PM, 27 December 2020 )

Which command of the following commands is used to run "JavaTest" java file's program?

Select the correct option

<input type="radio"/>	java JavaTest.java	Sonu Ilyas Mughal
<input checked="" type="radio"/>	java JavaTest	
<input type="radio"/>	javac JavaTest.java	
<input type="radio"/>	javac JavaTest	



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start

Question # 17 of 30 ( Start time: 07:26:31 PM, 27 December 2020 )

Java defines \_\_\_\_\_ for the listener interfaces having more than one event handling methods.

Select the correct option

<input type="radio"/>	Wrapper classes
<input type="radio"/>	Abstract classes
<input type="radio"/>	Concrete classes
<input checked="" type="radio"/>	Adapter classes

Sonu Ilyas Mughal



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Sta

Question # 18 of 30 ( Start time: 07:26:58 PM, 27 December 2020 )

You must include a \_\_\_\_\_ to declare an exception that might be thrown to another method.

Select the correct option

- |                                  |               |
|----------------------------------|---------------|
| <input type="radio"/>            | try block     |
| <input type="radio"/>            | finally block |
| <input type="radio"/>            | catch block   |
| <input checked="" type="radio"/> | throws-clause |

Sonu Ilyas Mughal



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start Time

Question # 19 of 30 ( Start time: 07:27:25 PM, 27 December 2020 )

If we want to animate something like ball, moving from one place to another, we constantly need to call paint ( ) method.

Select the correct option

<input type="radio"/>	True
<input checked="" type="radio"/>	False

Sonu Ilyas Mughal

Click to Save Answer



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start Time

Question # 20 of 30 ( Start time: 07:27:48 PM, 27 December 2020 )

In the context of Java Graphics, which of the following methods we should override while painting?

Select the correct option

<input type="radio"/>	paint( )
<input checked="" type="radio"/>	paintComponet( )
<input type="radio"/>	paintBorder( )
<input type="radio"/>	paintChildern( )

Sonu Ilyas Mughal



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 21 of 30 ( **Start time: 07:28:10 PM, 27 December 2020** )

Which of the following features is not available in Java?

Select the correct option

<input type="radio"/>	Data hiding	Sonu Ilyas Mughal
<input type="radio"/>	Data encapsulation	
<input type="radio"/>	Single inheritance	
<input checked="" type="radio"/>	Multiple inheritance	



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start Time:

Question # 22 of 30 ( Start time: 07:28:36 PM, 27 December 2020 )

The following is an example of \_\_\_\_\_:  
`FileReader fr = new FileReader("input.txt");`

Select the correct option

- |                                  |                      |                   |
|----------------------------------|----------------------|-------------------|
| <input type="radio"/>            | Byte oriented stream | Sonu Ilyas Mughal |
| <input checked="" type="radio"/> | Node stream          | SONU MUGHAL       |
| <input type="radio"/>            | Filter stream        |                   |
| <input type="radio"/>            | File stream          |                   |



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 23 of 30 ( **Start time: 07:29:08 PM, 27 December 2020** )

If a JPanel has a triangle drawn on it then which of the following methods will display it?

Select the correct option

Sonu Ilyas Mughal

- |                                  |                  |
|----------------------------------|------------------|
| <input type="radio"/>            | paint( )         |
| <input checked="" type="radio"/> | paintComponet( ) |
| <input type="radio"/>            | paintBorder( )   |
| <input type="radio"/>            | paintChildern( ) |



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start Time: 0'

Question # 24 of 30 ( Start time: 07:29:31 PM, 27 December 2020 )

Which of the following is correct java code statement that is used to establish the connection?

Select the correct option

- |                                  |  |                   |
|----------------------------------|--|-------------------|
| <input checked="" type="radio"/> | Connection con = DriverManager.getConnection(conURL) | Sonu Ilyas Mughal |
| <input type="radio"/>            | connection Con = driverManager.getConnection(conURL) |                   |
| <input type="radio"/>            | connection Con = driverManager.getConnection(conURL) |                   |
| <input type="radio"/>            | Connection con = driverManager.getConnection(conURL) |                   |

Click to Save Answer &



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz St

Question # 25 of 30 ( Start time: 07:29:52 PM, 27 December 2020 )

Which of the following exceptions belongs to a category of checked exception?

Select the correct option

<input type="radio"/>	Null Pointer exception
<input checked="" type="radio"/>	IOException
<input type="radio"/>	Array index out of bounds
<input type="radio"/>	NumberFormatException

Sonu Ilyas Mughal

Click to Save



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 26 of 30 ( Start time: 07:30:22 PM, 27 December 2020 )

A collection can store \_\_\_\_\_

Select the correct option

- |                                  |                                     |                   |
|----------------------------------|-------------------------------------|-------------------|
| <input type="radio"/>            | Homogenous objects                  | Sonu Ilyas Mughal |
| <input checked="" type="radio"/> | Heterogeneous objects               |                   |
| <input type="radio"/>            | Objects as well as primitive values |                   |
| <input type="radio"/>            | At most 100 objects                 |                   |



03063548328 Sonu Ilyas Mughal

## CS506:Grand Quiz

Question # 27 of 30 ( **Start time: 07:30:51 PM, 27 December 2020** )

Timer class constructor requires time in \_\_\_\_\_.

Select the correct option

<input type="radio"/>	seconds	Sonu Ilyas Mughal
<input checked="" type="radio"/>	milli seconds	
<input type="radio"/>	micro seconds	
<input type="radio"/>	nano seconds	



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start Time: 07:0

Question # 28 of 30 ( Start time: 07:31:13 PM, 27 December 2020 )

Which of the following statement object is used to execute precompiled SQL statements?

Select the correct option

<input type="radio"/>	Statement
<input checked="" type="radio"/>	PreparedStatement
<input type="radio"/>	CallableStatement
<input type="radio"/>	None of given

Sonu Ilyas Mughal

Click to Save Answer & M



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz

Question # 29 of 30 ( Start time: 07:31:51 PM, 27 December 2020 )

HashMap takes key as a/an \_\_\_\_\_

Select the correct option

<input checked="" type="radio"/>	Object	Sonu Ilyas Mughal
<input type="radio"/>	Array	
<input type="radio"/>	Primitive value	
<input type="radio"/>	Function	



03063548328 Sonu Ilyas Mughal

CS506:Grand Quiz

Quiz Start Time: 07:18 PM

Question # 30 of 30 ( Start time: 07:32:18 PM, 27 December 2020 )

Which of the following stream read/write data in the form of bytes?

Select the correct option

- |                                  |                 |
|----------------------------------|-----------------|
| <input type="radio"/>            | FileReader      |
| <input type="radio"/>            | FileWriter      |
| <input type="radio"/>            | PrintWriter     |
| <input checked="" type="radio"/> | FileInputStream |
- Sonu Ilyas Mughal
- SONU ILYAS MUGHAL



03063548328 Sonu Ilyas Mughal

Sonu Ilyas Mughal



03063548328 Sonu Ilyas Mughal

## VIRTUAL ASSISTANCE WITH SONU MUGHAL

ONLINE ACADEMY FOR ALL SUBJECTS AND PROJECTS OF VU



**0306 3548328**

✉ [sonuilyasmughal@gmail.com](mailto:sonuilyasmughal@gmail.com)

### Subjects Enrolment

- 1) Lecture live on Zoom
- 2) Written Lectures (pdf)
- 3) Recorded Videos
- 4) Topic wise Notes
- 5) Short QA Solved
- 6) MCQs Solved
- 7) Solved Past and Current paper
- 8) Solved Graded Activities (Assignment Quiz GDB)

### Project Enrolment Complete training with Live classes on Zoom

- 1) SRS (Software Requirements Specification)
- 2) DD (Design Document)
- 3) Test phase
  - a) Test phase viva (Live Classes for viva preparation)
- 4) Final Deliverable
  - a) Final coding
  - b) Final presentation
  - c) Final report
  - d) Pre final viva (Coding Viva)
  - e) Final viva (Overall Presentation)

Sonu Ilyas Mughal  
Activity  
Detailed  
Information

*First See Our Result  
Than Join Us!*



03063548328 Sonu Ilyas Mughal



# ONLINE ACADEMY FOR ALL SUBJECTS

and Projects with **Sonu Mughal**

Online Academy For all subjects  
and Projects with Sonu Mughal

**Sonu Ilyas Mughal**

For **Mid Term Quiz, Special Assignment,  
Graded Activities, Final Exam Preparation**

**100 % MARKS** Surety otherwise **REFUND**

First Come First Serve  
Reserve your seat before

## 15 December 2020

First see our previous Result then Enroll with satisfaction  
Virtual Assistance Sonu Mughal

**CONTACT**

**WHATSAPP: 03063548328**

**FB: FB.COM/SUMBALILYASMUGHAL.MUGHAL**

**EMAIL: SONUILYASMUGHAL@GMAIL.COM.COM**