

Question No : 1 of 26

Marks: 1 (Budgeted Time 1 Min)

In broadcast topology there are two categories \_\_\_\_\_.

Answer ( Please select your correct option )

Satellite/Radio and Ring

correct

Satellite/Radio and Star

Ring and star

Satellite/Radio

**Made By: Waqar Siddhu**

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

In \_\_\_\_\_, network occupies the smaller area like a room a floor or a building

Answer ( Please select your correct option )

LAN

correct

WAN

MAN

PAN

**Made By: Waqar Siddhu**

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)

The Ethernet standard specifies that frames are sent using the \_\_\_\_\_

Answer ( Please select your correct option )

Manchester Encoding

correct

Nonreturn to zero(NRZ)

Return to zero(RZ)

Differential Manchester

**Made By: Waqar Siddhu**

Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

A ----- relies on the hardware manufacturer to assign a unique physical address to each network interface.

Answer ( Please select your correct option )

Static addressing scheme

correct

Configurable addressing scheme

Dynamic addressing scheme

Burned MAC

**Made By: Waqar Siddhu**

Question No : 5 of 26

Marks: 1 (Budgeted Time 1 Min)

When an application----- data, it makes a copy of the data available to all other computers on the network.

Answer ( Please select your correct option )

Broadcasting

Multicasting

correct

Unicasting

Anycasting

**Made By: Waqar Siddhu**

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

Formally named \_\_\_\_\_ informally known as the thick wire Ethernet or Thick net.

Answer ( Please select your correct option )

10 Base 2

10 Base 5

10 Base T

correct

100 Base T

**Made By: Waqar Siddhu**

Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

Basic LAN technologies such as Ethernet, Token Ring, and FDDI use a \_\_\_\_\_.

Answer ( Please select your correct option )

- Connectionless service paradigm
- Connection-oriented service paradigm
- Both Connectionless and Connection-oriented service paradigm
- Connection-oriented service paradigm without acknowledgment

correct

**Made By: Waqar Siddhu**

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

In which type of topology computers are connected to a central device?

Answer ( Please select your correct option )

- Ring
- Mesh
- Bus
- Star

correct

**Made By: Waqar Siddhu**

Question No : 9 of 26

Marks: 1 (Budgeted Time 1 Min)

----- was especially most concerned about the lack of highly powered computers.

Answer ( Please select your correct option )

- ARPA
- IEEE
- EIA
- Government

correct

**Made By: Waqar Siddhu**

Question No : 10 of 26

Marks: 1 (Budgeted Time 1 Min)

"Frame type" field of the header consists of \_\_\_\_\_ bits.

Answer ( Please select your correct option )

- 8
- 10
- 16
- 32

correct

**Made By: Waqar Siddhu**

Question No : 11 of 26

Marks: 1 (Budgeted Time 1 Min)

A bridge uses the \_\_\_\_\_ to determine which computers connect to which segment and uses the \_\_\_\_\_ to determine whether to forward a copy of frame.

Answer ( Please select your correct option )

- Source address, Destination address
- Destination address, Source address
- Destination address, MAC Address
- Destination address, Destination address

correct

**Made By: Waqar Siddhu**

Question No : 12 of 26

Marks: 1 (Budgeted Time 1 Min)

Generally a Bridge is used to perform \_\_\_\_\_.

Answer ( Please select your correct option )

- Extend a LAN, Filter and Forward a packet
- Routing
- Filter and Forward a frame
- Filter and Forward a packet

correct

**Made By: Waqar Siddhu**

Question No : 13 of 26

Marks: 1 (Budgeted Time 1 Min)

If bridge cannot find \_\_\_\_\_ in its tables then forwards frames to the other segment.

Answer ( Please select your correct option )

- IP address
- Destination address
- Source address
- Port address

correct

**Made By: Waqar Siddhu**

Question No : 14 of 26

Marks: 1 (Budgeted Time 1 Min)

\_\_\_\_\_ technology can support both LAN and WAN connections.

- Frame relay
- Ethernet
- SMDS
- ATM

correct

**Made By: Waqar Siddhu**

Question No : 15 of 26

Marks: 1 (Budgeted Time 1 Min)

Virtual Circuit connection identifier occupies \_\_\_\_\_ bits.

- 16
- 24
- 32
- 8

correct

**Made By: Waqar Siddhu**

Question No : 16 of 26

Marks: 1 (Budgeted Time 1 Min)

\_\_\_\_\_ is used for ordinary data.

Answer ( Please select your correct option )

Available Bit Rate (ABR) service

correct

Uniform Bit Rate (UBR) service

Constant Bit Rate (CBR) service

Variable Bit Rate (VBR) service

**Made By: Waqar Siddhu**

Question No : 17 of 26

Marks: 1 (Budgeted Time 1 Min)

Unlike Frame Relay and ATM, SMDS (Switched multi-megabit Data service) offers \_\_\_\_\_.

Answer ( Please select your correct option )

Connectionless service paradigm

Connection oriented service paradigm

Both Connectionless and Connection-oriented service paradigm

Stateless Connection oriented service paradigm

**Made By: Waqar Siddhu**

Question No : 18 of 26

Marks: 1 (Budgeted Time 1 Min)

The term \_\_\_\_\_ refers to the general concept of a small block of data in a network.

Answer ( Please select your correct option )

Packet

correct

Byte

Cell

Information

**Made By: Waqar Siddhu**

Question No : 19 of 26

Marks: 1 (Budgeted Time 1 Min)

LAN that uses ATM technology has a \_\_\_\_\_.

Answer ( Please select your correct option )

Star topology

correct

Bus topology

Ring topology

Mesh topology

**Made By: Waqar Siddhu**

Question No : 20 of 26

Marks: 1 (Budgeted Time 1 Min)

The next hop to which a packet is sent depends only on \_\_\_\_\_.

Answer ( Please select your correct option )

Packet's destination

correct

Packet's original source

Path the packet has taken

Routed Protocol

**Made By: Waqar Siddhu**

Question No : 21 of 26

Marks: 2 (Budgeted Time 4 Min)

Network operator needs a temporary virtual circuit for his network. Which type of ATM virtual circuit is most appropriate in this situation?

Answer ( Please click here to Add Answer )




**Made By: Waqar Siddhu**

Question No : 22 of 26

Marks: 2 (Budgeted Time 4 Min)

How many methods are available to span a bridge network over long distances? Just write their names.

Answer ( Please [click here to Add Answer](#) )




**Made By: Waqar Siddhu**

Question No : 23 of 26

Marks: 3 (Budgeted Time 6 Min)

Suppose in university campus, bridges are used in its local area network. Explain all steps, how bridge builds up addresses list table of all attached computers?

Answer ( Please [click here to Add Answer](#) )




**Made By: Waqar Siddhu**

Question No : 24 of 26

Marks: 3 (Budgeted Time 6 Min)

Suppose XYZ Company has packet switch network of 50 computers. After some time of communication, network administrator observes that the packets in the packet switches are facing some delay just before these are transmitted over the link. Identify this delay and write down the mathematical equation of the relationship between delay and throughput.

Answer ( Please [click here to Add Answer](#) )




**Made By: Waqar Siddhu**

Question No : 25 of 26

Marks: 5 (Budgeted Time 10 Min)

While designing the ATM technology why the designers of the ATM have chosen cells over packets which are being used widely? Give five reasons to support your answer.

Answer ( Please [click here to Add Answer](#) )



Normal Arial 12 B I U


**Made By: Waqar Siddhu**

Question No : 26 of 26

Marks: 5 (Budgeted Time 10 Min)

Suppose you are assigned to connect two site offices which are situated far away from each other. In your opinion, which one will be the appropriate solution for this, LAN extension or WAN? Justify your answer with four reasons.

Answer ( Please [click here to Add Answer](#) )



Normal Arial 12 B I U

**Made By: Waqar Siddhu**